



EZYRAIL Hand Rail System

- No welding required !!
- Suits Dia. 48mm O/D (40 NB)
- Easy assembly using an impact drill / hex key
- Hot dipped galvanised cast iron
- Strong and sturdy, all weather proof
- Ensure pedestrian safety in a range of settings
- Suitable for: car parks, warehouses, factories, disability access, shopping centres, foot bridges, roof railings, pathways etc.
- Build to desired height and length
- Individual components or pre-assembled stanchions can be purchased for easy self assembly
- Custom design / custom colour available



SKU	Description	Image	Application
EZY101	Short Tee		
EZY104	Long Tee		
EZY112	Short Tee 45°		
EZY116	Three Way Through		
EZY119	2 Way Socket Cross		
EZY123	Elbow 40°-70°		
EZY124	Elbow 15° - 60°		
EZY125	Elbow 90°		
EZY128	3 Way Elbow		
EZY129	Adjustable Short Tee 30 - 45°		
EZY251	Slope Base Flange 30° - 45°		

SKU	Description	Image	Application
EZY152	Base Flange 0° - 11°		
EZY153	Short Tee 0° - 11°		
EZY154	Elbow 0° - 11°		
EZY155	Long Tee 0° - 11°		
EZY156	2 Way Socket Cross 0° - 11°		
EZY252	Slope Base Flange 11° - 30°		
EZY253	Slope Short Tee 11° - 30°		
EZY255	Slope Long Tee 11° - 30°		
EZY256	2 Way Socket Cross 11° - 30°		
EZY127	Long Tee 30° - 45°		
EZY130	2 Way Socket Cross 30° - 45°		

EZYRAIL
Components List

SKU	Description	Image	Application
EZY141	Railing Horizontal / Vertical Side Support		
EZY143	Hand Rail Bracket		 Offsets from Wall/ Ground
EZY145	Railing Side Support		 Offsets from Wall/ Ground Railing can not pass bottom of component
EZY148	Short Tee Swivel		 2 pcs form desired angle
EZY125H	Swivel Elbow		
EZY167	180° Double Swivel Combination		 Up Down 180°
EZY168	90° Corner Swivel		 Up 90° Down 90°
EZY135	Clamp On Tee		
EZY138	Gate Hinge - Female Part		 Female Male
EZY140	Gate Hinge - Male Part		 Female Male
TWO WAY GATE HINGE	Two Way Gate Hinge For Self Closing Gate		
EZY133	Plastic End Cap		
EZY136	Metal End Cap (Galv. Cast Iron)		
HEXKEY	Hexagon Key		


SKU	Description	Image	Application
EZY158	4 Way Cross		
EZY161	90° Cross Over		
EZY161U	U-Bolt Cross Over		
EZY199	Single Fixing Bracket / Gate Stopper		
EZY201	Open Cross Over (Cradle Clamp)		
EZY300	Long Hook Clamp		
EZY149	Sleeve Joint		
EZY150	Internal Expanding Joint (Set)		
EZY131	Wall Flange		 x 4 Fixing Holes
EZY132	Base Flange		
EZY232	Base Flange (Heavy Duty)		
EZY169	Swivel Base Flange		
EZY170	Mesh Panel Clip Single		
EZY171	Mesh Panel Clip Double		

EZYRAIL

Pre-assembled Parts & Stanchions



SKU	Description	Image
SHR40NB GAL1	Ezyrail - Mid/Top Rail (Galvanised) 1 Metre Length 48mm O/D (40 NB)	
SHR40NB GAL	Ezyrail - Mid/Top Rail (Galvanised) 2 Metres Length 48mm O/D (40 NB)	
SHRAILMDTP1	Ezyrail - Mid/Top Rail (Powder coated Yellow) 1 Metre Length 48mm O/D (40 NB)	
SHRAILMDTP	Ezyrail - Mid/Top Rail (Powder coated Yellow) 2 Metres Length 48mm O/D (40 NB)	
SHRGT900GA	Ezyrail - Self Closing Gate 900mm Length (Galvanised) Assembled	
SHRGT12GA	Ezyrail - Self Closing Gate 1200mm Length (Galvanised) Assembled	
SHRAILGATE	Ezyrail - Self Closing Gate 900mm Length (Powder coated Yellow) Assembled	
SHRGT12	Ezyrail - Self Closing Gate 1200mm Length (Powder coated Yellow) Assembled	
EZYCBEND	Ezyrail - Closure Bend (Powder coated Yellow) 500mm x 350mm	
EZYCBENDGAL	Ezyrail - Closure Bend (Galvanised) 500mm x 350mm	
SHRAILGPG	Gate Post with Square Fixing Plate (Galvanised) 1000mm (H) 48mm O/D (40 NB)	
SHRAILGP	Gate Post with Square Fixing Plate (Powder coated Yellow) 1000mm (H) 48mm O/D (40 NB)	



- All Ezy Rail posts are 40mm N.B
- All Ezy Components fit 48mm O. D Tubes

SKU	Description	Finish	Image
EZYTP	Ezyrail - Through Stanchion	Galvanised	
EZYTPY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYCP	Ezyrail - Corner Stanchion 90° Corners Fixed	Galvanised	
EZYCPY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYVPH	Ezyrail - Variable Horizontal Corner Stanchion Corners can be adjusted horizontally to required angle	Galvanised	
EZYVPHY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYVPV	Ezyrail - Variable Vertical Corner Stanchion 90° Corners can be adjusted vertically	Galvanised	
EZYVPVY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPG	Ezyrail - End Stanchion 90° End Corners Fixed	Galvanised	
EZYEPY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	


- Angled stanchions are recommended to use on ramps or for handrails installed as stair balustrades

EZYRAIL - Pre-assembled Stanchions

EzyRail - Hand Rail System

SKU	Description	Finish	Image
EZYEPG1	Ezyrail - End Stanchion 0°-11°	Galvanised	
EZYEP1Y	Base plate and connectors all at 0°-11° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM1 (Rise) EZYEPGSM1F (Fall)	Ezyrail - End Stanchion (Rise) (Fall) 0°- 11° Base plate sit flat on ground	Galvanised	
EZYEPSM1Y (Rise) EZYEPSM1YF (Fall)	Connectors are at 0°- 11° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM	Ezyrail - Through Stanchion (Rail/Wall Mount)	Galvanised	
EZYEPGRM1 (Rise) EZYEPGRM1 (Fall)	Straight angle 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM1 (Rise) EZYEPGRM1 (Fall)	Ezyrail - End Stanchion (Rail/Wall Mount) 0°- 11°	Galvanised	
EZYEPGRM1Y (Rise) EZYEPGRM1YF (Fall)	Connectors are at 0°- 11° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYTP1	Ezyrail - Through Stanchion 0°-11°	Galvanised	
EZYTP1Y	Base plate and connectors all at 0°- 11° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYTPSM1	Ezyrail - Through Stanchion 0°-11°	Galvanised	
EZYTPSM1Y	Base plate sit flat on ground Connectors are at 0°- 11° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	

SKU	Description	Finish	Image
EZYEPG2	Ezyrail - End Stanchion 11°- 30°	Galvanised	
EZYEP2Y	Base plate and connectors all at 11°- 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM2	Ezyrail - End Stanchion 12°- 22° (Rise)	Galvanised	
EZYEPGSM2F (Fall)	Base plate sit flat on ground Connectors are at 11°- 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM2	Ezyrail - End Stanchion 12°- 22° Rail/Wall Mount (Rise)	Galvanised	
EZYEPGRM2Y (Fall)	Base plate sit flat on ground Connectors are at 12°- 22° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM2	Ezyrail - End Stanchion 12°- 22° Rail/Wall Mount (Rise)	Galvanised	
EZYEPGRM2Y (Fall)	Base plate sit flat on ground Connectors are at 12°- 22° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM2F	Ezyrail - End Stanchion 12°- 22° Rail/Wall Mount (Fall)	Galvanised	
EZYEPGRM2FY	Base plate sit flat on ground Connectors are at 12°- 22° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYTP2	Ezyrail - Through Stanchion 11°- 30° Rail/Wall Mount (Through)	Galvanised	
EZYTP2Y	Connectors and Base Plate are at 11°-30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	




SKU	Description	Finish	Image
EZYTPSM2	Ezyrail - Through Stanchion 11° - 30° Base sit flat on ground	Galvanised	
EZYTPSM2Y	Connectors and Base Plate are at 11° - 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPG3	Ezyrail - End Stanchion 30° - 45° (Rise) Base plate and connectors all at 30° - 45°	Galvanised	
EZYEPG3Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZPEPGSM3	Ezyrail - End Stanchion 23° - 30° (Rise) Base sit flat on ground	Galvanised	
EZYEPSM3Y	Connectors are at 23° - 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM3F	Ezyrail - End Stanchion 23° - 30° (Fall) Base sit flat on ground	Galvanised	
EZYEPSM3YF	Connectors are at 23° - 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM3	Ezyrail - End Stanchion 23° - 30° Rail/Wall Mount (Rise) Connectors are at 23° - 30°	Galvanised	
EZYEPRM3Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM3F	Ezyrail - End Stanchion 23° - 30° Rail/Wall Mount (Fall) Connectors are at 23° - 30°	Galvanised	
EZYEPRM3YF	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	

SKU	Description	Finish	Image
EZYEPGSM5	Ezyrail - End Stanchion 31° - 44° (Rise) Base sit flat on ground	Galvanised	
EZYEPSM5Y	Connectors are at 31° - 44° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM5F	Ezyrail - End Stanchion 31° - 44° (Fall) Base sit flat on ground	Galvanised	
EZYEPSM5YF	Connectors are at 31° - 44° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM5	Ezyrail - End Stanchion 31° - 44° Rail/Wall Mount (Rise) Connectors are at 31° - 44°	Galvanised	
EZYEPRM5Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM5F	Ezyrail - End Stanchion 31° - 44° Rail/Wall Mount (Fall) Connectors are at 31° - 44°	Galvanised	
EZYEPRM5YF	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYTP3	Ezyrail - Through Stanchion 30° - 40° Base plate and connectors all at 30° - 40°	Galvanised	
EZYTP3Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYTPSM3	Ezyrail - Through Stanchion 30° - 40° Base plate sit flat on ground	Galvanised	
EZYTPSM3Y	Connectors are at 30° - 40° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	



In House Manufacturing

Our manufacturing department fabricate all handrail systems on site, we can design and cut to your required length.



SKU	Description	Finish	Image
EZYEPG4	Ezyrail - End Stanchion 45°	Galvanised	
EZYEP4Y	Base plate and connectors all at 45° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM4	Ezyrail - End Stanchion 45° (Rise)	Galvanised	
EZYEPSM4Y	Base sit flat on ground Connectors are at 45° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM4F	Ezyrail - End Stanchion 45° (Fall)	Galvanised	
EZYEPSM4YF	Base sit flat on ground Connectors are at 45° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM4	Ezyrail - End Stanchion 45° Rail/Wall Mount (Rise)	Galvanised	
EZYEPRM4Y	Connectors are at 45° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM4F	Ezyrail - End Stanchion 45° Rail/Wall Mount (Fall)	Galvanised	
EZYEPRM4YF	Connectors are at 45° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	




EZYRAIL DDA Assist Range

- Complies with the requirement of DDA Act
- Complies to AS1428.1-2009 / Equality Act 2010
- No welding required, simple and effective joiner / clamp / connect system forms smooth and flush joints
- Suits Diameter 48mm O/D (40 NB)


- Internally expanding fittings and saddle type fittings require no riveting or drilling
- Steps and ramps can be easily accommodated
- Fast and easy to install using impact drill or a hex key
- Can be powder coated to any colour
- For assistance and special design please contact us

SKU	Description	Image	Application
EZY745	DDA Assist Hand Rail Bracket		
EZY746	DDA Assist Saddle Wall Bracket		
EZY747	DDA Assist Expanding Internal Swivel Bracket		
EZY748	DDA Assist Saddle Internal Swivel Bracket		
EZY751	DDA Assist Swivel Saddle		
EZY725	DDA Assist Expanding Elbow		
EZY326	DDA Assist Internal Swivel Elbow		



EZYRAIL Self Assembly Guide

- No welding required!!
- Easy to assemble using a hex key, or impact drill
- We have individual components you can purchase or pre-assembled stanchions ready for installation
- Meet the Australian and New Zealand standard **AS 1657.2018** and **NZS 1657.1992** when installed correctly
- Versatile suitable for multiple applications
- Modular, relocatable and reconfigurable
- Can be installed at any angle, on slopes or flat surface.
- Custom design available please contact us for a quote



12 MONTHS
WARRANTY

