

Mezzanine Pallet Loading Gates



Operational Guide

It is very safe and easy to operate SafetyXpress Mezzanine Pallet Loading Gates. Operators are kept safe at all times, as our pallet loading gates have no exposed edges.

- To open the gate, simply roll the gate back, exposing the load area to the forklift operator.
- Place pallet on the load area and roll the gate into the closed position
- Rise and lower very smoothly
- Leaving the pallet accessible to be removed with a pallet jack or unstacked.



STANDARD HEIGHT

| SKU | Size | To Suit Pallet Size | Colour |
|------------|----------------|-----------------------|---------------|
| MEZPALGSP1 | 2400W x 2300 H | 1950W X 1250D X 1800H | Safety Yellow |
| MEZPALGSP2 | 1925W x 2300 H | 1400W X 1250D X 1800H | |

LOW PROFILE


| SKU | Size | To Suit Pallet Size | Colour |
|--------------|----------------|-----------------------|---------------|
| MEZPALGLP1SS | 2400W x 1900 H | 1950W X 1250D X 1450H | Silver |
| MEZPALGLP1 | 2400W x 1900 H | 1950W X 1250D X 1450H | Safety Yellow |
| MEZPALGLP2 | 1925W x 1900 H | 1400W X 1250D X 1450H | |

Pallet Loading Gate does not provide fall protection on two sides. Should side protection be required, additional handrail modules will be required and installed separately to the mezzanine gate.

Our pallet gate has twice the steel than other rollover gates, providing added durability against unforgiving forklift operators, and makes warehouse personals feel safe.



Mezzanine Pallet Loading Gate - Standard Height



The pallet loading gate protects the fall edge during mezzanine loading operations ensuring the safety of workmen whilst in the danger area.

With an overall required height clearance of only 1900mm these gates can fit almost anywhere without compromising the size pallet that can be loaded through the gate.

Our pallet gate has twice the steel than other rollover gates, providing added durability against unforgiving forklift operators, and makes warehouse personals feel safe.

- High level of safety for workmen in specific danger area
- High strength design, yet lightweight, ensures ease of operation
- Modular, kit form assembly for rapid and easy installation.
- No need to cut or weld, comes in a kit form, all fixings supplied.
- NO Pinch point, NO exposed edges therefore eliminate injuries and falls.
- Safety yellow finish for optimum visibility
- Comply to Australian Standards AS1657-2017

STANDARD HEIGHT LOADING GATE FEATURES


- Side barrier panels and a double sided gate that pivots allowing access to one side at a time.
- Fast to install, very sturdy and easy to use
- To open the gate, simply roll the gate back, exposing the load area to the forklift operator.
- Place pallet on the load area and roll the gate into the closed position leaving the pallet accessible to be removed with a pallet jack or unstacked.
- Everyone is kept safe with no exposed edges.
- Rise and lower very smoothly



| SKU | Size | To Suit Pallet Size | Colour |
|-------------------|----------------|-----------------------|---------------|
| MEZPALGSP1 | 2400W x 2300 H | 1950W X 1250D X 1800H | Safety Yellow |
| MEZPALGSP2 | 1925W x 2300 H | 1400W X 1250D X 1800H | |



Mezzanine Pallet Loading Gate - Low Profile



Low Profile Pallet Loading Gate is perfect for situations where head height is restricted, often in multi-tier mezzanine situations or structural roof beams restricts head height and does not allow for the conventional safety gate, therefore safe loading is compromised.

- High level of safety for workmen in specific danger area
- High strength design, yet lightweight, ensures ease of operation
- Modular, kit form assembly for rapid and easy installation.
- No need to cut or weld, comes in a kit form, all fixings supplied.
- NO Pinch point, NO exposed edges therefore eliminate injuries and falls.
- Safety yellow finish for optimum visibility
- Comply to Australian Standards AS1657-2017

LOW PROFILE LOADING GATE FEATURES



- Use low profile mezz gate in situations where height is restricted
- With an overall required height clearance of only 1900mm these gates can fit almost anywhere without compromising the size pallet that can loaded through the gate




| SKU | Size | To Suit Pallet Size | Colour |
|---------------------|----------------|-----------------------|---------------|
| MEZPALGLP1SS | 2400W x 1900 H | 1950W X 1250D X 1450H | Silver |
| MEZPALGLP1 | 2400W x 1900 H | 1950W X 1250D X 1450H | Safety Yellow |
| MEZPALGLP2 | 1925W x 1900 H | 1400W X 1250D X 1450H | |



**Mezzanine Pallet Loading Gate
Standard Height Drawings**





Standard Height Pallet Gate
Overall Dimension: 2400mm W x 2300mm H
To Suite Pallet: 1950mmW x 1250mm D x 1800mm H



Standard Height Pallet Gate
Overall Dimension: 1925mm W x 2300mm H
To Suite Pallet: 1400mm W x 1250mmD x 1800mm H




Mezzanine Pallet Loading Gate
Low Profile Drawings



Low Profile Rollover Gate

Size 2400W X 1900H
Pallet: 1950W X 1250D X 1450H



Low Profile Rollover Gate

Size: 1925W x 1900H
Pallet Size: 1400W x 1250D x 1450H

