

The Chairman

Body Corporate Committee

.....

.....

.....

Application to install **The Over Car Bonnet Storage Locker** by  in car park space number.....

Dear Sir/Madam,

I.....being the proprietor of Unit #.....hereby apply for permission to install **The Over Car Bonnet Storage Locker** in my exclusive use car space allocated to me.

In making this request, I note:

- a). The Over Car Bonnet Storage Locker will be placed within the confines of my allocated parking space, will not exceed or interfere with other allocated areas, or fire/electrical/drainage services or emergency service access areas.
- b). The Over Car Bonnet Storage Locker is free standing and stable and will not be fixed to any common property or the building structure.
- c). I am responsible for all associated costs of purchase, installation and maintenance of The Over Car Bonnet Storage Locker.
- d). The Over Car Bonnet Storage Locker is steel material with Shale Grey powder coat finish. Dimensions are 2.5m Wide x 1m Deep x 1m High (Total Adjustable Height 2.0m- 2.3m) The Over Bonnet Storage Locker has a 10 year limited warranty. It can be viewed online at <https://www.safetyxpress.com.au/over-bonnet-storage-lockers/> Attached is a photo of the proposed unit with its dimensions.

In view of the urgency associated with my need to have additional storage, I request that you consider and approve the above request as soon as possible.

With appreciation,

Signed


Name.....

Date.....


Postal Address.....

Product Feature & Specification


- * SKU: OBSL24
- * Material: Cold Rolled Steel & Galvanised Sheet
- * 2 people recommended for installation
- * Adjustable Feet
- * 3-point lock for extra security
- * Dimensions: 2500(A) x (2000-2300) (B) x 1000(C) x (1000-1300) (D)mm
- * Storage Capacity: 2.5 cubic metres
- * Before installation measure the height of your vehicle, and take ceiling height into consideration, to ensure that you can assemble the unit to the correct height



Parts Drawing



OVER BONNET STORAGE LOCKER



FEATURES

- Solid steel construction
- 11 level adjustable gas strut door
- Unique key 3 point locking system
- Easily assembled by 2 people
- High quality key lock system
- Shale grey powdercoat finish
- Minimal bolts and screws for fast assembly
- 10 Year manufacturers warranty
- Adjustable legs to raise bonnet clearance height from 1.1m to 1.4m

**SAFETY
XPRESS**

Phone 1300 049 246

Email sales@safetyxpress.com.au



safetyxpress.com.au