


## ISSUE 3

### THE SAFETY SOLUTION SPECIALISTS



Barriers, Railings,  
Bike Racks



Bollards



Ezyrail Modular  
Handrail System




Road Safety



Wheel Stops &  
Speed Humps



Tactile Indicators



Floor Safety



Signs, Posts &  
Fixings



PPE &  
Workwear



Workplace Safety



Fire &  
Emergency



Storage &  
Safe Handling

Safety Xpress is Australia's premier safety equipment supplier. We specialise in bollards, wheel stops, speed humps, tactiles, convex mirrors, barriers, stair nosings, hand rails, bike racks and bike hoops, floor mats, traffic and safety signs, safety apparel and many other safety products .





As the name suggests, 'Safety' is the first priority at Safety Xpress. We deliver all over Australia, quick, fast and hassle free, thus the word Xpress in our name.

We thrive to make workplaces, construction sites, business premises and homes safe for all people. Whether you want safety equipment for your workforce or for your customers, We offer quality safety products at affordable prices, if you are looking for any kind of safety product, you can certainly find it with us.

The most convenient way to buy from us is through our website [www.safetyxpress.com.au](http://www.safetyxpress.com.au), just browse and choose from our wide range of safety products online.

A number of prestigious schools, councils and companies from various industries like construction, warehousing, mining, transport, retail, real estate property management and others trust us for their safety needs.

If you have a requirement for safety equipments, contact us today or browse through our website to check out our product range. We also offer installation services in Melbourne Metro, Sydney Metro, Brisbane and the Gold Coast. Speak to us today regarding your next project and our helpful sales team are more than happy to offer you the best safety solution.







### CUSTOMER SUPPORT

LOCALLY BASED  
DEDICATED SALES TEAM  
7AM - 5PM MON - FRI AEST



 **1300 049 246**

### AUSTRALIA WIDE

WE DELIVER ANYWHERE IN  
AUSTRALIA TO YOUR DOORSTEP



### SAME DAY DESPATCH

ON MOST ORDERS PLACED  
BEFORE 11AM BUSINESS DAYS



### EXTENSIVE RANGE

EASY TO SHOP ONLINE,  
SECURE CHECK OUT



### SPECIALS & DISCOUNTS

FOLLOW US & SUBSCRIBE TO ENJOY  
SPECIAL OFFERS & DISCOUNTS



### PRICE BEAT GUARANTEE

LOWEST PRICE GUARANTEED  
OR WILL BEAT BY 5%



### 5 STAR REVIEWS

REAL REVIEWS  
FROM REAL CUSTOMERS



### WARRANTY

12 MONTHS WARRANTY ON ALL  
PRODUCTS AND UP TO 10 YEARS  
ON SELECTED PRODUCTS



### 30 DAYS RETURN

HASSLE FREE PRODUCT  
RETURN POLICY



### INSTALLATION SERVICES

AVAILABLE IN MELBOURNE, SYDNEY  
BRISBANE & GOLD COAST



## INDEX

### Bollards

Bollards - Surface Mount	7 - 11
Bollards - Concealed Base	11 - 13
Bollards - In Ground	14 - 17
Bollards - In Ground Removable	17 - 19
Bollards - Surface Mount Removable	20 - 21
Bollards - Custom Logo	21
Bollards - Replacement Keys & Barrels	22
Bollards - Storage	23
Bollards - Remote Control	24
Bollards - Fold Downs	25 - 26
Bollards - Stickers	26
Bollards - Covers	26
Bollards - Impact / Flexible Bollards	27 - 30
Bollards - Guide Posts	30 - 31
Bollards - Retractable Q Bollards	32 - 33
Bollards - Q Bollard Sign Holders	33
Bollards - Recycled Plastic	34 - 35

### Ultimate Aussie Made Range

Ultimate Tactiles	37
Ultimate Tactiles Peel & Stick	37 - 38
Ultimate Wheel Stops	38
Ultimate Speed Humps	39
Ultimate Stair Nosings	40 - 43

### Stair Nosings

Aluminium Stair Nosings	40 - 43
Fibreglass Stair Nosings	42 - 43
Brass Stair Nosing	43

### Storage Solutions

Car Park Vault Over Bonnect Storage	44
-------------------------------------	----

### Speed Humps

Heavy Duty Speed Humps	45
Rubber Speed Humps	45
Steel Speed Humps	46
Traffic Calmer	46
Speed Cushions	46
Portable Speed Humps	47
Cable Protectors	47 - 48

### Wheel Stops

Rubber Wheel Stops	48 - 49
Mini Wheel Stops	49
Wheel Stop Stickers	49
Ultimate Wheel Stops	50
Truck Wheel Stops	50
Lane Delineator	50
Rumble Strips	51
Wheel Chocks & Parking Mats	51

### Lane Dividers

Traffic Lane Separation Kerb	52
------------------------------	----

### Convex Mirrors

Indoor/Outdoor Convex Mirror	53
Indoor Convex Mirror	53 - 54
Stainless Steel Indoor Mirror	54
Quarter Dome Mirror	55
Half Dome Mirror	55
Full Dome Mirror	55

### Tactile Indicators

Peel and Stick Tactiles	56
Reinforced Fibreglass Tactiles	56
Ceramic Tactiles	57
Stainless Steel Tactile Plates	57
Bladed Shaft Tactiles	58
Single Studs with Shaft	58 - 59
Peel and Stick Single Studs	59
Flat Back Single Studs	61
Tactile Installation Templates	61
	61

### Barriers

Retractable Barriers	62
Portable Fence Barriers	62
Expanding Barriers	63
Crowd Control Barriers	63
Portable mobile safety barrier	64
Mesh Barrier	64
Buntings	64
Traffic Cones	65
Retractable traffic cone bars	65
Plastic Chains	65
Loading Dock Boom Gate	66
Height Clearance Bar	66
Mezzanine Pallet Loading Gate	66

### Tapes

Anti Slip Tape	67
Class 1 Reflective Tapes	67
Barrier Tapes	67

### Covid Safe Products

Social Distancing Signs & Stickers	68, 69
Hand Sanitiser Stations	68
Hand Sanitisers	68
Paper Towel Dispenser	68
Partition Screens	69
Social Distancing Floor Mat	69

Index Continues Next Page



## Covid Safe Products

Face Masks	70, 71
Thermometer	72
Alcohol & Anti Fog Wipes	72
Face Shield	73
Covid Tests	73

## Work Place Safety

Hearing Protection	74 - 75
Eye Protection	75 - 76
Hand Protection	78 - 81
Head Protection	82
Height Protection	83 - 87
Plant Log Books	87
Safety Hi-Vis Vests	88 - 92
CPR First Aid Kits	92 - 93
Emergency Eye Wash & Showers	93 - 95
Emergency Signs	95
First Aid Kits Home Use	96
First Aid Kits R1	97
First Aid Kits R2	98 - 99
First Aid Kits R3	100
First Aid Kits R4	101
First Aid Kits Snake Bite, Burns,	101
First Aid Kits E-Series	102
Body Fluid Clean Up Bag	102
First Aid Kits Refill Kits	102 - 103
Drug Test Kits	103 - 104
Polyurethane Work Boots	104 - 105
Aerosol Can Storage Cabinets	105
MSDS Document Storage	106
Warning Tags	106
Spill Kits General Purpose	107
Spill Kits Fuel and Oil	108
Spill Kits Hazchem	109
Spill Kits Wheelie Bins & Labels	110
Spill Kits Refill Kits	111 - 112
Spill Kit Bundings	113
Spill Kit Signs	113
A Frame Caution Sign	114
Step Stool	114
Beacon Light	114
Star Picket Fence	114
Ratchet Strap	115
Tape Measure	115
Traffic Baton	115
Padlock With Keys	115

## Fire Extinguisher

Fire Extinguishers	116 - 117
Fire Blankets	117
Fire Extinguishers Brackets	117
Fire Extinguishers Cabinets	118
Fire Extinguishers Accessories	118 - 119
Fire Extinguishers Signs	119 - 121

## Emergency Lighting

Emergency Down Light	120 - 122
Emergency Exit Light	122 - 124

## Impact Protection

Foam Impact Protection Strips	125
Racking Sensor Light	126
Rubber Impact Protection Strip	126
Docking Bumpers	126
Racking Guard	127
Column Protector	127
Down Pipe Protector	127
Guard Rails	128 - 130

## Ramps

Entrance Ramp	131
Kerb Ramp	131
Disable Access Ramp	132
Container Access Ramp	132

## Mats

Entrance Mats	133
High Foot Traffic Commercial Mats	133
Anti Fatigue Mats	134
Engineers Mats	134
Gym Mat Squares	135
Ute Mat	135
Custom Size Mats	135

## Bike Storage

Bike Racks Wall Mount	136
U Bar Hand Rails	136
Bike Hand Grab Rails	136
Bike Hoops	137
Bike Repair Station	137
Bike Racks Multi Parker	138 - 139

## Ezy Rail Hand Rails

Ezy Rail Components	138 - 142
Ezy Rail Pre-Assembled Stanchions	142 - 145
Ezy Balustrade	146 - 147
Ezy Rail DDA Assist Range	148 - 150
Ezy Rail Self Assembly Guide	148

## Ezy Rail Trolley Bays

EzyRail Trolley Bay Overview	151
Single Trolley Bay	152
Double Trolley Bays	153
Triple Trolley Bay	154
Custom Trolley Bay & Signs	154

## INDEX

### Ball Fence

Ball Fence Posts	155
Ball Fence Beams	155

### Signs

Multi Message Board Sign Frame	156
Corflute Signs For Multi Message Board	156
Parking Signs	157 - 166
Road Traffic Signs	166 - 170
Custom Signs	173
Work Place Safety Signs	173 - 177
Braille Signs	178 - 181
School Crossing Signs	182 - 183
Traffic Management Batons	183

### Sign Fittings

In Ground Wizards	183
Sign Posts	183
Sign Brackets	184
Sleeve For Sign Posts	184

### Fixing Kits

M10 Coach Screws	184
Wheel Stop Fixings	185
Concrete Screw Anchors	185 - 186
SDS Masonry Drill Bits	186
MUNGO Epoxy	187
Selleys Liquid Nails	187
Caulking Gun	187
Surface Primer & Applicator	187

### Line Marking Supplies

GRACO Line Marking Machines	188 - 189
Raised Pavement Markers	190
RPM Adhesive Pads	191
Car Parking Dots	191
Skate Board Deterrent	191
Mixing Paddles	191
Line Marking Stencils	192 - 195
Line Marking Paints	196
Line Marking Tapes	196
DURASAFE Line Marking Service	197 - 199



## Surface Mount Bollard Xpress Surface Mount 90mm x 900mm

- A popular choice; clean, streamline look, strong and economical
- Long life, surface virtually maintenance free
- Black plastic non-corrosive cap provides a refined finish to the bollard
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM90X	Powder Coated Safety Yellow with Class 1 Red Reflective Band	7.8 kg	90mm	900mm	3mm
Material		Base Dimensions		Fixings	
E Coating / Galvanised Steel		200mm base dia. 6mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	



**12 MONTHS**  
WARRANTY

## Surface Mount Bollard 90mm x 900mm

- A popular choice, one of our best sellers
- Strong, sturdy, economical
- Long life, surface virtually maintenance free
- Surface mount, can be easily installed to surfaced that can not be core drilled
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM90	Powder Coated Safety Yellow with Class 1 Red Reflective Band	9 kg	90mm	900mm	3mm
Material		Base Dimensions		Fixings	
E Coating / Galvanised Steel		225mm base dia. 7mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	



**12 MONTHS**  
WARRANTY

## Surface Mount Bollard Car Park Bollard 140mm x 1300mm

- Designed to comply with car park regulations
- Restricts vehicle access whilst allowing clear pedestrian flow
- Ideal for loading docks and bus depots where heavy vehicles are present.
- Knock-on cap, can be filled with concrete for extra strength
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM140	Powder Coated Safety Yellow with Class 1 Red Reflective Band	18.6kg	140mm	1300mm	3mm
Material		Base Dimensions		Fixings	
E Coating / Galvanised Steel		250mm base dia. 8mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	



**12 MONTHS**  
WARRANTY

## Surface Mount Bollards



**12 MONTHS**  
WARRANTY

### Surface Mount Bollard Shared Zone Disabled Parking Bollard 140mm x 1300mm

- Designed to comply with car park regulations
- Installed in shared zones between disabled parking spaces to ensure adequate access
- Surface mount, no core drilling required
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM140D	Powder Coated Safety Yellow with Class 1 Red Reflective Band	18.6kg	140mm	1300mm	3mm
Material		Base Dimensions		Fixings	
E Coating / Galvanised Steel		250mm base dia. 8mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	

## Surface Mount Bollards




**12 MONTHS**  
WARRANTY

### Surface Mount Bollard 165mm x 1300mm

- Heavy duty protection bollard useful in areas where vehicles travel at speed to protect buildings and other assets
- Perfect for a range of entry points including to banks, shopping centres, commercial properties, and boom gates
- Strategically placed, these bollards become an ideal deterrent to crime.
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM165	Powder Coated Safety Yellow with Class 1 Red Reflective Band	22kg	165mm	1300mm	3mm
Material		Base Dimensions		Fixings	
E Coating / Galvanised Steel		300mm base dia. 10mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	

## Surface Mount Bollards



**Stainless Steel**



**12 MONTHS**  
WARRANTY

### Surface Mount Bollard 90mm x 900mm Stainless Steel 316 Marine Grade

- 316 Marine Grade offers a high level of corrosion resistance
- Durable and stylish, suits coastal area and beach side locations
- Suitable for shopping centres, car parks and building entrances. Areas which require pedestrian and asset protection whilst meeting architectural needs
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM90SS	Silver Brushed	7 kg	90mm	900mm	3mm
Material		Base Dimensions		Fixings	
316 Marine Grade Stainless Steel		170mm base dia. 7mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	





## Surface Mount Bollard 114mm x 1000mm Stainless Steel 304 Grade

- Durable and stylish, superior protection
- Surface mount, can be added to any car park at anytime, no core drilling required
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM114SS	Silver Brushed	10kg	114mm	1000mm	3mm
Material		Base Dimensions		Fixings	
304 Grade Stainless Steel		200mm base dia. 8mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	

## Surface Mount Bollards




## Surface Mount Bollard 140mm x 1200mm Stainless Steel 304 Grade

- Solid, stylish and attractive
- Restricts vehicle access whilst allowing clear pedestrian flow
- Suits shopping centres, car parks and building entrances
- Pedestrian access and asset protection
- Perfect for surfaces which can't be core drilled, can be installed anywhere
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM140SS04	Silver Brushed	18 kg	140mm	1200mm	3mm
Material		Base Dimensions		Fixings	
304 Grade Stainless Steel		220mm base dia. 7mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	

## Surface Mount Bollards



## Surface Mount Bollard 140mm x 1200mm Stainless Steel 316 Marine Grade

- 316 Marine Grade offers a high level of corrosion resistance
- Durable and stylish, suits coastal area and beach side locations
- Suitable for shopping centres, car parks and building entrances. Areas which require pedestrian and asset protection whilst meeting architectural needs
- Surface mount, easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM140SS	Silver Brushed	22 kg	140mm	1200mm	3mm
Material		Base Dimensions		Fixings	
316 Marine Grade Stainless Steel		220mm base dia. 7mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	

## Surface Mount Bollards



**304  
Grade  
Stainless  
Steel**



**12 MONTHS**  
WARRANTY

### Surface Mount Car Park Bollard 168mm x 1200mm Stainless Steel 304 Grade

- Restricts vehicle access whilst allowing clear pedestrian flow
- Suits shopping centres, car parks and building entrances
- Pedestrian access and asset protection
- Perfect for surfaces which can't be core drilled, can be installed anywhere
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM168SS04	Silver Brushed	23 kg	168mm	1200mm	3mm
Material	Base Dimensions		Fixings		
304 Grade Stainless Steel	320mm base dia. 7mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included		

## Surface Mount Bollards



**12 MONTHS**  
WARRANTY

### Surface Mount Car Park Bollard 90mm x 1200mm Galvanised Steel

- Galvanised steel with knock-on cap and CL1 reflective band
- Perfect for surfaces which can't be core drilled, concrete areas that have already been poured and bollards are being added afterwards.
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM90GALV	Silver Brushed	20kg	90mm	1200mm	3mm
Material	Base Dimensions		Fixings		
Galvanised Steel	250mm base dia. 8 mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included		

## Surface Mount Bollards



**12 MONTHS**  
WARRANTY

### Surface Mount Car Park Bollard 140mm x 1300mm Galvanised Steel

- Galvanised steel with knock-on cap and CL1 reflective band
- Perfect for surfaces which can't be core drilled, concrete areas that have already been poured and bollards are being added afterwards.
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM140GALV	Silver Brushed	18.6kg	140mm	1300mm	3mm
Material	Base Dimensions		Fixings		
Galvanised Steel	250mm base dia. 8 mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included		





## Surface Mount Bollard Bollard 220mm x 1200mm

- Install this 1200mm bollard where you need safety and security
- Knock-on cap, can be filled with concrete for extra strength
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSM220	Powder Coated Safety Yellow with Class 1 Red Reflective Band	35kg	220mm	1200mm	5mm
Material		Base Dimensions		Fixings	
E Coating / Galvanised Steel		???mm base dia. 8mm thickness 4 mounting holes 16mm dia. each		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	

## Surface Mount Bollards




## Concealed Base Surface Mount Bollard 90mm x 1000mm

- Surface Mount Concealed Base Bollards have a smaller concealed base compare to standard surface mount bollards, so that all fixings are concealed after installation, giving a more clean/refined look and more weather resistant
- Surface mount, can be easily installed to surfaced that can not be core drilled
- Easy installation, mount base plate to surface first, then twist on the bollard
- Standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSMCB90Y	Powder Coated Safety Yellow with Class 1 Red Reflective Band	9 kg	90mm	1000mm	3mm
Material		Base Dimensions		Fixings	
E Coating / Galvanised Steel		78mm dia base dia. 100mm high 3 mounting holes 14mm dia. each		3 x M10 Coach Screws 100mm, washers and nylon plugs	

## Surface Mount Bollards



## Concealed Base Surface Mount Bollard 140mm x 1200mm

- Surface Mount Concealed Base Bollards have a smaller concealed base compare to standard surface mount bollards, so that all fixings are concealed after installation, giving a more clean/refined look and more weather resistant
- Surface mount, can be easily installed to surfaced that can not be core drilled
- Easy installation, mount base plate to surface first, then twist on the bollard
- Standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSMCB140Y	Powder Coated Safety Yellow with Class 1 Red Reflective Band	14.5 kg	90mm	1000mm	3mm
Material		Base Dimensions		Fixings	
E Coating / Galvanised Steel		78mm dia base dia. 100mm high 3 mounting holes 14mm dia. each		3 x M10 Coach Screws 100mm, washers and nylon plugs	

## Surface Mount Bollards



### Concealed Base Surface Mount Bollard 90mm x 1000mm - Galvanised

- Surface Mount Concealed Base Bollards have a smaller concealed base compare to standard surface mount bollards, so that all fixings are concealed after installation, giving a more clean/refined look and more weather resistant
- Surface mount, can be easily installed to surfaced that can not be core drilled
- Easy installation, mount base plate to surface first, then twist on the bollard
- Standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSMCB90G	Galvanised with Class 1 Red Reflective Band	9 kg	90mm	1000mm	3mm
Material		Base Dimensions		Fixings	
Galvanised Steel		78mm dia base dia. 100mm high 3 mounting holes 14mm dia. each		3 x M10 Coach Screws 100mm, washers and nylon plugs	

## Surface Mount Bollards



### Concealed Base Surface Mount Bollard 140mm x 1200mm - Galvanised

- Surface Mount Concealed Base Bollards have a smaller concealed base compare to standard surface mount bollards, so that all fixings are concealed after installation, giving a more clean/refined look and more weather resistant
- Surface mount, can be easily installed to surfaced that can not be core drilled
- Easy installation, mount base plate to surface first, then twist on the bollard
- Standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSMCB140G	Galvanised with Class 1 Red Reflective Band	14.5 kg	140mm	1200mm	3mm
Material		Base Dimensions		Fixings	
Galvanised Steel		78mm dia base dia. 100mm high 3 mounting holes 14mm dia. each		3 x M10 Coach Screws 100mm, washers and nylon plugs	

## Surface Mount Bollards



### Concealed Base Surface Mount Bollard 90mm x 1000mm Stainless Steel - 304 Grade

- Surface Mount Concealed Base Bollards have a smaller concealed base compare to standard surface mount bollards, so that all fixings are concealed after installation, giving a more clean/refined look and more weather resistant
- Surface mount, can be easily installed to surfaced that can not be core drilled
- Easy installation, mount base plate to surface first, then twist on the bollard
- Standard fixings included

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSMCB90SS304	Silver	7 kg	90mm	1000mm	3mm
Material		Base Dimensions		Fixings	
Stainless Steel 304 Grade		78mm dia base dia. 100mm high 3 mounting holes 14mm dia. each		3 x M10 Coach Screws 100mm, washers and nylon plugs	

### Concealed Base Surface Mount Bollard 90mm x 1000mm Stainless Steel - 316 Marine Grade

- Surface Mount Concealed Base Bollards have a smaller concealed base compare to standard surface mount bollards, so that all fixings are concealed after installation, giving a more clean/refined look and more weather resisant
- Surface mount, can be easily installed to surfaced that can not be core drilled
- Easy installation, mount base plate to surface first, then twist on the bollard
- Standard fixings included



**12 MONTHS**  
WARRANTY

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSMCB90SS316	Silver	7 kg	90mm	1000mm	3mm
Material		Base Dimensions		Fixings	
Stainless Steel 304 Grade		78mm dia base dia. 100mm high 3 mounting holes 14mm dia. each		3 x M10 Coach Screws 100mm, washers and nylon plugs	

### Concealed Base Surface Mount Bollard 140mm x 1200mm Stainless Steel - 304 Grade

- Surface Mount Concealed Base Bollards have a smaller concealed base compare to standard surface mount bollards, so that all fixings are concealed after installation, giving a more clean/refined look and more weather resisant
- Surface mount, can be easily installed to surfaced that can not be core drilled
- Easy installation, mount base plate to surface first, then twist on the bollard
- Standard fixings included



**12 MONTHS**  
WARRANTY

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSMCB140SS304	Silver	7 kg	140mm	1200mm	3mm
Material		Base Dimensions		Fixings	
Stainless Steel 304 Grade		78mm dia base dia. 100mm high 3 mounting holes 14mm dia. each		3 x M10 Coach Screws 100mm, washers and nylon plugs	

### Concealed Base Surface Mount Bollard 140mm x 1200mm Stainless Steel - 316 Marine Grade

- Surface Mount Concealed Base Bollards have a smaller concealed base compare to standard surface mount bollards, so that all fixings are concealed after installation, giving a more clean/refined look and more weather resisant
- Surface mount, can be easily installed to surfaced that can not be core drilled
- Easy installation, mount base plate to surface first, then twist on the bollard
- Standard fixings included



**12 MONTHS**  
WARRANTY

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSMCB140SS316	Silver	7 kg	140mm	1200mm	3mm
Material		Base Dimensions		Fixings	
Stainless Steel 304 Grade		78mm dia base dia. 100mm high 3 mounting holes 14mm dia. each		3 x M10 Coach Screws 100mm, washers and nylon plugs	

## In Ground Bollards



**12 MONTHS**  
WARRANTY

### In Ground Bollard 90mm x 1200mm

- A popular choice, one of our best sellers
- Total 1200mm H (900mm above ground, 300mm below ground)
- Features a removable cap so that you can fill the bollard with concrete for extra strength
- Anchor rod included

SKU	Weight	Pole Dia.	Height	Wall
BOLBG90	9 kg	90mm	1200mm Total (900mm above ground 300mm below ground)	3mm
Material		Colour		Fixings
E Coating / Hot Dip Galvanised Steel		Powder Coated Safety Yellow with Class 1 Red Reflective Band		Anchor rod included at base which can be removed when core drilling

## In Ground Bollards



**12 MONTHS**  
WARRANTY

### In Ground Bollard 140mm x 1600mm

- Total 1600mm H (900mm above ground, 300mm below ground)
- Extra height gives better visibility
- Knock on cap means this bollard can fill the bollard with concrete for extra strength
- Anchor rod included

SKU	Weight	Pole Dia.	Height	Wall
BOLBG140	28.4 kg	140mm	1600mm Total (1300mm above ground 300mm below ground)	5mm
Material		Colour		Fixings
E Coating / Hot Dip Galvanised Steel		Powder Coated Safety Yellow with Class 1 Red Reflective Band		Anchor rod included at base which can be removed when core drilling

## In Ground Bollards



**12 MONTHS**  
WARRANTY

### In Ground Bollard 165mm x 1600mm

- Total 1600mm H (900mm above ground, 300mm below ground)
- Knock on cap means this bollard can fill the bollard with concrete for extra strength
- Powder coated safety yellow with Class 1 red reflective band
- Anchor rod included

SKU	Weight	Pole Dia.	Height	Wall
BOLBG165	35 kg	165mm	1600mm Total (1300mm above ground 300mm below ground)	5mm
Material		Colour		Fixings
E Coating / Hot Dip Galvanised Steel		Powder Coated Safety Yellow with Class 1 Red Reflective Band		Anchor rod included at base which can be removed when core drilling





Reflective

**12 MONTHS**  
WARRANTY

## In Ground Gas Metre Bollard 114mm x 1300mm

- Complies with gas Metre bollard regulations, often installed around gas meter to protect it from potential vehicle damage
- Total 1300mm H (800mm above ground, 500mm below ground)
- Knock on cap means this bollard can be filled with concrete for extra strength
- Powder coated safety yellow with red Class 1 reflective band
- Anchor rod included

SKU	Weight	Pole Dia.	Height	Wall
BOLBG114	17.5 kg	114mm	1300mm Total (800mm above ground 500mm below ground)	5mm
Material		Colour		Fixings
E Coating / Hot Dip Galvanised Steel		Powder Coated Safety Yellow with Class 1 Red Reflective Band		Anchor rod included at base which can be removed when core drilling



Reflective

**12 MONTHS**  
WARRANTY

## In Ground Bollard 220mm x 1200mm

- Install this Below Ground bollard where you need safety and security and get the job done properly.
- Removable top cap which can be concrete filled and is powder coated safety yellow with Class 1 red reflective band.
- Anchor rod included

SKU	Weight	Pole Dia.	Height	Wall
BOLBG220	43.5 kg	220mm	1600mm Total (1200mm above ground 400mm below ground)	5mm
Material		Colour		Fixings
E Coating / Hot Dip Galvanised Steel		Powder Coated Safety Yellow with Class 1 Red Reflective Band		Anchor rod included at base which can be removed when core drilling


**12 MONTHS**  
WARRANTY

## In Ground Bollard 90mm x 1400mm

- Total 1400mm H (1100mm above ground, 300mm below ground)
- The extra height gives better visibility, or can be cut down if required
- Features a removable cap so that the bollard can be filled with concrete for extra strength

SKU	Weight	Pole Dia.	Height	Wall
BOLBG90GAL1400	9 kg	90mm	1400mm Total (1100mm above ground 300mm below ground)	3mm
Material		Colour		Fixings
Hot Dip Galvanised Steel		Silver with Class 1 Red Reflective Band		No base hole. Anchor rod not included

## In Ground Bollards



**304  
Grade  
Stainless  
Steel**

**12 MONTHS**  
WARRANTY

### In Ground Bollard 90mm x 1200mm Flat Top 304 Grade Stainless Steel

- Total 1200mm H (900mm above ground, 300mm below ground)
- Used for asset protection whilst maintaining a stylish architectural look
- Suitable for areas such as car yards, shopping centres and at the front of corporate buildings for a sophisticated finish

SKU	Weight	Pole Dia.	Height	Wall
BOLBG90SSFLAT	22kg	90mm	1200mm Total (900mm above ground 300mm below ground)	3mm
Material		Colour		Fixings
304 Grade Stainless Steel		Silver		Anchor rod included at base which can be removed when core drilling.

## In Ground Bollards



**304  
Grade  
Stainless  
Steel**

**12 MONTHS**  
WARRANTY

### In Ground Bollard 140mm x 1200mm Flat Top 304 Grade Stainless Steel

- Total 1200mm H (900mm above ground, 300mm below ground)
- Used for asset protection whilst maintaining a stylish architectural look
- Suitable for areas such as car yards, shopping centres and at the front of corporate buildings for a sophisticated finish

SKU	Weight	Pole Dia.	Height	Wall
BOLBG140SS	22kg	140mm	1200mm Total (900mm above ground 300mm below ground)	3mm
Material		Colour		Fixings
304 Grade Stainless Steel		Silver		Anchor rod included at base which can be removed when core drilling.

## In Ground Bollards



**304  
Grade  
Stainless  
Steel**

**12 MONTHS**  
WARRANTY

### In Ground Bollard 90mm x 1200mm Bevelled Top 304 Grade Stainless Steel

- Total 1200mm H (900mm above ground, 300mm below ground)
- Used for asset protection whilst maintaining a stylish architectural look
- Perfect for shopping centre entrances, hotels, multilevel residences and corporate buildings

SKU	Weight	Pole Dia.	Height	Wall
BOLBG90SSB	22kg	90mm	1200mm Total (900mm above ground 300mm below ground)	3mm
Material		Colour		Fixings
304 Grade Stainless Steel		Silver		Anchor rod included at base which can be removed when core drilling.



**12 MONTHS**  
WARRANTY

## In Ground Bollard 140mm x 1200mm Bevelled Top 304 Grade Stainless Steel

- Total 1200mm H (900mm above ground, 300mm below ground)
- Used for asset protection whilst maintaining a stylish architectural look
- Perfect for shopping centre entrances, hotels, multilevel residences and corporate buildings for a high scale kerb appeal

SKU	Weight	Pole Dia.	Height	Wall
BOLBG140SSB	22kg	140mm	1200mm Total (900mm above ground 300mm below ground)	3mm
Material		Colour		Fixings
304 Grade Stainless Steel		Silver		Anchor rod included at base which can be removed when core drilling.



**12 MONTHS**  
WARRANTY

## In Ground Shared Zone Disabled Parking Bollard 140mm x 1600mm

- Designed to car park regulations
- The Shared Zone Disabled Parking Bollard is installed in shared zones between disabled parking spaces to ensure adequate access
- Knock on cap provides a refined finish, can also be concrete filled

SKU	Weight	Pole Dia.	Height	Wall
BOLBG140D	28.4 kg	140mm	1600mm Total (1300mm above ground 300mm below ground)	3mm
Material		Colour		Fixings
E Coating / Hot Dip Galvanised Steel		Powder Coated Safety Yellow with Class 1 Red Reflective Band		Anchor rod included at base which can be removed when core drilling



**12 MONTHS**  
WARRANTY

## Removable Bollard 90mm Sleeve Lock

- The removable bollard is locked into the sleeve with a padlock, giving the option of removing the bollard as access is required.
- Sleeve Included. Padlock Sold Separately
- Core drilled into the surface (concrete or asphalt) or set in new concrete.
- Powder coated safety yellow with Class 1 red reflective band
- Perfect for factories, shopping centres, and entry points even across driveways

SKU	Weight	Pole Dia.	Height	Wall
BOLRSL90M	8.3kg	90mm	960mm above ground	3mm
Material		Colour		Sleeve
E Coating / Hot Dip Galvanised Steel		Powder Coated Safety Yellow with Class 1 Red Reflective Band		230mm high (below ground), 105mm diameter (145mm diameter inc. hinge) and roller door bracket included

## Removable Bollards



**12 MONTHS**  
WARRANTY

### In Ground Removable Bollard 90mm Sleeve Lock

- The removable bollard is locked into the sleeve with a padlock, giving the option of removing the bollard as access is required.
- Sleeve, 1 padlock and 2 x keys included
- Core drilled into the surface (concrete or asphalt) or set in new concrete.
- Powder coated black with Class 1 red reflective band
- Perfect for factories, shopping centres, and entry points or across driveways

SKU	Weight	Pole Dia.	Height	Wall
BOLRSLB90M	8.3kg	90mm	1000mm above ground	5mm
Material	Colour	Sleeve		
Powder Coated Hot Dip Galvanised Steel	Powder Coated Black with Class 1 Red Reflective Band	230mm high (below ground), 105mm diameter (145mm diameter inc. hinge)		

## Removable Bollards



**12 MONTHS**  
WARRANTY

### In Ground Removable Bollard 90mm Sleeve Lock - Stainless Steel 304 Grade

- The removable bollard is locked into the sleeve with a padlock, giving the option of removing the bollard as access is required
- Sleeve Included. 1 padlock with 2 keys supplied
- Core drilled into the surface (concrete or asphalt) or set in new concrete
- Silver metallic body with class 1 red reflective band
- Perfect for factories, shopping centres, and entry points or across driveways

SKU	Weight	Pole Dia.	Height	Wall
REMBOL90SS	10kg	90mm	900mm above ground	3mm
Material	Colour	Sleeve		
304 Grade Stainless Steel	Silver Metallic with Class 1 Red Reflective Band	230mm high (below ground), 100mm diameter		

## Removable Bollards



**12 MONTHS**  
WARRANTY

### In Ground Removable Bollard 90mm Sleeve Lock - Stainless 316 Grade

- The removable bollard is locked into the sleeve with a padlock, giving the option of removing the bollard as access is required.
- Sleeve Included. 2 keys supplied
- Stainless Steel cover plate closes flush with surface when bollard is removed
- Perfect for coastal areas where there is need for high anti-corrosion.

SKU	Weight	Pole Dia.	Height	Wall
BOLRKL90SS	7kg	90mm	910mm above ground	3mm
Material	Colour	Sleeve		
Hot Dip Galvanised Steel	Silver Metallic	230mm high (below ground), 105mm diameter (145mm diameter inc. hinge)		



## In Ground Removable Bollard 140mm Sleeve Lock

- The removable bollard is locked into the sleeve with a padlock, giving the option of removing the bollard as access is required.
- 140mm sleeve Included. Padlock with 2 Keys Supplied per bollard.
- Core drilled into the surface (concrete or asphalt) or set in new concrete.
- Powder coated safety yellow with class 1 red reflective band
- Perfect for factories, shopping centres, entry points and even across driveways
- Sleeve and padlock supplied



**SLEEVE  
INCLUDED**



**PADLOCK  
Supplied**

**12 MONTHS**  
WARRANTY

SKU	Weight	Pole Dia.	Height	Wall
BOLRSL140M	28kg	140mm	1200mm above ground	3mm
Material	Colour	Sleeve	Padlock	
E Coating / Hot Dip Galvanised Steel	Powder Coated Safety Yellow with Class 1 Red Reflective Band	230mm high (below ground), 158mm diameter (200mm diameter inc. hinge)	1 Padlock 2 Keys included per bollard	

## In Ground Removable Bollard 90mm Key Lock - Alike OR Unique

- Locked into sleeve via a lock at top of bollard
- Can be easily unlocked and removed when vehicle require access.
- Core drilled into the surface (concrete or asphalt) or set in new concrete.
- Powder coated safety yellow with class 1 red reflective band
- Perfect for factories, shopping centres, entry points and even across driveways
- Sleeve and 2 keys supplied, keys can be unique or alike



**SLEEVE  
INCLUDED**



**Supplied**

**12 MONTHS**  
WARRANTY

SKU	Weight	Pole Dia.	Height	Keys
BOLRKL90M	8.6kg	90mm	900mm above ground	Keyed Alike
BOLRKL90U				Keyed Unique
Material	Colour	Sleeve	Wall	
E Coating / Hot Dip Galvanised Steel	Powder Coated Safety Yellow with Class 1 Red Reflective Band	230mm height (below ground), 105mm diameter	3mm	

## In Ground Removable Bollard 140mm Key Lock - Alike OR Unique

- This removable bollard is locked into the sleeve via a lock at top of bollard
- Give you option of removing the bollard when vehicle needs access.
- Core drilled into the surface (concrete or asphalt) or set in new concrete.
- Powder coated safety yellow with Class 1 red reflective band
- Perfect for factories, shopping centres, entry points and even across driveways
- Sleeve and 2 keys supplied, keys can be unique or alike



**SLEEVE  
INCLUDED**



**Supplied**

**12 MONTHS**  
WARRANTY

SKU	Weight	Pole Dia.	Height	Keys
BOLRKL140	14kg	140mm	1200mm above ground	Keyed Alike
BOLRKL140U				Keyed Unique
Material	Colour	Sleeve	Wall	
E Coating / Hot Dip Galvanised Steel	Powder Coated Safety Yellow with Class 1 Red Reflective Band	230mm high (below ground), 158mm diameter (200mm diameter inc. hinge)	3mm	

## Removable Bollards



### Surface Mount Removable Bollard 90mm x 1000mm Slider Type - Keyed Alike

- Comes in powder coated steel or stainless steel with great anti-rust properties
- Low profile surface mount receiver, slide in and out to allow for traffic access
- Suitable for areas where the floor cannot be core drilled or penetrated, such as suspended, pre-stressed slabs and areas with shallow underlying utilities.
- 2 keys included (keyed alike)
- Easy installation, standard countersunk fixings included

SKU		Colour		Material
REMBOLSLID		Powder Coated Yellow with Class 1 Red Reflective Band		E Coating / Hot Dip Galvanised Steel
REMBOLSLIDSS		Silver with Class 1 Red Reflective Band		304 Grade Stainless Steel
Weight	Pole Dia.	Height	Wall	Fixings
13kg	90mm	1020mm	3mm	4 x Countersunk Concrete Screw Anchor M10 100mm

## Removable Bollards



### Surface Mount Removable Bollard 90mm x 1000mm Slider Type - Unique Lock

- Made of heavy duty steel, easily removable for vehicle access.
- Low profile surface mount receiver sits just 10mm above ground
- Suitable for areas where the floor cannot be core drilled or penetrated, such as suspended, pre-stressed slabs and areas with shallow underlying utilities.
- 2 keys included (keyed alike)
- Easy installation, standard countersunk fixings included

SKU		Colour		Material
REMBOLSLIDU	Powder Coated Yellow with Class 1 Red Reflective Band		E Coating / Hot Dip Galvanised Steel	
REMBOLSLIDB	Powder Coated Black with Class 1 White Reflective Band			
Weight	Pole Dia.	Height	Wall	Fixings
13kg	90mm	1020mm	3mm	4 x Countersunk Concrete Screw Anchor M10 100mm

## Removable Bollards



### Surface Mount Twist Removable Bollard 90mm x 1000mm Keyed Alike

- Made of heavy duty steel
- Designed to lock into a surface mount receiver (included)
- Suitable for areas where the floor cannot be core drilled or penetrated, such as suspended, pre-stressed slabs and areas with shallow underlying utilities.
- 2 keys included (keyed alike)
- Easy installation, standard fixings supplied

SKU		Colour		Material
REMBOLSMKA		Powder Coated Yellow with Class 1 Red Reflective Band		E Coating / Hot Dip Galvanised Steel
REMBOLSMKAB		Powder Coated Black with Class 1 White Reflective Band		
Weight	Pole Dia.	Height	Wall	Fixings
13kg	90mm	1000mm above ground	3mm	4 x M10 Coach Screws 100mm, washers and nylon plugs Included

## Surface Mount

## Removable Bollard 90mm x 1000mm

## Slider Pad Lock

- Made of heavy duty steel, handle for easy lifting.
- Low profile surface mount receiver sits just 10mm above ground
- No core drilling required, secured in place using countersunk anchors provided
- Pad lock sold separately
- Easy installation, standard fixings included

SKU	Weight	Pole Dia.	Height	Wall
REMBOLPADSLID	10kg	90mm	Total Height: 1020mm (Include base plate and handle) 1000mm above ground after installation	3mm
Material		Colour		Fixings
E Coating / Hot Dip Galvanised Steel		Powder Coated Safety Yellow with Class 1 Red Reflective Band		4 x Countersunk Concrete Screw Anchor M10 100mm



Padlock Sold Separately



**PADLOCK**  
Sold  
Separately

**12 MONTHS**  
WARRANTY

## Surface Mount

## Removable Bollard 140mm x 1000mm

## Slider Surface Mount - Keyed Alike

- Made of heavy duty steel, easily removable for vehicle access.
- Low profile surface mount receiver sits just 10mm above ground
- No core drilling required, secured in place using countersunk anchors provided
- 2 keys included (keyed alike), extra slider plate available for purchase
- Easy installation, standard fixings supplied

SKU	Weight	Pole Dia.	Height	Wall
REMBOLSLID140	13kg	140mm	1000mm above ground	3mm
Material		Colour		Fixings (Supplied)
E Coating / Hot Dip Galvanised Steel		Powder Coated Safety Yellow with Class 1 Red Reflective Band		4 x Countersunk Concrete Screw Anchor M10 100mm



**BOLLARD  
STRENGTH**



**Supplied  
Keyed Alike**

**12 MONTHS**  
WARRANTY

## Custom Logo Billboard bollard - 140mm Dia.

## Surface Mount OR In Ground

- Utilise your bollards as billboards
- Galvanised steel powder coated to your specified design
- Easy installation, choose surface mount or in-ground.
- Lead time and MOQ apply

SKU	Type	Weight	Pole Dia.	Height	Wall
BILBOL140SM	Surface Mount	18.6kg	140mm	1300mm	3mm
BILBOL140BG	Below Ground	18.6kg	140mm	1600mm (1300mm above ground 300mm below ground)	3mm



**CUSTOM  
DESIGN  
PUT YOUR  
LOGO HERE**



**FREE  
Fixings**

**12 MONTHS**  
WARRANTY

## Bollard Lock & Barrel



**Supplied  
Keyed Alike**

## Bollard Lock Barrel & Keys - Keyed Alike

- Replacement lock barrel with 2 x keys (keyed alike) for SafetyXpress removable key lock bollards,

SKU	Compatibility	Bollard Type
LOCKKA	Removable 90mm, 140mm Keylock Bollard with Sleeve. BOLRKL140, BOLRKL90M, BOLRKL90SS	Sleeve Lock Removable
	Removable 90mm, 140mm Slider Bollards. REMBOLSLID, REMBOLSLID140, REMBOLSLIDSS, REMBOLSLIDW	Slider Removables
	Removable 90mm Twist Lock Bollards. REMBOLSMKA, REMBOLSMKAB	Twist Lock
KEYRB	Replacement Key x 1 for LOCKKA	Key only for above bollards
LOCKPS	Fold Down Bollard 620mm, PBOL620	Fold Down
LOCKPL	Fold Down Bollard 800mm, FDBOL800	Fold Down
KEYFDB	Replacement Key x 1 for LOCKPL	Key only for FDBOL800

## Bollard Lock & Barrel



**Supplied  
Unique Lock**



## Bollard Lock Barrel & Keys - Keyed Unique

- Replacement lock barrel with 2 x keys (keyed unique) for SafetyXpress removable key lock bollards,

SKU	Compatibility	Bollard Type
LOCKKU	Removable 140mm Keylock Bollard with Sleeve. BOLRKL140U	Sleeve Lock Removable
	Removable 90mm Slider Bollards. REMBOLSLIDB, REMBOLSLIDU	Slider Removables
	Removable 90mm Twist Lock Bollards. REMBOLSMU	Twist Lock Removable

## Bollard Padlock




## Padlock With 2 Keys - Keyed Alike

- Suitable for both indoor / outdoor use
- Can be used on bollards, locks, latches, doors etc.

SKU	Size	Keys	Colour	Material
PADLOCK40	40mm	2 x Keys Supplied (keyed alike)	Silver	Steel, non-spring

## Bollards Storage



## Receiver Plates For Removable Surface Mount Bollards, Slider / Padlock / Twist

- Receiver plate sold separately to provide alternative mounting location for slider / padlock / twist removable bollards
- Fixings/ Padlock sold separately

SKU	Compatibility
REMBOLSLID90BASE	Slider Type 90mm Dia. Removable Bollards
REMBOLSLID140BASE	Slider Type 140mm Dia. Removable Bollards
REMBOLPADBASE	Padlock Type 90mm Dia. Bollards Base
TBOLREC	Twist Type 90mm dia. Removable Bollards





## Bollard Hangers Single & Double To Suit 90mm or 140mm Bollards

- 2 types to choose from - single or double
- Suits Key Lock or Sleeve Lock Bollards
- A handy wall mount solution for your bollards when not in use
- Easy wall mount, fixings available for purchase



SKU	Type	Product Dimension	Weight	Material
BOLHANG90S	Single	200mm x 120mm x 100mm	2KG	Galvanised Steel
BOLHANG140S		250mm x 130mm x 150mm	4KG	
BOLHANG90D	Double	370mm x 120mm x 100mm	3KG	
BOLHANG140D		600mm x 130mm x 150mm	6KG	



## In Ground Sleeve For Removable Key Lock / Pad Lock Bollard

- Available in 90mm or 140mm dia, compatible with our 90mm or 140mm dia removable in ground removable bollards
- Padlock sold separately

SKU	Compatibility	Material
SLEEVE-RKLB	90mm Dia. Key Lock Removable Bollards	Galvanised Steel
SLEEVE-RKLB140	140mm Dia. Key Lock Removable Bollards	
SLEEVE-RPAD90	90mm Dia. Removable Pad Lock Bollards	
SLEEVE-RPAD140	140mm Dia. Removable Pad Lock Bollards	

## Bollard Storage Sleeves To Suit 90mm or 140mm Bollards Single & Double Sleeves



- Single or Double bollard storage sleeves
- 2 types to choose from - to suite 90mm or 140mm Bollards
- Suits removable bollards
- A handy storage solution for your bollards when not in use
- Easy surface mount, standard fixings supplied

SKU	Capacity	Material
BOLSTOR90S	Stores 1x 90mm In Ground Removable Bollard	Galvanised Steel
BOLSTOR140S	Stores 1x 140mm In Ground Removable Bollard	
BOLSTOR90D	Stores 2x 90mm In Ground Removable Bollard	

## Automatic Parking Lock Remote and APP Controlled

Installation Video



- Control access of your parking space remotely
- Remote or APP controlled, APP works on both Apple and Android phones.
- Can give visitors temporary access (up to 10 people share control)
- 2 Keys, 2 Remote Controls and batteries included
- Suitable for body corporates, units and multi dwellings, or situations where you need to give car parking access to family members or visitors
- Easy installation, FREE standard fixings and batteries included

SKU	Colour	Range	Size	Height
APARKLOCK	Bar: Yellow Base: Black	Up to 30 Metres	460mm x 450mm x 75mm	Raised: 390mm Down: 75mm



Water Resistant



Smartphone Control



Blue Tooth Available



30 Metre Range



Multi User Share



Batteries Included



Fixings Included

## Automatic Parking Lock 600mm Height Remote and APP Controlled



- Control access of your parking space remotely,
- Discreet Black base and Silver Bar, extra height gives better visibility
- Remote or APP controlled, APP works on both Apple and Android phones.
- Can give visitors temporary access (up to 10 people share control)
- 2 Keys, 2 Remote Controls, Rechargeable batteries and charger included
- Suitable for body corporates, units and multi dwellings, or situations where you need to give car parking access to family members or visitors
- Easy installation, FREE standard fixings and batteries included

SKU	Colour	Range	Size	Height
APARKLOCKBL	Bar: Silver Base: Black	Up to 30 Metres	600mm x 470mm x 360mm	Raised: 600mm Down: 75mm



Water Resistant



Smartphone Control



Blue Tooth Available



30 Metre Range



Multi User Share



Rechargeable Batteries x 4 & Charger Included



Fixings Included

## Remote Control For Remote Controlled Automatic Parking Lock



- Suitable for situations where you need to give another person access to your parking space
- Replace missing or lost remote controls
- Remote Control can replace either Remote Control A or B
- Compatible with all SafetyXpress remote control parking lock models
- 30 Metres operating range

SKU	Compatibility	Control Range
APARKBOLLREM	SafetyXpress Remote Controlled Automatic Parking Bollards	Up to 30 Metres



30 Metre Range



Multi User Share



**PADLOCK**  
Sold  
Separately



## Fold Down Parking Protector Padlock Bollard 755mm x 70mm

- Secured with a padlock at the base (padlock sold separately)
- A great option when vehicle needs access without having to remove heavy bollards
- Low profile when folded down allowing vehicle access
- Surface mount, no core drilling required
- Easy installation, standard fixings included

SKU	Weight	Pole Dia.	Base	Height	Wall
FDPLBOL	10kg	70mm x 70mm square	150mm x 150mm square	Up: 755mm Down: 90mm	3mm
Material		Colour		Fixings	
E Coating / Hot Dip Galvanised Steel		Powder Coated Safety Yellow with Class 1 Red Reflective Band		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	



Supplied  
Keyed Alike



## Fold Down Parking Protector Bollard 620mm x 60mm

- Can be used as deterrent to stop others parking in your parking spot.
- Easily locks into position using keys supplied (2 keys supplied, keyed alike)
- Low profile when folded down allowing vehicle access
- Surface mount, no core drilling required
- Easy installation, standard fixings included

SKU	Weight	Dia.	Height	Wall
PBOL620	10kg	63mm (pole) 70mm (inc.key) 150mm (base)	Up: 620mm Down:90mm	3mm
Material	Colour	Keys	Fixings	
E Coating / Hot Dip Galvanised Steel	Powder Coated Safety Yellow	2 x Keys Supplied (keyed alike)	4 x M10 Coach Screws 100mm, washers and nylon plugs included	



Supplied  
Keyed Alike



## Fold Down Parking Protector Bollard 650mm x 60mm

- Made of high strength plastic, bollard comes with 2 night reflective sliver bands
- Easily locks into position using keys supplied (2 keys supplied, keyed alike)
- Low profile when folded down allowing vehicle access
- Can be used as deterrent to stop others parking in your parking space
- Surface mount, no core drilling required
- Easy installation, standard fixings included

SKU	Weight	Dia.	Height	Wall
PBOLP700	5kg	60mm (pole) 70mm (inc.key barrel) 130mm x 180mm (base)	Up: 650mm Down:95mm	3mm
Material	Colour	Keys	Fixings	
Plastic	Yellow with white reflective band	2 x Keys Supplied (keyed alike)	4 x M10 Coach Screws 100mm, washers and nylon plugs Included	

## Fold Down Bollards



## Fold Down Parking Protector Bollard 800mm Height - Key Lock or Padlock

- Can be used as deterrent to stop others park in your parking spot
- Easily locks into position using key supplied (2 keys supplied, keyed alike)
- Low profile when folded down allowing vehicle access
- Blank area to put stickers if required (stickers sold separately)
- Easy installation, surface mount standard fixings included

SKU	Weight	Pole	Height	Wall	Type
FDBOL800	11kg	150mm x 50mm	Up: 800mm Down:80mm	3mm	Key Lock
FDBOL800PAD					Pad Lock
Material	Colour		Keys	Fixings	
E Coating / Hot Dip Galvanised Steel	Powder Coated Safety Yellow with Class 1 Red Reflective Band		2 x Keys Supplied (keyed alike)	4 x M10 Coach Screws 100mm, washers and nylon plugs Included	

## Vinyl Stickers For Bollards



## Vinyl Stickers for Fold Down Parking Protector Bollard 400mm Height Self Adhesive

- Suitable for fold down parking protector bollard 800mm height
- Non-reflective, vinyl stickers
- Use these stickers to display messages for designated parking spaces
- Easy peel and stick, all weather proof

SKU	Text	Material	Size
VSNP80	No Parking Sticker	Vinyl (self adhesive stickers)	80mm x 400mm (vertical stickers)
VSRES80	Reserved		
VSVIS80	Visitor		

## Bollards Protector Covers



## Bollard Protector Covers

- Bollard covers can be cut down shorter if required
- The Bollard Cover can be easily slid over the top of your existing bollard providing protection from chips and dings
- Often used to freshen up the look of old and worn bollards too
- Designed to take light impact collisions to prevent damages
- Supplied with foam strips inside to stop it from spinning
- Suitable for adding extra height to existing shorter bollards to assist with better visibility

SKU	Dia (Inner)	Height	Material	Colour
BOLCOV100	100mm	1320mm	UV Stabilised Plastic	Safety Yellow with Class 1 Red Reflective Band
BOLCOV152	152mm			
BOLCOV170	177mm			
BOLCOV161R	145mm	1405mm		Red



## Impact Bollard 100mm x 900mm



**12 MONTHS**  
WARRANTY

- Designed to flex and rebound upon impact
- Can be knocked or driven over by almost any vehicle and will spring back to its original upright position without any creases or cracks.
- Tested to withstand over 1000 impacts and 20 Tonne at 100km/per hour
- 3 x Class 1 Red Reflective bands for added safety even in dimly lit area
- UV Aliphatic TPU (thermoplastic polyurethane) combines durability and aesthetic
- Easy installation, standard fixings included

SKU	Weight	Pole Dia.	Height
BOLCIT90	5kg	100mm	900mm
Material	Colour	Impact Rating	Fixings
UV Aliphatic TPU (thermoplastic polyurethane)	Yellow with Class 1 Red Reflective Band	20 Tonne	4 x M10 Coach Screws 100mm, washers and nylon plugs Included

## Impact Bollard Shared Zone 90mm x 1350mm



**12 MONTHS**  
WARRANTY

- Designed to flex and rebound upon impact, its flexibility reduces damage to vehicles when navigating parking areas
- Complies with car park regulations
- Designed for installation in shared zones in between disabled car parking spaces.
- Tested to withstand over 1000 impacts and 20 Tonne at 100km/ph
- 4 x Class 1 Red Reflective bands for added safety even in dimly lit area
- UV Aliphatic TPU (thermoplastic polyurethane) combines durability and aesthetic
- Easy installation, standard fixings included

SKU	Weight	Pole Dia.	Height
BOLCIT130	7kg	90mm	1350mm
Material	Colour	Impact Rating	Fixings
UV Aliphatic TPU (thermoplastic polyurethane)	Yellow with Class 1 Red Reflective Band	20 Tonne	4 x M10 Coach Screws 100mm, washers and nylon plugs Included

## Impact Bollard Shared Zone Accessible (Disabled) 90mm x 1350mm



**12 MONTHS**  
WARRANTY

- Designed to flex and rebound upon impact, its flexibility reduces damage to vehicles when navigating parking areas
- Complies with car park regulations
- Designed for installation in shared zones in between disabled car parking spaces.
- Tested to withstand over 1000 impacts and 20 Tonne at 100km/ph
- 4 x Class White Reflective bands for added safety even in dimly lit area
- UV Aliphatic TPU (thermoplastic polyurethane) combines durability and aesthetic
- Easy installation, standard fixings included

SKU	Weight	Pole Dia.	Height
BOLCIT130B	7kg	90mm	1350mm
Material	Colour	Impact Rating	Fixings
UV Aliphatic TPU (thermoplastic polyurethane)	White with Class 1 White Reflective Band	20 Tonne	4 x M10 Coach Screws 100mm, washers and nylon plugs Included

## Flexible Bollards



## Flexible Knock Down Two Piece Bollards 100mm x 1000mm

- Plastic pole can be easily removed from rubber base when access is required by twist lock
- Flexible design allows the bollard to take a good knock in all directions without causing damage to vehicles or itself
- Can be used as a guide for vehicles to check distance and often used in disabled bays
- Ideal to be used as a deterrent, although are not suitable for asset protection

SKU	Type	Weight	Diametre	Height
FLEXI2PB	Assembled Product	3kg	Pole:100mm Base: 260mm	1050mm
FLEXINOBASE	Pole Only	1kg	100mm	1000mm
FLEXIBASE	Base Only	2kg	260mm	70mm

Material	Colour	Fixings
UV Stabilised Polyethylene Pole with Rubber Base	Orange with Silver Reflective Bands	4 x M10 Coach Screws 100mm, washers and nylon plugs Included

## Flexible Bollards



## T-Top Bollard & Base 1150mm Height with 6KG OR 8KG base

- The "T" Top makes it easy to grip, and simple to wrap barrier tape between bollards to fence off hazardous zones or under construction areas
- Can withstand impact, causing little to no damage to vehicle or itself
- Easy installation, no fixings required
- Removable base, with option of 6kg or 8kg base
- This bollard is a must for almost every trade professional and workplace
- Compatible with barrier tapes, plastic chains or hi vis buntings

SKU	Height	Base	Material	Colour
TTOPBASE	1150mm	6kg	High Vis PVC	Orange with Silver Reflective Band
TTOPBASE8	1150mm	8kg		

## Flexible Bollards



## T-Top Bollard & Base - Sold Separately

- Hi-Vis orange PVC bollard pole to suit either 6kg or 8kg rubber base
- Rubber Base to suite "T" Top bollards - available in 6kg or 8kg
- Under windy conditions you can throw two rubber bases over the "T" Top bollard, to add extra weight if needed
- Twist and lock, no fixings required
- Removable base, easy storage
- This bollard is a must for almost every workman and workplace
- Compatible with barrier tapes, plastic chains or hi vis buntings (sold separately)

SKU	Type	Height	Base Size	Weight	Material	Colour
TTOPNOBA	Bollard Pole	1150mm	N/A	N/A	Hi Vis PVC	Orange with Silver Reflective Band
BASETOP	Base	40mm	90mm x 90mm	6kg	Rubber	Black
BASETOP8	Base	40mm	100mm x 100mm	8kg	Rubber	Black

## Flexible Delineator Post 60mm x 1080mm

- Rebounds after impact
- For delineating, zone exclusions or as a sign post
- Suitable for temporary or permanent applications
- Can also be used as a sign post
- Easy installation, standard fixings included

SKU	Weight	Size	Height	Material	Type
FLEXIPOST	2.5kg	60mm Pole	1080mm	PVC	Post
KEEPLKIT	5kg	60mm Pole with 450mm x 600mm sign		PVC Post, Aluminium Sign	Post with Keep Left CL1 Sign
Base		Colour		Fixings	
200mm x 200mm Round Base		White Pole with Class 1 Red Reflective Band. Yellow base.		4 x M10 Coach Screws 100mm, washers and nylon plugs Included	



## Super Flexible Bollard 75mm x 750mm

- Rebounds after impact
- For delineating, zone exclusions or as a sign post
- Suitable for temporary or permanent applications
- Easy installation, standard fixings included



SKU	Weight	Pole Dia.	Height
BOLSF75	2.0kg	75mm	750mm
BOLSF75Y	2.0kg	75mm	750mm
Material	Colour	Fixings (Supplied)	
UV Stabilised Polyethylene	Orange with Silver Reflective Bands	3 x M10 Coach Screws 100mm, washers and nylon plugs Included	



## Super Flexible Bollard 75mm x 1000mm Height

- Used for traffic delineation by creating a guide while reducing the risk of any damage occurring to the vehicle.
- Will rebound to an upright vertical position if a car knocks or drives over it.
- Light weight, with 3 reflective bands which makes them visible even at night
- Easy installation, standard fixings included

SKU	Colour	Weight	Pole Dia.	Height
BOLSF100Y	Yellow with Silver Reflective Bands	1kg	75mm	1000mm
BOLSF100O	Orange with Silver Reflective Bands	1kg	75mm	1000mm
Material	Fixings			
UV Stabilised Polyethylene	3 x M10 Coach Screws 100mm, washers and nylon plugs Included			



## Flexible Bollards




### Surface Mount Steel Flexible Bollard 90mm x 900mm or 140mm x 1200mm Height

- Spring core, will rebound to original vertical position if a vehicle hits it.
- Greatly reduces damage to concrete surface, over years will cut down replacement cost.
- Ideal for car parks loading docks, where low impact collision are likely to occur

SKU	Colour	Weight	Pole Dia.	Height	Wall
BOLSMFLEX90	Yellow with Red CL1 Reflective Bands	13.5kg	90mm	900mm	3mm
BOLSMFLEX140		29kg	140mm	1200mm	
Material		Fixings			
Carbon Steel		4 x M10 Coach Screws 100mm, washers and nylon plugs Included			

## Flexible Heavy Duty Bollards



### Heavy Duty Surface Mount Impact Poly Bollard 110mm x 1125mm, 200mm x 1125mm

- Designed to flex and absorb impact, returns to original form
- Often used in industrial plants, where frequent forklift movements happen
- Reduces replacement cost over time, no concrete damage to surface
- Hygienic, non-corroding, water resistant, scratch resistant
- UV stabilised, low maintenance
- Australian Made

SKU	Colour	Weight	Pole Dia.	Height	Base
BOLSMPLY110	Yellow with Black Cap	10kg	110mm	1125mm	150mm x 150mm x 10mm
BOLSMPLY200		24kg	200mm		250mm x 250mm x 12mm
Material			Fixings		
Heavy Duty Polymer		4 x M16 Coach Screws 105mm, washers and nylon plugs Included			

## Flexible Heavy Duty Bollards




### Omni Post Driver Suitable for Metal Guide Posts

- Use this tool to drive steel guide posts into ground

SKU	Colour	Weight	Material	Size
BOLSPOLY110	Blue	5kg	Steel	775mm x 315mm x 80mm



## Fire Guide Post High Tensile Steel



- Tested to all state standards, VicRoads Approved
- Designed to collapse on impact. It can be manually straightened many times and is capable of withstanding multiple impacts.
- No variation to properties between -10°C and +50°C
- UV Resistant. Retains approx. a minimum of 75% of its colour, appearance and physical properties for at least 10 years
- 100% Recyclable
- Light weight, easily driven into ground manually or using a post driver

SKU	Thickness	Width	Height
GP20STL200F	1.6mm	50mm	200mm
Colour		Compliance	Material
Powder Coated White with Red & Blue Reflective on side facing road		AS/NZ1906.1 Class 1A	High Tensile Steel

## Flexible PVC Guide Post



**Traffic  
Delineation**

**12 MONTHS  
WARRANTY**

- Tested to all state standards, VicRoads Approved
- Withstands a minimum of 10 impacts from both front and rear by a vehicle traveling at 60km/h and 5 impacts from the front at 100km/hr
- No variation to properties between -10°C and +50°C
- UV Resistant. Retains approx. 85% of its colour, appearance and physical properties over a 5 year period
- Includes 50mm x 200mm Class 1A reflective strip
- Easy installation, driven into the ground manually or using a Post Driver (not supplied)

SKU	Height	Material	Compliance
GPFLEX200	1400mm	High Impact PVC	AS/NZ1906.1 Class 1A

## Semi Rigid Steel Guide Post - High Tensile Steel



- Tested to all state standards, VicRoads Approved
- Designed to collapse on impact. It can be manually straightened many times and is capable of withstanding multiple impacts.
- No variation to properties between -10°C and +50°C
- Includes 50mm x 200mm Class 1A reflective strip
- UV Resistant. Retains approx. a minimum of 75% of its colour, appearance and physical properties for at least 10 years
- 100% Recyclable
- Light weight, easily driven into ground manually or using a post driver

SKU	Profile	Thickness	Height
GP16STL200	Rolled Edge	1.6mm	1350mm
GP20STL200		1.9mm	
Material	Colour	Compliance	
High Tensile Steel	Powder Coated White with Red Reflective Band	AS/NZ1906.1 Class 1A	

**VIC Roads  
Approved**

**12 MONTHS  
WARRANTY**

## Retractable Queue Bollards



### Retractable Belt Queue Bollard 2 Metres Belt - 900mm Height Stainless Steel Base and Pole

- Perfect for organising lines, queues or to section off an area
- Weighted base that makes them very difficult to topple over
- Requiring simple self-assembly to combine post and base
- Compatible with A4 or A3 sign holders
- Suitable for indoor use only

SKU	Belt Colour	Belt Length	Pole Dia.	Base Dia.	Height
RBELBOLSS2B	Black	2 Metres	60mm	300mm	900mm
RBELBOLSS2R	Red				
Material		Weight			
Pole & Base : Stainless Steel Belt: Nylon		6kg			

## Retractable Queue Bollards



### Retractable Belt Queue Bollard 2 Metres Belt - 1010mm Height Matt Black Base and Pole

- Perfect for organising lines, queues or to section off an area of your floor space to restrict public access
- Weighted base that makes them very difficult to topple over
- Requiring simple self-assembly to combine post and base
- Suitable for indoor use only

SKU	Belt Colour	Belt Length	Pole Dia.	Base Dia.	Height
RBELBOLBL2B	Black	2 Metres	60mm	320mm	1010mm
Material			Weight		
Pole & Base : Steel - Powder coated Belt: Nylon			6kg		

## Retractable Queue Bollards



### Retractable Belt Queue Bollard 2 Metres Belt - 1010mm Height Plastic Pole with Rubber Base

- Perfect for organising lines, queues or to section off an area of your floor space to restrict public access
- Weighted base that makes them very difficult to topple over
- Requiring simple self-assembly to combine post and base, this pedestrian management solution is ideal for high traffic areas
- Suitable for both indoor / outdoor use

SKU	Belt Colour	Belt Length	Pole Dia.	Base Dia.	Height
RBELBOL2RUB	Red / White	2 Metres	65mm	35mm	1010mm
Material			Weight		
Pole: PE Base: Rubber Belt: Nylon			8kg		

## Retractable Belt Queue Bollard 5 Metres Belt - 900mm Height Stainless Steel Base and Pole




- Perfect for organising lines, queues or to section off an area
- Weighted base that makes them very difficult to topple over
- Requiring simple self-assembly to combine post and base
- Suitable for indoor use only

SKU	Belt Colour	Belt Length	Pole Dia.	Base Dia.	Height
RBELBOLSS5B	Black	5 Metres	80mm	350mm	900mm
RBELBOLSS5R	Red				
Material		Weight			
Pole & Base : Stainless Steel Belt: Nylon		6kg			

## Sign Holders For Queue Bollards

### A4 Sign Holder for Retractable Belt Bollards Suits 60mm Pole




- Attachable to all Retractable Belt Queue Bollards with 60mm pole dia.
- Double-sided frame for 360° display, clear perspex cover on both sides.
- Easy slide-in design for your sign or print
- Black or Silver Stainless Steel frame available
- Suitable for indoor use only

SKU	Product Dimension	Size	Type	Colour
SHMA4PBK	220mm W x 320mm H	A4	Portrait	Black
SHMA4PSS	220mm W x 320mm H	A4	Portrait	Silver
SHMA4LBK	320mm W x 220mm H	A4	Landscape	Black
SHMA4LSS	320mm W x 220mm H	A4	Landscape	Silver

## Sign Holders For Queue Bollards


### A3 Sign Holder for Retractable Belt Bollards Suits 60mm Pole



- Attachable to all Retractable Belt Queue Bollards with 60mm pole dia.
- Double-sided frame for 360° display, clear perspex cover on both sides.
- Easy slide-in design for your sign or print
- Black or Silver Stainless Steel frame available
- Suitable for indoor use only

SKU	Product Dimension	Size	Type	Colour
SHMA3PBK	305mm W x 430mm H	A3	Portrait	Black
SHMA3PSS	305mm W x 430mm H	A3	Portrait	Silver
SHMA3LBK	430mm W x 305mm H	A3	Landscape	Black
SHMA3LSS	430mm W x 305mm H	A3	Landscape	Silver

## Recycled Plastic Bollards



**Optional:  
Routed Collar  
2x Reflectors**



**40YR**  
Life Expectancy

## Recycled Plastic Bollard Square Pyramid Top x 1500mm

- Made from 98% recycled plastic with average 2% UV stabiliser
- Weather proof, rigid, long lasting, will not crack, split, fade or rot
- UV stabilised, built-in colour, will never require re-painting, low maintenance
- Light weight, hollow, easy to transport and install
- Aussie Made, comply to AS/NZS ISO 14021
- 40 Year Life expectancy. 10 Year limited warranty
- Optional routed collar, or routed collar with 2 x reflectors fitted on

SKU	Pole Dia.	Type	Colour	Weight
REP100BLK	100mm x 100mm	In Ground	Black	9.1kg
REP125BLK	125mm x 125mm	In Ground	Black	10kg
REP125GRN	125mm x 125mm	In Ground	Green	10kg
REP145BLK	145mm x 145mm	In Ground	Black	11kg

Wall	Height
15mm	Total Height 1500mm (900 - 1050mm above ground, 450 - 600mm below ground)

## Recycled Plastic Bollards



**40YR**  
Life Expectancy

## Recycled Plastic Bollard - BROLGA Range Bevelled Top 1200mm

- Made from 98% recycled plastic with average 2% UV stabiliser
- Weather proof, rigid, long lasting, will not crack, split, fade or rot
- UV stabilised, built-in colour, will never require re-painting, low maintenance
- Light weight, hollow, easy to transport and install
- Aussie Made, comply to AS/NZS ISO 14021
- 40 Year Life expectancy
- Stylish beveled top adds a modern look compare to traditional bollards

SKU	Type	Colour	Weight
REPBROLBLK1200	In Ground	Black	13kg
REPBROLBRN1200	In Ground	Brown	13kg

Wall	Pole Dia.	Height
15mm	200mm x 100mm Bevelled Top	1200mm (600 - 750mm above ground, 450 - 600mm below ground)

## Recycled Plastic Bollards



**40YR**  
Life Expectancy

## Recycled Plastic Bollard - BROLGA Range Bevelled Top 1500mm

- Made from 98% recycled plastic with average 2% UV stabiliser
- Weather proof, rigid, long lasting, will not crack, split, fade or rot
- UV stabilised, built-in colour, will never require re-painting, low maintenance
- Light weight, hollow, easy to transport and install
- Aussie Made, comply to AS/NZS ISO 14021
- 40 Year Life expectancy
- Stylish beveled top adds a modern look compare to traditional bollards

SKU	Type	Colour	Weight
REPBROLBLK1500	In Ground	Black	13kg

Wall	Pole Dia.	Height
15mm	200mm x 100mm Bevelled Top	1500mm (900 - 1050mm aboveground, 450 - 600mm below ground)





## Recycled Plastic Bollard Electrical Bollards - Square Pyramid Top x 1500mm

- Especially designed for protection of electrical boxes / switch boards
- Come with routed collar and 2 x reflectors already fitted on
- Made from 98% recycled plastic with average 2% UV stabiliser
- Weather proof, rigid, long lasting, will not crack, split, fade or rot
- UV stabilised, built-in colour, will never require re-painting, low maintenance
- Light weight, hollow, easy to transport and install
- Aussie Made, comply to AS/NZS ISO 14021
- 40 Year Life expectancy, 10 Year limited warranty

SKU	Pole Dia.	Type	Colour	Weight
REP100GRN	100mm x 100mm	In Ground	Dark Green	9.1kg
REP125GRN-E	125mm x 125mm	In Ground	Dark Green	10kg
Wall		Height		
15mm		Total Height 1500mm (900 - 1050mm above ground, 450 - 600mm below ground)		

## Reflectors To Suit Recycled Plastic Bollards

- Bollard Reflectors sold singularly (available in Red or White)
- Central fixing hole
- Suitable for any square / rectangular bollards
- Better visibility and guidance for drivers at night

SKU	Colour	Diameter	Fixings
REPREFL	Red	84mm Round	1 x Self Tapping Screw Included
REPREFLW	White	84mm Round	

## Sleeves To Suit Recycled Plastic Bollards

- Suitable for situations where you need to remove / fold down REPLAS bollards to allow for vehicle access
- Surface Mount / Hinged to allow bollards to be folded down
- In-ground type suitable for surfaces that can be core drilled, allows bollard to be removed completely when vehicle access is required
- Galvanised steel, hard wearing, pad lock not included

SKU	Compatibility	Type
BOLSLEEVEHINGE100	100mm Square Replas Bollard	Surface Mount
BOLSLEEVEHINGE125	125mm Square Replas Bollard	
BOLSLEEVEBROLGA	Replas BROLGA Bollards	In Ground
BOLSLEEVE100	100mm Square Replas Bollard	
BOLSLEEVE125	125mm Square Replas Bollard	
BOLSLEEVE145	145mm Square Replas Bollard	

# Ultimate

Aussie Safety



[www.ultimateaussiesafety.com.au](http://www.ultimateaussiesafety.com.au)

We manufacture and supply a range of Australian safety solutions.  
Our aim is to create a safer Australia through Australian made products.

All our products are made Aussie tough and designed to handle anything the Aussie climate, or the Aussie public can throw at them. Manufactured using ultra UV-stabilised materials, Ultimate Aussie Safety equipment won't fade, wear or crack, and they look great too.

All products are manufactured to meet or exceed all applicable Australian/New Zealand safety and quality standards, with most carrying a five-year manufacturer's warranty.

## Ultimate<sup>®</sup> Tactile



Australian  
Standard

AS/NZS 1428.4.2009



## Ultimate Wheelstop



Australian  
Standard

AS 2890.1 : 2004



## Ultimate Hump



Australian  
Standard

AS 2890.1 : 2004




## Ultimate Stair Nosing



Australian  
Standard

AS/NZS 1428.1.2009





## Ultimate Tactile Hazard & Directional TGSi 300mm x 600mm

- Australian Made
- P5 Slip Rating
- 4.25mm thickness
- Vic Roads Approved, QLD Roads Approved
- UV Stabilised - Guaranteed for 5 Years
- Comply to industry standard AS/NZS 1428.4.1:2009
- Made from recycled rPET (Polyethylene Terephthalate)
- Super strong, will be durable in even the most heaviest pedestrian traffic areas
- We recommend using Selleys Liquid Nails Instant Hold Adhesive (sold separately) only for installing The Ultimate Tactile in conjunction with the fixings



Australian Standard  
AS/NZS 1428.4.2009

Every **Ultimate Tactile** is **Made From 42** Recycled Plastic Bottles

SKU	Type	Colour	Luminosity (Wet)	Luminosity (Dry)	Fixings
ULHTACYEL	Hazard	Yellow	53.91	53.69	6 x Star Plugs and Stainless Steel Screws Supplied Per Tactile
ULHTACBLK		Black	2.8	4.18	
ULHTACW		White	73.76	75.35	
ULTDTACYEL	Directional	Yellow	53.91	53.69	
ULTDTACBLK		Black	2.8	4.18	
ULTDTACW		White	73.76	75.35	



Peel and Stick



## Ultimate Tactile Hazard & Directional TGSi Peel & Stick 300mm x 600mm

- Easy peel and stick
- Adheres to clean and smooth surfaces
- Australian Made
- P5 Slip Rating
- Vic Roads Approved, QLD Roads Approved
- UV Stabilised - Guaranteed for 5 Years
- Comply to industry standard AS/NZS 1428.4.1:2009
- Made from recycled rPET (Polyethylene Terephthalate)
- Super strong and durable, hard wearing



Australian Standard  
AS/NZS 1428.4.2009

Every **Ultimate Tactile** is **Made From 42** Recycled Plastic Bottles


SKU	Type	Colour	Luminosity (Wet)	Luminosity (Dry)
ULHTACYPS	Hazard 'Peel & Stick'	Yellow	53.91	53.69
ULHTACBPS		Black	2.8	4.18
ULHTACWPS		White	73.76	75.35
ULTDTACYPS	Directional 'Peel & Stick'	Yellow	53.91	53.69
ULTDTACBPS		Black	2.8	4.18
ULTDTACWPS		White	73.76	75.35

Note: not suitable for asphalt surfaces or new concrete surface poured within a 4 week period.



## Ultimate Range - Tactiles

### Ultimate Tactile Hazard & Directional TSGI Stick & Screw 300mm x 600mm



- Easy peel and stick
- Adheres to clean and smooth surfaces
- FREE fixings, for extra strength and durability
- Australian Made, P5 Slip Rating
- Vic Roads Approved, QLD Roads Approved
- UV Stabilised - Guaranteed for 5 Years
- Comply to industry standard AS/NZS 1428.4.1:2009
- Made from recycled rPET (Polyethylene Terephthalate)
- Super strong and durable, hard wearing



AS/NZS 1428.4.2009

Every **Ultimate** Tactile is **Made From 42** Recycled Plastic Bottles

SKU	Type	Colour	Luminosity (Wet)	Luminosity (Dry)	Fixings
ULTHTACYP SH	Hazard 'Stick & Screw'	Yellow	53.91	53.69	6 x Star Plugs and Stainless Steel Screws Supplied Per Tactile
ULTHTACBPSH		Black	2.8	4.18	
ULTHTACWPSH		White	73.76	75.35	
ULTDTACYP SH	Directional 'Stick & Screw'	Yellow	53.91	53.69	
ULTDTACBPSH		Black	2.8	4.18	
ULTDTACWPSH		White	73.76	75.35	

Note: not suitable for asphalt surfaces or new concrete surface poured within a 4 week period.

## Ultimate Range - Wheel Stop



Colour Options




### Ultimate Wheel Stop 1650mm x 150mm x 100mm

- Australian Made
- Manufactured using an ultra tough High Impact Resin - LLDPE - means these wheel stops will not warp, crack, chip or rot
- 4 x built-in reflectors on face
- Recessed area on face for signage
- Resistant to UV, moisture, oil and extreme weather
- Comply with Australian standards AS 2890.1:2004.
- Light weight, easy installation by one person
- Requires 3 x fixing cover plugs (supplied). Fixings sold separately

SKU	Colour	Weight	Accessories
ULTWSBK	Black	5.15kg	3 x Cover Plugs Supplied per Wheel stop
ULTWSY	Yellow		
ULTWSD	Blue		
ULTWSG	Grey		

### Ultimate Wheel Stop Cover Plugs - Replacement Plugs 40mm Dia x 27mm

SKU	Colour
ULTWSCAPB	Black
ULTWSCAPY	Yellow
ULTWSCAPD	Blue
ULTWSCAPG	Grey



AS 2890.1 : 2004






## 100 Tonne Heavy Duty Ultimate Speed Hump



Australian Standard  
AS 2890.1 : 2004



- Modular, build to required length
- Strong honeycomb base design
- Light weight, no noise
- UV stabilised
- Built-in reflectors
- Slip resistant cross hatch surface
- 2 x recessed fixing points
- Built-in cable channel
- 100 Tonne load capacity
- 5 Year structural warranty
- Australian Made AS2890.1: 2004



Built in Reflectors  
Fixing Points



## Ultimate Speed Hump

### Mid Sections 250mm x 350mm x 50mm



Australian Standard  
AS 2890.1 : 2004

- Each Mid Section measure 250mm long,
- Length 250mm. eg. 4 pcs of Mid Sections = 1 Metre
- We supply your order in alternating yellow and black sections
- Made from UV stabilised composite plastic
- Strong honeycomb construction
- Weight load capacity is a huge 100 tonne at a speed of 30km/hr or less.
- Cable channel measuring W22mm x H20mm under each mid section
- Easy installation, alternatively we provide installation service upon request



SKU	Cable Channel	Weight	Fixings
SPHUMP100	W22mm x H20mm	1.31kg	2 x M10 Coach Screws 100mm, washers and nylon plugs supplied with each mid
Length	Depth	Height	
250mm	350mm	50mm	

## Ultimate Speed Hump

### End Caps 167mm x 350mm x 50mm




Australian Standard  
AS 2890.1 : 2004

- Each end cap length 167mm
- Total length of 2 pcs of End Caps = 33.4cm
- Made from UV stabilised composite plastic
- Easy installation, we also provide installation service upon request
- We supply your order in alternating yellow and black sections
- Please note if you need to run cables you only need mid sections, end caps do not have cable channels
- End Caps sold separately



SKU	Weight	Fixings
SPHUMP100E	0.61kg	2 x M10 Coach Screws 100mm, washers and nylon plugs supplied with each end
Length	Depth	Height
167mm	350mm	50mm

## Ultimate Range - Stair Nosings



Made to Measure



Slip Rating





AS/NZS 1428.1.2009

### Aluminium Stair Nosing - Carborundum Super Anti Slip Insert

- Carborundum is hard-wearing, high friction, great as an anti-slip
- Suitable for general indoor & outdoor environments with low to medium pedestrian traffic
- Sold Per Metre; we offer cut to length, with option of countersunk holes drilled or stuck down
- Suitable surfaces: timber, concrete, bitumen, tiles, vinyl, rubber, carpet
- P5 Slip Rating
- 10mm lip comply to AS4586:2013

SKU	Colour	Width	Nose/Face	Slip Rating
SAS7510Y	Yellow	75mm	10mm	P5
SAS7530Y	Yellow	75mm	30mm	P5
SAS7510B	Black	75mm	10mm	P5
SAS7530B	Black	75mm	30mm	P5

## Ultimate Range - Stair Nosings



Made to Measure



Slip Rating





AS/NZS 1428.1.2009

### Aluminium Stair Nosing - Fibreglass Tough Anti Slip Insert

- Long lasting and hard-wearing, combined with tough grid
- Suitable for indoor & outdoor with high pedestrian foot traffic
- Can be used for industrial facilities, retail shops, warehouses, public spaces where heavy foot traffic requires durability and safety
- Sold Per Metre; we offer cut to length, with option of countersunk holes drilled or stuck down
- Suitable surfaces: timber, concrete, bitumen, tiles, vinyl, rubber, carpet
- P5 Slip Rating
- 10mm lip comply to AS4586:2013

SKU	Colour	Width	Nose/Face	Slip Rating
TAS7510Y	Yellow	75mm	10mm	P5
TAS7530Y	Yellow	75mm	30mm	P5
TAS7510B	Black	75mm	10mm	P5
TAS7530B	Black	75mm	30mm	P5

## Ultimate Range - Stair Nosings



Made to Measure



Slip Rating



AS/NZS 1428.1.2009

### Aluminium Stair Nosing - Rubber Insert


- Suitable for general indoor & outdoor environments with low to medium pedestrian foot traffic.
- Rubber material makes it even safer in places where falls may occur
- Can be used for educational institutions, healthcare or aged care facilities
- Sold Per Metre; we offer cut to length, with option of countersunk holes drilled or stuck down
- Suitable surfaces: timber, concrete, bitumen, tiles, vinyl, rubber, carpet
- P5 Slip Rating, 10mm lip width comply to AS4586:2013

SKU	Width	Nose/Face	Slip Rating
RUB7510Y	75mm	10mm	P5
RUB7530Y	75mm	30mm	P5
RUB7510B	75mm	10mm	P5
RUB7530B	75mm	30mm	P5
RUB7510G	75mm	10mm	P5
RUB7530G	75mm	30mm	P5

## Anodised Black Aluminium Bull Nose with Ribbed PVC Insert

- PVC is hard-wearing, long lasting and low maintenance as an anti-slip
- Suitable for general indoor & outdoor environments with low to medium pedestrian traffic
- Sold Per Metre; we offer cut to length, with option of countersunk holes drilled or stuck down
- Suitable surfaces: timber, concrete, bitumen, tiles, vinyl, rubber, carpet
- Available in 10mm or 30mm lip, 75mm or 55mm width
- 55mm width has rebated profile
- P5 Slip Rating
- 10mm lip comply to AS/NZS 1428.1 – 2021

SKU	Width	Nose/Face	Slip Rating	Colour
PVC5510Y	55mm	10mm	P5	Yellow
PVC5510B	55mm	10mm	P5	Black
PVC5510W	55mm	10mm	P5	White
PVC5510G	55mm	10mm	P5	Grey
PVC7510Y	75mm	10mm	P5	Yellow
PVC7510B	75mm	10mm	P5	Black
PVC7510W	75mm	10mm	P5	White
PVC7510G	75mm	10mm	P5	Grey



Made to Measure



Slip Rating




AS/NZS 1428.1 – 2021

## Anodised Black Aluminium with Black Carborundum OR Black Aluminium Insert

- Hard-wearing, long lasting, suitable for general indoor & outdoor environments with low to medium pedestrian traffic
- Sold Per Metre; we offer cut to length, with option of countersunk holes drilled or stuck down
- Suitable surface: timber, concrete, bitumen, tiles, vinyl, rubber, carpet
- Available in 10mm or 30mm lip, 75mm or 55mm width
- P5 Slip Rating
- 10mm lip comply to AS/NZS 1428.1 – 2021

SKU	Insert	Width	Nose/Face	Slip Rating
ALUMFLAT55X3BL	Aluminium	55mm	N/A	P5
SAS5510ALUM		55mm	10mm	P5
SAS5510CARB	Carborundum	55mm	10mm	P5
SAS7510CARB		75mm	10mm	P5



Made to Measure




Slip Rating



AS/NZS 1428.1 – 2021



## Stair Nosing Range




### Stair Nosing - Securatread Corrugated Aluminium Stair Nosing

- Available in 10mm lip or flat strip
- Suitable for general indoor & outdoor environments with low to medium pedestrian foot traffic
- Can be used for educational institutions, healthcare or aged care facilities
- Sold per Metre; we offer cut to length
- Suitable surface: timber, concrete, bitumen, tiles, vinyl, rubber, carpet
- P5 Slip rating
- 10mm lip in Silver or Black.
- No lip (flat strip) available in Black only

SKU	Thickness	Width	Nose/Face	Colour	Slip Rating
STC10N	3mm	55mm	10mm	Silver	P5
STC10B	3mm	55mm	10mm	Black	P5
STFLAT50B	3mm	50mm	N/A	Black	P5

## Stair Nosing Range



### Aluminium with Carborundum Insert Flat Strip Stair Nosing

- Suitable for general indoor & outdoor environments with low to medium pedestrian foot traffic
- Can be used for educational institutions, office areas, sports facilities, restaurants, shops etc.
- Sold Per Metre; we offer cut to length, with insert stuck down only
- Suitable surface: timber, concrete, bitumen, tiles, vinyl, rubber, carpet
- P5 Slip rating
- Comply to AS/NZS 1428.1 - 2009

SKU	Width	Nose/Face	Colour	Slip Rating
ALUMFLAT54X2.5	54mm	2.5mm	Silver with Black Insert	P5
ALUMFLAT54X2.5Y	54mm	2.5mm	Silver with Yellow Insert	
ALUMFLAT54x2.5G	54mm	2.5mm	Silver with Grey Insert	P5
ALUMFLAT54x2.5W	54mm	2.5mm	Silver with White Insert	P5

## Stair Nosing Range




### Fibreglass Flat Decking Strips

- Extremely hard grit, FRP stair nosing provides an aggressive non-slip surface under all weather conditions
- Suitable for low - high foot traffic areas
- We recommend anti-slip fibreglass flat decking strips for public parks, footpath garden trails, or backyards.
- Sold per Metre; we offer cut to length
- Suitable for all types of deckings strips
- We recommend sticking this done with Selley's Liquid nails
- P5 Slip rating

SKU	Width	Colour	Slip Rating
FLATFRPY	50mm	Yellow	P5
FLATFRPB	50mm	Black	P5





Made to Measure



Slip Rating




AS/NZS 1428.1.2009

## Aluminium Stair Nosing - Carborundum Super Anti Slip Insert - Hazard Pattern

- Carborundum is hard-wearing, high friction, great as an anti-slip
- Suitable for general indoor & outdoor environments with low to medium pedestrian traffic
- Sold Per Metre; we offer cut to length, with option of countersunk holes drilled or stuck down
- Suitable surface: timber, concrete, bitumen, tiles, vinyl, rubber, carpet
- P5 Slip Rating
- 10mm lip comply to AS/NZS 1428.1 - 2009

SKU	Width	Nose/Face	Slip Rating	Colour
SAS7510YB	75mm	10mm	P5	Yellow / Black
SAS7530YB	75mm	30mm	P5	Yellow / Black
SAS7510RW	75mm	10mm	P5	Red / White
SAS7530RW	75mm	30mm	P5	Red / White



Made to Measure




Slip Rating

## Stair Nosing Fibreglass

- Extremely hard grit, FRP stair nosing provides an aggressive non-slip surface even in wet, oily, greasy or dusty environments.
- Suitable for high foot traffic areas. Recommended for industrial / factory environments, mining and marine work area and platforms
- Sold Per Metre; we offer cut to length
- Suitable surfaces: timber, concrete, bitumen, tiles, vinyl, rubber, carpet
- P5 Slip Rating
- Available in 10mm or 30mm lip

SKU	Colour	Width	Nose/Face	Slip Rating
FRP70X10	Yellow	70mm	10mm	P5
FRP70X30	Yellow	70mm	30mm	P5
FR230X10	Yellow	230mm	10mm	P5
FRP230X30	Yellow	230mm	30mm	P5
FRP70X10B	Black	70mm	10mm	P5
FRP230X30BY	Black/Yellow	70mm	30mm	P5



Made to Measure



Slip Rating



AS/NZS 1428.1.2009

## Stair Nosing Brass - with Black Rubber Insert

- Very hard wearing
- Suitable for high foot traffic areas
- Recommended for both indoor or outdoor use
- Sold Per Metre; we offer cut to length, with option of countersunk holes drilled or stuck down
- Suitable surface: timber, concrete, bitumen, tiles, vinyl, rubber, carpet
- P5 Slip Rating

SKU	Width	Nose/Face	Slip Rating
SAS758BRASS	70mm	10mm	P5

**10YR**  
LIMITED  
WARRANTY



Installation  
Available


# Carpark VAULT

Over Bonnet Storage



## Over Bonnet Storage Lockers

- Ideal for apartment blocks, multi-level car parks and small garages to increase storage space
- Solid steel construction, sits freestanding on your car park floor
- Adjustable legs to ensure bonnet clearance, suit any car models
- 11 level adjustable gas strut door
- High quality key lock system, unique key 3 point locking system
- Easily assembled by 2 people, minimal bolts and screws for fast assembly
- 10 Year manufacturer's warranty
- Installation service available please contact us for a quote



SKU	Height	Width	Depth	Clearance
OBSL24	1 m (Total Height 2.1-2.4m)	2.5 Metre	1 Metre	.1 - 1.4m with adjustable legs (ground to bottom of unit over car bonnet)
Colour		Load Capacity		Storage Volume
Shale Grey Powder coated Finish		300kg		2.5 Cubic Metres



## Ultimate Speed Hump 100 Tonne Mids & End Caps



Load Capacity

**5YR**  
WARRANTY

- Modular - build to required length
- Each Mid Section measure 250mm long
- Each end cap length 167mm
- Cable channel W22mm x H20mm (Mids only)
- Built-in reflectors (Mids only)
- We supply your order in alternating yellow and black sections
- Made from UV stabilised composite plastic
- Strong honeycomb construction
- Weight load capacity is a huge 100 tonne at a speed of 30km/hr or less.
- Easy installation, alternatively we provide installation service upon request


Australian Standard  
AS 2890.1 : 2004

SKU	Size	Weight	Fixings
SPHUMP100	250mm x 350mm x 50mm	1.31kg	2 x M10 Coach Screws 100mm, washers and nylon plugs supplied per each piece
SPHUMP100E	167mm x 350mm x 50mm	0.61kg	

## Heavy Duty Speed Humps

### 50 Tonne Low Profile Speed Hump



Load Capacity


Australian Standard  
AS 2890.1 : 2004

- Perfect for shopping centres, schools, car parks, building complex, and other busy areas to slow down traffic
- Modular - simply clip together to required length
- We supply your order in alternating yellow and black sections
- Made from a high strength nylon plastic designed for durability
- Strong honey comb construction
- Mids and End Caps sold separately

SKU	Size	Weight	Fixings
SHUMP50T	500mm L x 320mm D x 40mm H	1.2kg	4 x M10 Coach Screws 100mm, washers and nylon plugs supplied with each mid section.
SHUMP50TE	160mm L x 320mm D x 40mm H	0.3kg	2 x M10 Coach Screws 100mm, washers and nylon plugs supplied with each end cap.

## Rubber Speed Hump

## Rubber Speed Humps



Load Capacity


Australian Standard  
AS 2890.1 : 2004

- Each Mid Section measures 250mm (L) x 350mm (D) x 50mm (H)
- Each end cap measures 180mm (L) x 350mm (D) x 50mm (H)
- We supply your order in alternating yellow and black sections
- Heavy duty rubber construction
- Cable channel measuring 45mm x 20mm under each mid section.
- End caps does not have cable channels
- 50 Tonne Load Capacity
- Mids and End Caps sold separately (Please note if you need to run cables you only need mid sections)

SKU	Cable Channel	Weight	Fixings
SHRUBCOM	45mm x 20mm H	4 kg	2 x M10 Coach Screws 100mm, washers and nylon plugs supplied with each section.
SHRUBCOMEND	N/A	1.8kg	



## Speed Humps



Australian Standard  
AS 2890.1 : 2004

## Steel Speed Hump 1 Metre Length Mids & End Caps - 5mm Gauge

- Each module comes painted in alternating black / yellow
- Easy installation, alternatively we provide installation service upon request
- 50 Tonne Load Capacity
- Mids and End Caps sold separately
- Standard fixing kits supplied

SKU	Gauge	Depth	Length	Height	Fixings
SHSTEEL1M5	5mm	350mm	100mm	55mm	6 x M10 Coach Screws 100mm, washers and nylon plugs supplied with each mid section.
SHSTEELEND5	5mm	350mm	200mm	55mm	2 x M10 Coach Screws 100mm, washers and nylon plugs supplied with each end cap

## Speed Humps



## Traffic Calmer

- Suitable for areas where buses and trucks are frequently traveling
- Installed to slow drivers down without causing problems with the load they might be carrying
- Heavy rubber construction
- Modular, simply clip in the end sections with mids, build to required length
- We supply your order as your purchased length - no need to specify male/female end caps.
- Mids and end caps sold separately
- Standard fixing kits supplied

SKU	Width	Depth	Height	Fixings
SHTCALMBOD	490mm	890mm	50mm	2 x M10 Coach Screws 100mm, washers and nylon plugs supplied with each mid section.
SHTCALMEND	490mm	890mm	50mm	3 x M10 Coach Screws 100mm, washers and nylon plugs supplied with each mid section.

## Speed Humps



## Speed Cushions

- Each Speed Cushion measure 2 metres length
- Different width available. Custom width available upon request
- Black sections are made from G2 recycled rubber and white piano keys are made from EDPM Rubber
- Can be fixed to either Asphalt or Concrete Surfaces.
- We can supply Asphalt Fixings for free, or Concrete Fixings at cost
- Dog & Bone linking system for easy installation
- Speed Cushions are designed to reduce vehicle speed whilst minimising driver discomfort.
- VicRoads Approved

SKU	Width	Length	Height	Gradient	Side Edge
SPCUSH16	1600mm	2000mm	75mm	Leading and trailing 1:8	1:4
SPCUSH18	1800mm				
SPCUSH20	2000mm				



## Portable Roll Out Speed Hump 3 Metres Length



Load Capacity

- 10 tonne load capacity
- Made from durable plastic PE/PVC
- Suitable for situations where there is a need to temporarily control vehicle speed such as work sites, road works, traffic control and emergency responses
- Unique 'waffle-style' rubber underlay maximises adhesion to the road surface
- Easy to roll out, comes in a handy carry bag

SKU	Size	Weight	Colour
PORTSH3M	3000mm L x 22mm W x 50mm H	13kg	Safety Yellow

## Cable Protector - Speed Humps

### Cable Protector 1 Channels - 12 Tonne



Load Capacity

- Each module measure 990mm length, build to required length
- Can be used both indoor / outdoor to reduce trip hazards for pedestrians
- Non-slip design, recessed handles allow for easy carry
- Clip-in lids to fully conceal cabling before allowing any traffic to pass

SKU	Length	Width	Height	Channels Dimensions
CABPRO1RUB	990mm	210mm	45mm	30mm W x 30mm H
Colour	Weight	Channel	Load Capacity	Material
Lid: Yellow Base: Black	5.3kg	1 Channel	12 Tonne	Lid: Polyurethane Base: Rubber

## Cable Protector - Speed Humps

### Cable Protector 2 Channels - Light & Heavy Duty



Load Capacity



Load Capacity

- Available in light or heavy duty, build to required length
- Can be used both indoor / outdoor to reduce trip hazards for pedestrians
- Non-slip design, recessed handles allow for easy carry
- Clip-in lids to fully conceal cabling before allowing any traffic to pass.

SKU	Load Capacity	Length	Width	Height	Weight	Channels Dimensions
CABPRO2PU	12 Tonne	935mm	255mm	55mm	29kg	32mm W x 32mm H
CABPRO2RUB	20 Tonne	900mm	615mm	105mm	28.5kg	90mm W x 85mm H
Colour		Material				
Lid: Yellow    Base: Black		CABPRO2PU: Base is PU Lid is PE				

## Speed Humps



Load Capacity

### Cable Protector - 3 Channels 30 Tonne Mids and 45 Degree Corner

- Heavy duty 30 Tonne load capacity
- Build to required length, simply clip corner in to form turns.
- Can be used both indoor / outdoor to eliminate trip hazards for pedestrians accessing the area
- Suitable for events, festivals, work site, conference rooms, offices and more
- Non-slip design, recessed handles allow for easy carry
- Clip in lids to fully conceal cabling before allowing any traffic to pass
- Polyurethane lid with heavy duty rubber base
- 45 Degree corner available, sold separately

SKU	Type	Length	Width	Height	Channels
CABPRO3PU	Mids	895mm	490mm	75mm	67mm W x 50mm H
CABPRO3CR	Corner	N/A	490mm	75mm	

## Speed Humps



Load Capacity

### Cable Protector - 5 Channels 18 Tonne Mids and 45 Degree Corner

- Modular, simply clip together to form required length
- Can be used both indoor / outdoor to eliminate trip hazards for pedestrians accessing the area
- Suitable for events, festivals, work site, conference rooms, offices and more.
- Non-slip design, recessed handles allow for easy carry
- Clip in lids to fully conceal cabling before allowing any traffic to pass
- Polyurethane lid with heavy duty rubber base
- 45 Degree corner available, sold separately

SKU	Type	Length	Width	Height	Channel
CABPRO5PU	Mids	895mm	485mm	45mm	40mm W x 30mm H
CABPRO5CR	Corner	N/A	485mm	45mm	

## Wheel Stops

**12 MONTHS**  
WARRANTY



### Rubber Wheel Stop 900mm

- A good choice when space is limited
- "Goose bump" finish at the sides minimise slips when they are wet
- Made from recycled rubber, tough and durable in any weather conditions, will not rot, crack or rust
- Yellow reflective panels on either side increase night time visibility.
- Fixings sold separately

SKU	Length	Width	Height	Weight
WSTOP900	900mm	150mm	100mm	11kg

## Rubber Wheel Stop Black with 4 Yellow Reflective Panels

- Made from recycled rubber, tough and durable in any weather conditions, will not rot, crack or rust
- Suitable for almost any car park application including apartments, shopping centres, schools, medical centres and any car park that has frequent, high volume traffic
- Yellow reflective panels on either side increase night time visibility
- Comply to AS/NZS 2890.1:2004
- Fixings sold separately

SKU	Length	Width	Height	Weight
RUBWS	1650mm	150mm	100mm	14kg



**12 MONTHS**  
WARRANTY



Australian  
Standard  
AS 2890.1 : 2004

## Rubber Wheel Stop Black with 3 Reflective Panels

- Made from recycled rubber, tough and durable in any weather conditions, will not rot, crack or rust
- Suitable for almost any car parks and frequent high volume traffic areas
- Reflective epoxy panels on sides, blue for disabled parking bays
- Comply to AS/NZS 2890.1:2004
- Fixings sold separately

SKU	Colour	Length	Width	Height	Weight
RUBWSULT	Black and Yellow	1650mm	150mm	100mm	15kg
RUBWSULTD	Black and Blue (Disabled Bays)	1650mm	150mm	100mm	15kg



**24 MONTHS**  
WARRANTY



Australian  
Standard  
AS 2890.1 : 2004

## Rubber Wheel Stop Mini - Single Wheel - 500mm

- Intended for private use in garages, driveways or carports.
- A good choice when space is limited
- "Goose bump" finish at the sides minimise slips when they are wet
- Made from recycled rubber, tough and durable in any weather conditions, will not rot, crack or rust
- Yellow reflective panels on either side increase night time visibility.
- Fixings sold separately

SKU	Length	Width	Height	Weight
WSTOP500	500mm	150mm	100mm	5kg



**12 MONTHS**  
WARRANTY



## Vinyl Stickers For Wheel Stop

- Vinyl Sticker suitable for Ultimate Wheels Stops
- 3 designs to choose from
- Use these to mark parking spots for designated purpose

SKU	Text	Length	Width	Colour
WS-RES	RESERVED	400mm	80mm	White Background with Black Text
WS-DIS	DISABLED			
WS-VIS	VISITOR			





## Wheel Stops - LLDPE



**5YR**  
WARRANTY



**Colour Options**



## Ultimate Wheel Stop

- Australian Made
- Manufactured using an ultra tough High Impact Resin - LLDPE - means these wheel stops will not warp, crack, chip or rot
- 4 x built-in reflectors on face
- Recessed area on face for signage
- Resistant to UV, moisture, oil and extreme weather
- Comply with Australian standards AS 2890.1:2004.
- Lightweight, easy installation by one person
- Requires 3 x fixing cover plugs (supplied)



Australian  
Standard  
AS 2890.1 : 2004

SKU	Colour	Weight	Size
ULTWSBK	Black	5.15kg	1650mm L x 150mm x 100mm
ULTWSY	Yellow		
ULTWSD	Blue		
ULTWSG	Grey		



## Wheel Stops - Truck Wheel Stop



**FREE**  
Fixings

**5YR**  
WARRANTY

## Heavy Duty Truck Wheel Stop Solid Recycled Plastic

- Designed for truck parking in any situation including petrol stations, rest stops and truck stop parking bays
- Also suitable for recreational vehicles and 4WD and caravan combinations
- A heavy duty moulded product with reflective panels providing high visibility for drivers. The tough recycled plastic is UV stable and resistant to corrosion from oil and chemicals
- Tough and durable in any weather conditions, will not rot, crack or rust
- Yellow reflective panels on either side increase night time visibility
- FREE standard fixings

SKU	Length	Width	Height	Weight
WSTRUCK	1250mm	150mm	150mm	24kg

## Lane Delineator



**GREAT  
VALUE**



**FREE**  
Fixings

## Lane Delineator 1 Metre Length

- Versatile, can be used for so many types of applications. eg. as a roll over wheel stop, lane delineator, bin stopper, car parking bay delineation etc.
- Built-in 6 x reflective panels assist with visibility at night time
- 2 x built-in cat's eye at ends
- Rubber construction deflect and impede vehicles without causing damage
- Easy installation, FREE standard fixings included

SKU	Colour	Length	Width	Height	Fixings
LANEDEL	Yellow with White Reflective Bands	1000mm	150mm	50mm	3 x M10 Coach Screws 100mm, washers and nylon plugs





**12 MONTHS**  
WARRANTY



**Traffic  
Delineation**

## Rumble Strips

- Designed for use as a lane divider or speed moderator on road ways, bicycle lanes, car parks and driveways
- Can also use as a wall mounted bump protector in undercover car parks, warehouses and loading dock areas to guard against impact damage.
- Makes rumble noise to alert drivers
- Fixings sold separately

SKU	Material	Colour	Length	Width	Height
RUMSTR	Rubber	Yellow	500mm	100mm	15mm
RUMSTR30	PU with Glass Reflectors		300mm	170mm	50mm

## Wheel Chocks



Bearing Capacity



## Wheel Chocks

### For Truck OR Car / Boat / Caravan / Trailer

- 2 Types to choose from - designed especially for truck parking OR designed especially for car parking
- Used as necessary precautionary measures for safe parking
- Polyurethane light weigh material, textured surface for added traction
- 30 Tonne bearing capacity

SKU	Suitable For	Length	Width	Height	Bearing Capacity
WCHOCKC	Car, Boat, Caravan, Trailers	290mm	210mm	170mm	30 Tonne
WCHOCKT	Truck	370mm	280mm	230mm	

## Parking Mat



## Parking Mat Wheel Stop

- Works well in tight parking space, acts as a guide for parking your vehicle
- Can be installed in any private / commercial / public garage to avoid vehicle and asset damage
- Textured surface for added traction, bright safety yellow
- FREE standard fixings

SKU	Depth	Width	Height	Weight
PARKMAT	540mm	290mm	85mm	2.8kg
Material		Fixings		
PVC		4 x M10 Coach Screws 100mm, washers and nylon plugs Included		



**12 MONTHS**  
WARRANTY



**Traffic  
Delineation**

## Traffic Lane Separation Kerb Mid Section 1120mm Length

- Designed for use on roadways to separate lanes either as a permanent or temporary solution during projects that require traffic management
- This is a modular system that clips together, build to required length
- Heavy rubber material, impact resistant, restores to original shape if struck by vehicle
- Low cost, highly visible, similar to Klemfix
- Mid Section, Female End, and Spring Back Paddle sold separately

SKU	Length	Width	Height
TLSMIDDLE	1120mm	250mm	80mm



**12 MONTHS**  
WARRANTY



**Traffic  
Delineation**

## Traffic Lane Separation Kerb End Caps - Male/Female

- Heavy rubber material, impact resistant, restores to original shape if struck by vehicle
- End modules for Traffic Lane Separation Kerb, simply clip together to finish off Traffic Lane Separation Kerb
- Built-in cats eye reflectors
- Low cost, highly visible, similar to Klemfix
- Mid Section, Ends, and Spring Back Paddle sold separately


SKU	Type	Length	Width	Height
TLSMALE	Male	650mm	285mm	80mm
TLSFEMALE	Female	500mm	285mm	80mm



## Traffic Lane Separation Kerb Spring Back Paddle & Inserts 900mm Height

- Plastic paddle, with reflective Yellow/Black strips
- Designed to go into Traffic Lane Separation Kerb Mids
- Simply clip into base, no fixings required
- Night reflective, increase safety on highway and construction zone at night or under dim lighting

SKU	Type	Colour	Material	Size
TLS900PAD	Spring Back Paddle with Sticker and Boot	Orange Frame with Black/ Yellow Insert	PE Plastic Frame with HIP Night Reflective Film	250mm x 900mm
TLS900PADBY	Reflective Insert	Black/ Yellow	HIP Night Reflective Film	205mm x 705mm
TLS900PADRW		Red/White		
TLS900PADB	Boot For Paddle	Black	PVC	25 x 25mm <b>Included</b>



**Wall Mount Kit**  
Available For Purchase



**Post Mount Kit**  
Included With Purchase

## Convex Mirror

### Indoor / Outdoor - 450, 600, 800 - Polycarbonate

- Increase visibility in blind spot areas
- Suitable for a range of applications: warehouses, laneways car parks and driveways, train stations, and other public spaces.
- Durable, weather and impact proof, crystal clear image
- Visor minimises sun glare
- Fully adjustable view angle, can be adjusted to almost any position
- Easy installation using a hand drill

SKU	Rim	Visibility	Dia.	Weight	Accessories
CONMIROD450	Orange with Visor	Approx 15 Metre	450mm	1.71kg	FREE Post Mount Kit OR Wall Mount Kit available for purchase
CONMIROD600		Approx 20 Metre	600mm	2.35kg	
CONMIROD800		Approx 25 Metre	800mm	4.48kg	

## Convex Mirror


### Indoor / Outdoor - Extra Large 1M - Polycarbonate

- Increase visibility in blind spot areas
- Suitable for a range of applications: warehouses, laneways car parks and driveways, train stations, and other public spaces.
- Durable, weather and impact proof, crystal clear image
- Visor minimises sun glare
- Fully adjustable view angle, can be adjusted to almost any position
- FREE Post mount bracket included
- Wall mounted bracket can be purchased separately
- Easy installation using a hand drill


SKU	Rim	Visibility	Dia.	Weight	Accessories
CONMIROD1M	Orange with Visor	Approx 30 Metre	1000mm	6.2kg	FREE Post Mount Kit OR Wall Mount Kit available for purchase



**Post Mount Kit**  
Included With Purchase



**1 Mirror Installed**




**2 Mirrors Installed**

## Convex Mirror

### Indoor 450 - Polycarbonate

- Increase visibility in blind spot areas
- Suitable for a range of applications: retail shops, factories, warehouses, laneways car parks and driveways, train stations, and other public spaces.
- Durable polycarbonate face, crystal clear image
- Fully adjustable view angle, can be adjusted to almost any position
- FREE Post mount bracket, wall mounted bracket sold separately
- Mirror Face: Poly-carbonate. Surrounds & backing: Polypropylene
- Mounting Bracket: Zinc Plated
- Easy installation using a hand drill

SKU	Rim	Visibility	Dia.	Weight	Accessories
CONMIRIDO450	Orange	Approx 15 Metre	450mm	1.5kg	FREE Post Mount Kit OR Wall Mount Kit can be purchased




**Post Mount Kit**  
Included With Purchase



## Convex Mirrors - Indoor



**Post Mount Kit  
Included With Purchase**



### Convex Mirror Indoor 600 - Polycarbonate


- Increase visibility in blind spot areas
- Suitable for a range of applications: retail shops, factories, warehouses, laneways car parks and driveways, train stations, and other public spaces.
- Durable polycarbonate face, crystal clear image
- Fully adjustable view angle, can be adjusted to almost any position
- FREE Post mount bracket, wall mounted bracket sold separately
- Mirror Face: Poly-carbonate. Surrounds & backing: Polypropylene
- Mounting Bracket: Zinc Plated
- Easy installation using a hand drill

SKU	Rim	Visibility	Dia.	Weight	Accessories
CONMIRIDO600	Orange	Approx 20 Metre	600mm	2kg	FREE Post Mount Kit OR Wall Mount Kit can be purchased

## Convex Mirrors - Indoor



**Post Mount Kit  
Included With Purchase**



### Convex Mirror Indoor 800 - Polycarbonate

- Increase visibility in blind spot areas
- Suitable for a range of applications: retail shops, factories, warehouses, laneways car parks and driveways, train stations, and other public spaces.
- Durable polycarbonate face, crystal clear image
- Fully adjustable view angle, can be adjusted to almost any position
- FREE Post mount bracket, wall mounted bracket sold separately
- Mirror Face: Poly-carbonate. Surrounds & backing: Polypropylene
- Mounting Bracket: Zinc Plated
- Easy installation using a hand drill

SKU	Rim	Visibility	Dia.	Weight	Accessories
CONMIRIDO800	Orange	Approx 25 Metre	800mm	5kg	FREE Post Mount Kit OR Wall Mount Kit can be purchased

## Convex Mirrors Accessories



### Wall Mount Bracket

- Easy installation using a hand drill
- Compatible with all of our SafetyXpress Convex Mirrors, both indoor and outdoor types

SKU	Colour	Material	Size	Compatibility
CONMIRWM	Silver	Zinc Plated Steel	60 mm Clamp	SafetyXpress Convex Mirror, both Indoor and Outdoor Convex Mirrors



## Quarter Dome Mirror

- Increase visibility in blind spot areas
- Ideal for tight spaces and corners
- Suitable for a range of applications: retail shops, factories, warehouses, age care, hospitals, schools, libraries, offices
- Acrylic face, crystal clear image
- Black rubber edge
- Light weight, easy installation
- Standard fixings provided




SKU	Edge	Viewing Angle	Dia.	Weight	Fixings
QDOME600	Black Rubber	180 Degrees	600mm	270g	3 x Fixing Holes, Standard Fixings Provided

## Half Dome Mirrors

### Half Dome Mirror

- Increase visibility in blind spot areas
- Ideal for tight spaces and corners
- Suitable for a range of applications: retail shops, factories, warehouses, age care, hospitals, schools, libraries, offices
- Acrylic face, crystal clear image
- Black rubber edge
- Light weight, easy installation
- 3 x fixing holes, standard fixings provided



SKU	Edge	Viewing Angle	Dia.	Weight	Fixings
HDOME600	Black Rubber	180 Degrees	600mm	445g	3 x Fixing holes Mounting Screws Included

## Full Dome Mirrors

### Full Dome Mirror

- Increase visibility in blind spot areas
- 360 degree full viewing angle
- Suitable for a range of applications: retail shops, factories, warehouses, age care, hospitals, schools, libraries, offices
- Acrylic face, crystal clear image
- Black rubber edge
- Light weight, easy installation
- 4 x fixing holes, standard fixings provided



SKU	Edge	Viewing Angle	Dia.	Weight	Fixings
DOME400	Black Rubber	360 Degrees	400mm	2kg	4 x Fixing holes Mounting Screws Included
DOME600			600mm	2.5kg	
DOME700			700mm	3kg	

## Tactile Indicators - 'Peel & Stick'



## 'Peel & Stick' Tactile Hazard / Directional TGSi 300mm x 300mm


- Suitable for Indoor / Outdoor
- High grade UV stabilised polyurethane
- Complies to industry standard AS/NZS 1428.4.1:200
- Simply peel and stick, adheres to clean and smooth surfaces



AS/NZS 1428.4.2009

SKU	Type	Colour	Luminosity (Dry)	Luminosity (Wet)	Surfaces
TGSIHPS-YEL	Hazard TGSi	Yellow	66.51	65.71	<ul style="list-style-type: none"> <li>• Natural &amp; Engineered Stones</li> <li>• Concrete</li> <li>• Timber</li> <li>• Rubber</li> <li>• Vinyl</li> <li>• Ceramic Floors</li> <li>*NOT Suitable for Asphalt</li> </ul>
TGSIHPS-BLK		Black	3.05	2.76	
TGSIHPS-GRY		Grey	43.41	42.56	
TGSIHPS-IVO		White	86.09	85.6	
TGSDPSY	Directional TGSi	Yellow	66.51	65.71	
TGSDPS		Black	3.05	2.76	
TGSDPSG		Grey	43.41	42.56	
TGSDPSW		White	86.09	85.6	

## Tactile Indicators - Fibreglass



## Reinforced Fibreglass Hazard / Directional Tactile 300mm x 600mm

- Suitable for almost any application
- 3mm plate thickness total 8mm thickness
- R12 Oil Wet Ramp Test, ISO 10545-3 water Absorption 0.0001%
- Easy application, fixings supplied, glue available for purchase



AS/NZS 1428.4.2009

SKU	Type	Colour	Luminosity (Dry)	Luminosity (Wet)	Fixings
RFTAC600Y	Hazard TGSi	Yellow	47.94	46.71	6 x Star Plugs and Stainless Steel Screws
RFTAC600B		Black	4.88	3.60	
RFTAC600W		White	75.71	73.58	
RFTACD600DY	Directional TGSi	Yellow	47.94	46.71	
RFTAC600DB		Black	4.88	3.60	
RFTAC600DW		White	75.71	73.58	

## Tactile Indicators - Cer



AS/NZS 1428.4.2009



## Ceramic Tactile Hazard / Directional TGSi

- Hard wearing, UV stabilised. R12 slip rating.
- Complies to Australian Standards AS/NZS 1428.4.1:2009
- This product is available for in store pickup only

SKU	Type	Colour	Luminosity (Dry)	Luminosity (Wet)
TGSIHCERY	Hazard TGSi	Yellow	32.51	29.12
TGSIHCERC		Black	11.10	8.40
TGSIHCERG		Grey	24.61	20.69
TGSIHCERW		White	44.51	39.21
TGSDCERY	Directional TGSi	Yellow	32.51	29.12
TGSDCER		Black	11.10	8.40
TGSDCERG		Grey	24.61	20.69
TGSDCERI		White	44.51	39.21



## Ultimate Tactile Hazard & Directional TGSi Stick & Screw 300mm x 600mm

- Easy peel and stick
- Adheres to clean and smooth surfaces
- FREE fixings, for extra strength and durability
- Australian Made, P5 Slip Rating
- Vic Roads Approved, QLD Roads Approved
- UV Stabilised - Guaranteed for 5 Years
- Comply to industry standard AS/NZS 1428.4.1:2009
- Made from recycled rPET (Polyethylene Terephthalate)
- Super strong and durable, hard wearing



AS/NZS 1428.4.2009

**Peel & Stick****Screw**

then



SKU	Type	Colour	Luminosity (Wet)	Luminosity (Dry)	Fixings
ULTHTACYP SH	Hazard 'Stick & Screw'	Yellow	53.91	53.69	6 x Star Plugs and Stainless Steel Screws Supplied Per Tactile
ULTHTACBP SH		Black	2.8	4.18	
ULTHTACWP SH		White	73.76	75.35	
ULTDTACYP SH	Directional 'Stick & Screw'	Yellow	53.91	53.69	
ULTDTACBP SH		Black	2.8	4.18	
ULTDTACWP SH		White	73.76	75.35	

Note: not suitable for asphalt surfaces or new concrete surface poured within a 4 week period.

## Ultimate Tactile Hazard & Directional TGSi Peel & Stick 300mm x 600mm

- Easy peel and stick
- Adheres to clean and smooth surfaces
- Australian Made
- P5 Slip Rating
- Vic Roads Approved, QLD Roads Approved
- UV Stabilised - Guaranteed for 5 Years
- Comply to industry standard AS/NZS 1428.4.1:2009
- Made from recycled rPET (Polyethylene Terephthalate)
- Super strong and durable, hard wearing



AS/NZS 1428.4.2009



Every **Ultimate Tactile** is **Made From 42** Recycled Plastic Bottles



SKU	Type	Colour	Luminosity (Wet)	Luminosity (Dry)
ULTHTACYP S	Hazard 'Peel & Stick'	Yellow	53.91	53.69
ULTHTACBP S		Black	2.8	4.18
ULTHTACWP S		White	73.76	75.35
ULTDTACYP S	Directional 'Peel & Stick'	Yellow	53.91	53.69
ULTDTACBP S		Black	2.8	4.18
ULTDTACWP S		White	73.76	75.35

Note: not suitable for asphalt surfaces or new concrete surface poured within a 4 week period.



## Tactile Indicators - Stainless Steel



### 316 Marine Grade Stainless Steel Tactile Plate Class Stainless Steel Plate OR With Black Carborundum Insert

- Stylish look, hard wearing
- Manufactured from polished 316 Marine Grade Stainless Steel
- Available in Classic Stainless Steel OR with Carborundum Insert
- Classic stainless steel - 10 rings concentric per stud
- Carborundum Insert available in black insert only



Australian  
Standard

AS/NZS 1428.4.2009

SKU	Size	Colour	Luminosity (Wet)	Luminosity (Dry)	Fixings
TACSSPCLA3	300mm x 300mm	Silver Plate	49.23	59.26	4 x Star Plugs and Stainless Steel Screws
TACSSPCAR3		Silver Plate with Black Insert	4.59	5.42	

SKU	Size	Colour	Luminosity (Wet)	Luminosity (Dry)	Fixings
TACSSPCLA6	300mm x 600mm	Silver Plate	49.23	59.26	6 x Star Plugs and Stainless Steel Screws
TACSSPCAR6		Silver Plate with Black Insert	4.59	5.42	

## Tactile Indicators Bladed Shaft



### Colour Options



Slip Rating



Australian  
Standard

AS 4586: 2013

### Bladed Shaft Polyurethane Plastic Tactile Hazard in 300mm or 600mm Length

- Polyurethane plastic, can be easily cut or put together to form longer length
- Joined together and evenly spaced, ready for installation
- 300mm Length = 6 Studs per length
- 600mm Length = 12 Studs per length
- Use a concrete saw to cut a groove and slide the tactiles blade base in
- Suitable for Indoor OR Outdoor use
- Complies to AS 4586:2013

SKU	Colour	Luminosity (Wet)	Luminosity (Dry)	Length
BSTACHAZ300W	White	65.17	65.32	300mm (6 studs)
BSTACHAZ300ORG	Orange	23.72	24.76	

SKU	Colour	Luminosity (Wet)	Luminosity (Dry)	Length
STUDPBSYEL	Yellow	59.11	59.05	600mm (12 studs)
STUDPBSBLACK	Black	2.63	2.98	
STUDPBSWHITE	White	65.17	65.32	
STUDPBSBLUE	Blue			
STUDPBSRED	Red			





## Bladed Shaft Directional Tactile

- Polyurethane Plastic (coloured) or 316 Marine Grade Stainless Steel
- Stud height 5mm, blade height 10mm
- Use a concrete saw to cut a groove and slide the tactiles blade base in
- Suitable for indoor OR outdoor use
- Poly bladed studs Complies to AS 4586:2013
- Stainless Steel Marine Grade comply to AS/NZS 1428.4.1-2009, P5 Rating

SKU	Colour	Luminosity (Wet)	Luminosity (Dry)	Size
STUDPBSDYEL	Yellow	59.11	59.05	35mm x 300mm
STUDPBSDBLACK	Black	2.63	2.98	
STUDPBSWHITE	White	65.17	65.32	
STUDPBSDORA	Orange	22.38	23.39	
STUDSSD	Silver (316 Grade Stainless Steel)	42.45	51.58	35mm x 290mm

## Bladed Shaft Tactile Indicators



## Single Stud Polyurethane Tactile Indicator Concentric Pattern

- Product won't fade or scratch, 5 Year Warranty
- 35mm Dia per stud.
- Stud height 5mm, shaft height 20mm
- P5 Slip Rating, comply to AS4586:2013
- Suitable for indoor and outdoor use
- Installed using an 8mm drill bit (no glue required)
- Bulk discount available

SKU	Material	Colour	Luminosity (Wet)	Luminosity (Dry)
STUDPYCOB	High grade UV Stabilised Polyurethane	Black	50.15	58.73

## Aluminium Tactile Indicators



## Polyurethane Tactile Indicator Single Studs

- Aussie Made, 35mm Dia per stud
- Stud height 5mm, shaft height 20mm
- P4 Slip Rating, comply to AS4586:2013
- Suitable for indoor and outdoor use
- Installed using an 8mm drill bit (no glue required)
- Bulk buy box discount available



SKU	Colour	Luminosity (Wet)	Luminosity (Dry)	Qty
TGSIP25Y	Yellow	67.8	68.2	Single Studs
TGSIP25B	Black	4.8	5.0	
TGSIP25W	White			
TGSIP25Y1000	Yellow	67.8	68.2	Bulk. Sold Per Box of 1000
TGSIP25B1000	Black	4.8	5.0	
TGSIP25W1000	White			

## Tactile Indicators - Single Studs



Slip Rating



Stainless Steel

### Tactile Indicator Single Studs TGS1 316 Stainless Steel with Carborundum insert

- Approx 400 tactile studs = 1 sqm
- 35mm Dia. per stud, stud height 5mm, shaft height 14mm
- P5 Slip Rating, AS/NZS 1428.4:2009
- Installed using an 8mm drill bit (no glue required)
- Suitable for Indoor OR Outdoor use

SKU	Colour	Luminosity (Wet)	Luminosity (Dry)
STUDSSCAY	Stainless Steel with Yellow Carborundum Insert	42.04	47.13
STUDSSCA	Stainless Steel with Black Carborundum Insert	3.81	4.62

## Tactile Indicators - Single Studs



Slip Rating



Stainless Steel

### Tactile Indicator Single Studs TGS1 316 Stainless Steel with Poly insert

- Approx 400 tactile studs = 1 sqm
- 35mm Dia. per stud, stud height 5mm, shaft height 16mm
- P5 Slip Rating, AS/NZS 1428.4:2009
- Installed using an 8mm drill bit (no glue required)
- Suitable for indoor and outdoor use

SKU	Colour	Luminosity (Wet)	Luminosity (Dry)
STUDSSSP	Stainless Steel with Black Polyurethane Insert	3.11	3.45

## Tactile Indicators - Single Studs



Slip Rating



Stainless Steel

### Tactile Indicator Single Studs TGS1 316 Stainless Steel

- Approx 400 tactile studs = 1 sqm
- 35mm Dia. per stud, stud height 4.5mm, shaft height 14mm
- P5/R12 slip rating. AS/NZS 1428.4:2009
- Installed using an 8mm drill bit (no glue required)
- Suitable for indoor and outdoor use

SKU	Material	Colour	Luminosity (Wet)	Luminosity (Dry)
STUDSSCO	Stainless Steel	Silver	50.15	58.73
STUDSSCOB	Stainless Steel	Black	7.20	7.53
STUDBRCO	Brass	Gold	54.65	60.12

## Tactile Indicators - Single Studs



### Tactile Indicator Single Studs TGS1 Brass

- Approx 400 tactile studs = 1 sqm
- 35mm Dia. per stud, stud height 4.5mm, shaft height 14mm
- P5/R12 slip rating. AS/NZS 1428.4:2009
- Installed using an 8mm drill bit (no glue required)
- Suitable for indoor and outdoor use

SKU	Material	Colour	Luminosity (Wet)	Luminosity (Dry)
STUDBRCO	Brass	Gold	54.65	60.12



## Peel and Stick Tactile Indicator Single Studs TGSi Stainless Steel Concentric OR Brass with Carborundum insert

- 3M self adhesive sticky back
- Available in 316 Grade Stainless Steel Or Brass
- Approx 400 tactile studs = 1 sqm
- P5 slip rating
- AS/NZS 1428.4:2009
- 35mm Dia. per stud, stud height 5mm
- Stick them down using our Flat Back Tactile Template to ensure the tactile studs are positioned correctly and comply to regulation



SKU	Colour	Luminosity (Wet)	Luminosity (Dry)
STUDSSCO	Silver Stainless Steel	50.15	58.73
STUDBRCO	Brass with Black Carborundum Insert	4.59	5.42



## Tactile Indicator Single Studs TGSi Stainless Steel OR Brass Flat Back

- Stainless concentric pattern is 316 Grade Stainless Steel
- Approx 400 tactile studs = 1 sqm
- P5 Slip Rating, comply to AS/NZS 1428.4:2009
- 35mm Dia. per stud, stud height 5mm
- Stick them down using our Flat Back Tactile Template to ensure the tactile studs are positioned correctly and comply to regulation

SKU	Colour	Luminosity (Wet)	Luminosity (Dry)
STUDSSCOFB	Silver Stainless Steel	50.15	58.73
STUDSSCAFB	Stainless Steel with Black Carborundum Insert	3.81	4.62
STUDBRCA	Brass with Black Carborundum Insert	4.59	5.42




## Installation Template For Tactile Indicator Single Studs

- 2 types available - for flat back , and single studs
- Tactile template is used to drill / position, and install tactile studs
- The template makes the job even easier by guiding you so that you can keep the tactiles spaced at the regulation distance apart, and in clearly defined lines to Australian regulations

SKU	Material	Suitable For	Size	Holes
FBTACTEM	Polypropylene	Flat Back OR Sticky Back 35mm single tactile studs	600mm x 900mm	18 holes across x 12 holes down total 216 holes
TSTUDSTEN8		8mm Shaft Single Studs	600mm 1200mm	24 holes across x 12 holes down total 288 holes



## Barriers



## Wall Mount Retractable Barriers

- Compact, discreet, does not take up space or storage room
- Used to zone off hazardous areas in the workplace or restrict entry to staff only areas, especially suitable for narrow walkways or tight spaces
- Wall mount - belt slides into receiver plate
- Magnetic type - magnetic receiver holds belt in place
- Yellow / Black or Red / White acts as a visual caution for pedestrians
- Easy to install, fixings included

SKU	Type	Length	Belt Colour	Material
WMBAR9YB	Wall Mount	9 Metres	Yellow/Black	ABS plastic housing with nylon belt
WMBAR9RW		9 Metres	Red/White	
WMBARSS5MR	Wall Mount	5 Metres	Red	Stainless Steel with nylon belt
WMBARSS5MY		5 Metres	Yellow	
MAGWMBAR9YB	Magnetic	9 Metres	Yellow/Black	ABS plastic housing with nylon belt, magnetic receiver
MAGWMBAR9RW		9 Metres	Red/White	

## Barriers



## Cone Top Retractable Barriers

- Cone top retractable can sit directly on traffic cones, no mounting required. eg. link 2 units together to form a pedestrian barrier
- Cone top retractable barriers can also be wall mounted using the Wall Mount Bracket and Receiver Plate (sold separately)
- Yellow / Black or Red / White acts as a visual caution for pedestrians
- Easy to install, fixings included

SKU	Type	Length	Colour	Material
9MCTRTAPY	Cone Top Retractable	9 Metres	Yellow/Black	ABS plastic housing with nylon belt
9MCTRTAPR	Cone Top Retractable	9 Metres	Red/White	ABS plastic housing with nylon belt
WMOUNTCTOP	Wall Bracket	N/A	Black	Polypropylene (PP)
WMRECEXBAR	Receiver Plate	N/A	Black	Polypropylene (PP)

## Barriers




## Portable Plastic Fence Barrier

- Single barriers can be linked together to form a variety of configurations.
- Suitable for outdoor use, all weather proof
- Commonly used on construction sites, to guide pedestrian foot traffic and fence off potential hazards

SKU	Colour	Length	Height	Material
PORTBAR110-Y	Yellow	1100mm	945mm	Fence: High Density Polyethylene
PORTBAR110-O	Orange			Base: Rubber
WATBAR2000R	Red	2100mm	500mm	Polyethylene Filled with Water: 220kg Empty: 20kg
WATBAR2000W	White			





## Expanding Barriers 3 Metres, 5 Metres

- Two or three expanding barriers can link together to form longer length
- Available in metal or plastic, with plastic feet or self locking wheels
- Light weight, easy to transport and store
- Bright colours act as a visual warning to vehicles and pedestrians
- Easy self assembly

SKU	Length	Height	Material	Colour	Feet
EXPBAR3MYB	3 Metres	980mm	Aluminium Powder Coated	Yellow/Black	Plastic Feet
EXPBAR3MRW	3 Metres	980mm		Red/White	Plastic Feet
EXPBAR5MYB	5 Metres	1000mm		Red/White	Locking Wheels
LWEXPBAR3YB	3 Metres	980mm	Plastic	Yellow/Black	Locking Wheels



## Portable Mobile Expanding Safety Barrier

- E-X-P-A-N-D-S to 3.85 Metres Long
- Portable, can form a variety of configurations as required to zone off dangerous / no access areas
- Accordion style panels, folds to any configuration
- Can fold and protect machinery / hazards
- Especially suitable for warehouses, factories, and industrial settings

SKU	Length	Height	Material	Colour	Feet
EXPGATE	3.85 Metres	1000mm	Plastic	Yellow/Black	Wheels



## Crowd Control Barrier

- Crowd control barrier is mainly used to temporarily zone off areas at public events, work sites or in the workplace
- Easily installed by linking the panels together.
- Feet can be removed for simple transport and storage
- Can be secured in place if required using a steel spike or permanent fixing (sold separately)
- Comes in Silver, Yellow or Orange powder coated, at different length

SKU	Length	Height	Material	Colour
CROWD22	3.85 Metres	1.1 Metres	Galvanised Steel	Silver
CROWD12OR	1.2 Metres			Orange
CROWD22-ORANGE	2.2 Metres			Orange
CROWD22-YELLOW				Yellow

## Barriers



### Portable Mobile Safety Barrier 4 Panel

- Plastic wheels and carry handle, easy to move around.
- Form any configuration, build to required length, can add more panels
- Foldable, compact, easy storage
- Used to fence off potential hazards

SKU	Colour	Length	Height	Material
SAFBAR4PAN650X1000	Yellow	Each Panel 650mm Total Length: 2600mm	1000mm	High Density Polyethylene



## Barriers



### Mesh Barrier - 50 Metres Roll

- Barrier Mesh fencing used to block off work zones and dangerous hazards, mainly used in construction settings
- Can be easily cut and tied to bollard or structures
- Designed to be reused, can be taken down, rolled up and re-erected from job to job. Hard wearing, all weather proof
- Available in Plastic OR Woven Onion Bag type polypropylene

SKU	Colour	Length	Height	Weight	Material
BARMESH50-4KG	Orange	50 M Roll	1000mm	4kg	LDPE Plastic
BARMESH50-8KG			1200mm	7.2kg	
BARMON50-5KG	Red with Yellow Band		900mm	5kg	Polypropylene

## Barriers



#### Colour Options



### Safety Bunting - 30 M Roll - 45 Triangular Flags Reflective Tags - 25 M Roll

- Hi-Vis bunting flags can be used on its own or in conjunction with T-Top Bollards to temporarily zone off work zones and potential hazards
- Can be taken down and re-used multiple times
- Comes in a range of colours, available in reflective too

SKU	Length	Flag Size	Material	Colour
BUNTORA30	30 Metres 45 Flags Per Rolls	18cm x 23cm x 23cm per triangle	Nylon Rope with UV Stabilised Plastic Flags	Orange
BUNTBLUE30				Blue
BUNTYEL30				Yellow
BUNTRW30				Red and White alternating flag colours
BUNTS AFLIN25	25 Metres	N/A		Red/White Tags


## Traffic Cones



- Indicate work zone and divert traffic
- Light and Heavy Duty types available
- Weather proof: rain, hail or shine, won't fade or fly away under high wind
- Class 1 Reflective band, suitable for highways during the day / night

SKU	Type	Colour	Height	Material
CONE450R	Traffic Cone	Orange with Class 1 White Reflective Band	450mm	Cone: PVC Base: Rubber
CONE710R			710mm	
CONE1M			1000mm	Cone: PE Base: Rubber
TRAFCONERING	Cone Ring	Red	-	Plastic

## Cone Bar - Retractable



- Yellow / Black colour acts as a visual warning to pedestrians
- Retractable, adjust to length required between 1.3 - 2.3 Metres
- Compatible with all Safety Xpress Traffic Cones, can form a variety of configurations to fence off a no-go zone

SKU	Length	Ring Size	Material	Colour
PLCHA825	1.3 - 2.3 Metres Retractable	40mm	ABS Plastic	Yellow / Black



## Plastic Safety Chain



- Yellow / Black colour acts as a visual warning to pedestrians
- Plastic chain can be used in conjunction with T-Top Bollards / Fixed bollards OR can use on traffic cones with chain rings installed.
- Easily cut, easily fit onto other fixtures, can be taken down and re-used

SKU	Length	Ring Size	Material	Colour
PLCHA825	25 Metres Roll	8mm x 6mm	Plastic	Yellow / Black
PLCHA640	40 Metres Roll			Yellow





## Loading Dock Boom Gate



**Watch Youtube  
Video of our  
Boom Gate in use**



- When loading or unloading is not in progress the Loading Dock Boom Gate is the perfect affordable solution to closing off a loading dock and providing a safety barrier for employees
- When access is required the boom can simply be released and raised into a vertical position easily with the gas strut
- When loading / unloading is completed, the boom can be lowered and locked into position again to form a safety barrier.
- Available in Left or Right opening options

SKU	Type	Length	Height	Material
BGATELDLEFT	Left	Total 3m 2.6m between posts	1000mm (lowered) 3595mm (raised)	Galvanised Steel Powder Coated Safety Yellow
BGATELDRIGHT	Right			

## Height Clearance Bar



- Allow safe passage of vehicles eg. trucks, buses etc.
- Commonly used in retail centres, airports, residential and public car parks, warehouses etc.
- Each Height Clearance Bar comes with 2 fitted eyelets, 2 Metres of chain (1m for each end) and 4 shackles
- Custom clearance height stickers also included - Red / White Reflective Sticker (customer to specify height Max. Clearance on sticker)



SKU	Length	Colour	Material
HCBAR2M	2 Metres	Yellow/Black	Galvanised Steel Powder coated Safety
HCBAR3M	3 Metres	Red/White	
HCBAR4M	4 Metres	Black	
HCBAR5M	5 Metres	Black	

## Mezzanine Pallet Loading Gate

- Provides safe and controlled access whilst loading pallets onto elevated mezzanine floors using a forklift or other lifting device.
- Design meets Australian Standards



SKU	Type	Mezz Gate	Pallet Size	Material
MEZPALGSP1	Standard Height	2400mmW x 2300mmH	1950mmW x 1250mmD x 1800mmH	Galvanised Steel Powder coated Safety Yellow
MEZPALGSP2		1925mmW x 2300mmH	1400mmW x 1250mmD x 1800mmH	
MEZPALGLP1	Low Profile	2400mmW x 1900mmH	1950mmW x 1250mmD x 1450mmH	Galvanised Steel Powder coated Safety Yellow
MEZPALGLP2		1925mmW x 1900mmH	1400mmW x 1250mmD x 1450mmH	
MEZPALGLP1SS		2400mmW x 1900mmH	1950mmW x 1250mmD x 1450mmH	Galvanised Steel Silver



## Anti-Slip Tapes

### 18 Metre Roll

- Easy to use - simply cut to size, peel off backing and apply
- Suitable for low - medium foot traffic areas
- Available in a range of colours
- P5 Slip Rating
- Complies to AS/NZS 1428.1-2009

SKU	Width	Roll Length	Colour	Slip Rating
ASLIP10Y	50mm	18 Metre Roll	Yellow	P5
ASLIP10B	50mm	18 Metre Roll	Black	P5
ASLIP10YB	50mm	18 Metre Roll	Yellow/Black	P5
ASLIPRW	50mm	18 Metre Roll	Red/White	P5
ASLIPG	50mm	18 Metre Roll	Grey	P5
ASLIPW	50mm	18 Metre Roll	White	P5

## Class 1 Reflective Tapes

### Class 1 Reflective Tapes

#### 45 Metre Roll OR Sold Per Metre

- Easy to use - simply cut to size, peel off backing and apply
- Enhance visibility during night time or under low light conditions
- Suitable for both indoor / outdoor use, lasts up to 10 years outdoor
- Available in a range of colours
- Complies to AS/NZS 1906.1:1993.

SKU	Width	Length	Colour	SKU	Length
REFTC1YEL45	50mm	45 Metre	Yellow	RTAPEY	1 Metre
REFTC1RED45	50mm	45 Metre	Red	RTAPER	1 Metre
REFTC1W45	50mm	45 Metre	White	RTAPEW	1 Metre
REFTC1YB45	50mm	45 Metre	Yellow/Black	RTAPEYB	1 Metre

## Barrier & Line Marking Tapes

### Barrier Tapes

- Commonly used on its own or in conjunction with our T-Top Bollards to temporarily fence off no-go zones and divert pedestrian traffic
- Different length available with/without text

SKU	Width	Length	Colour / Text
BARTAPERW50	50mm	50 Metre Roll	Red / White pattern
BARTAPEDANG75	75mm	100 Metre Roll	Red / White tape with DANGER
BARTAPEDAN752			Red / White tape with DANGER DO NOT ENTER lineal text
BARTAPECAU75			Yellow Tape with CAUTION in Black
BARTAPEBY75			Yellow / Black pattern
BARTAPERW75			Red / White pattern
BARTAPEBW75			Blue / White pattern
BARTAPEGW75			Green / White Pattern



## Social Distancing Floor Stickers

- A must have for shops and work places
- Floor stickers help to organise queues while maintain social distancing
- Available in different sizes
- Helps customers to maintain social distancing when queuing

SKU	Type	Size	Application	Material
SOCDISIN260	Sticker	Dia. 260mm	Indoor	Self Adhesive Vinyl, anti-slip laminate
SOCDISIN335		Dia. 335mm	Indoor	
SOCDISIN450		Dia. 450mm	Indoor	
SOCDISOD450		Dia. 450mm	Outdoor	
SOCDISSIGNS	Sign	450mm x 600mm	Indoor	Corflute
SOCDISSIGNL		600mm x 900mm	Indoor	



## Hand Sanitising Station & Hand Sanitiser

- A must have for shops, retail environments, gyms, customer service areas, clinics, and work places
- Stand with automatic dispenser or stand only
- Hand sanitising stations are light weight, easy to assemble
- 1 Litre and 5 Litres hand sanitiser available for purchase

SKU	Type	Width	Height
SANBOLSTAN	Fixed Height Stand	325mm	1275mm
SANADJSS	Adjustable Stand	300mm	1000mm - 1400mm
SANSTANDAUTO	Automatic Adjustable Height	310mm	1200mm - 1600mm
SANSTANDAUTOBLK	Automatic Fixed Height	310mm	1120mm

SKU	Type	Volume
HANSAN1L	Hand Sanitiser Bottle	1L
HANSAN5L	Hand Sanitiser Pail	5L




## Automatic Touchless Paper Towel Dispenser

- Simply put your hands under the motion activated sensor, paper towel will be dispensed
- Adjustable towel length allows you to select the towel size that is correct for your business
- Drying hands thoroughly with single use, disposable paper towels is the preferred method of hand drying in healthcare
- Will fit a paper towel roll up to 200mm W x 180mm H x 180mm Deep
- Lockable at top to stop paper towel theft
- Battery operated so can be mounted anywhere (4 x batteries included)
- 2 x keys supplied

SKU	Colour	Width	Height	Depth
PAPERTOWELTF	White	280mm	350mm	210mm (Top) 145mm (Bottom)

## Hygiene Screens



- Covid safe solutions for shops and restaurants, retail, service centers - where face to face contact needs to occur in a covid safe way
- Clear transparent screen

SKU	Type	Width	Height	Thickness	Material
HYGSCRFREE	Free Standing Hygiene Screen	790mm	950mm	Screen: 3mm	Screen: Polycarbonate
HYGSCRSW	Hygiene Screen with side wings	900mm	800mm	Feet: 4.5mm	Feet: PETG
HYGSCRSCO	Self Check-Out Partition Screen with Post	Top: 991mm Base: 90mm Post: 50mm	953mm	Screen: 3mm	Screen: Polycarbonate Post: Aluminium Powder coated Matt Black


## Social Distancing Sign



- A must have for shops and work places
- Floor stickers help to organise queues while maintain social distancing
- Wall signs are light weight, easy to apply
- No fixings required, simply stick to wall using double sided tape or blue tack

SKU	Size	Application	Material
SOCDISSIGNS	450mm x 600mm	Indoor	Corflute
SOCDISSIGNL	600mm x 900mm	Indoor	

## Social Distancing Floor Mat



- A must have for shops and work places
- A toughened Nitrile rubber that will not rip or slip
- Machine washable, printing will not fade
- Hard wearing, suitable for high foot traffic areas
- Custom printed design options available

SKU	Size	Material
SDMAT690	600 x 900mm	Toughened Nitrile Rubber
SDMAT912	900 x 1200mm	
SDMAT915	900 x 1500mm	

## P2 Disposable Face Mask

### 3M P2 Respirator & Genuine Valved Respirators

### AMD Premium Nano-Tech Flatfold

- AMD Premium Nano tech respirators are Australian Made, intended to protect the wearer from airborne contaminants.
- AMD P2 masks are equivalent to the NIOSH N95 standards
- AMD, and Valve Type P2 masks comply with AS/NZS 1716:2012
- 3M P2 Respirators are purposed for industry applications

SKU	Type	Colour	Pack Qty
8210RESP	P2 Rating	White	10pcs Per Pack
FACEMASKAMDPR			50pcs Per Pack
RESPVAL12		White with Blue Valve	12pcs Per Pack

## N95 Disposable Face Mask

- 3M brand for 20pack. BFE > 99% according to ASTM F2101
- 25 Pack is 4 layers, ASTM F-2100 Level 3, EN149:2001+A1:2009
- Doubled Headband, non-woven polypropylene fabric
- Integrated metal nose bridge can be adjusted to ensure tight fit

SKU	Type	Plys	Colour	Approval	Pack Qty
1870RESP	N95	White	BFE > 99%	ASTM F2101	20pcs Per Pack
N95MASK		Turquoise	BFE > 98% PFE > 98%	ARTG No.332300	25pcs Per Pack

## Steel Drill TITAN Disposable Dust Mask

- General activity use. Relief and Protection for Nuisance Level Particulate like airborne irritants such as pollen, dust, mold, and dander
- Integrated metal nose bridge can be adjusted to ensure tight fit
- Not NIOSH approved for use with toxic mists or chemicals, this disposable dust mask is intended for protection against non-toxic particles only.
- One size fits all, comply to AS/NZS 1716:2012

SKU	Type	Colour	Pack Qty
KN95MASK20	KN95 P2 Equivalent	White	50pcs Per Pack



## Face Masks - Kids Size



- Comes in a range of colours
- Level 2 BFE 98% +. ARTG: 340970
- 3 ply mask, stylish look
- 14 x 8 cm children's face mask
- Disposable, easy to wear, comfortable ear loops
- Come in 50pcs economy pack

SKU	Colour	Compliance	Approval	Pack Qty
FACEMASKKIDSBK	Black	AS 4381:2015	ARTG: 340970	50pcs Per Pack
FACEMASKKIDSWHT	White			
FACEMASKKIDSBLU	Blue			
FACEMASKKIDSPURP	Purple			
FACEMASKKIDSPINK	Pink			

## Face Masks



- Breathable latex free material
- Level 2 BFE 98% +. ARTG: 340970
- 17.5 x 9.5 cm Adult face mask
- Disposable, easy to wear, comfortable earloops
- Available in a range of colours
- Come in 50pcs economy pack

SKU	Type	Colour	Approval	Pack Qty
FACEMASKBLUE	Surgical Face Mask	Blue	ARTG: 340970	50pcs Per Pack
FACEMASKBLK	3 Plyer Face Mask	Black		
FACEMASKPINK		Pink		
FACEMASKGRN		Green		

## KN95 Respirator Mask (N95 P2 Equivalent)



- Protects user from dusts, fumes, mists, vapours
- N95 P2 grade masks are a preferred option for respiratory concerns
- Suitable to use in a range of settings: healthcare workers and patients, woodworking, constructions, welding, etc.

SKU	Type	Colour	Pack Qty
KN95MASK	KN95 Respirator Mask (N95 P2 Equivalent)	White	10pcs Per Pack
KN95MASK20			20pcs Per Pack



## Infrared Non-Contact Forehead Thermometer

- LCD Display with Fever Alarm,
- AAA x 2 batteries required (NOT INCLUDED)
- Replace Battery Indicator Alarm
- 3 Colour Back light Technology (Green – Normal Orange – Critical Red – Fever)
- Measurement range 32 Degrees Celsius to 42 Degrees Celsius
- Operating temperature 20 - 60 Degrees Celsius
- Operating Humidity: 10 Percent to 90 Percent RH non-condensing
- Working Environment: 15 Degrees Celsius to 40 Degrees Celsius
- Certification: CE FCC CMC

SKU	Type	Power	Pack Qty
THERMO	Infrared Non-Contact Thermometer	AAA x 2 Batteries (not included)	1 Per Pack



## 75% Alcohol Cleaning Wipes

- Kills 99.9% Bacteria
- Reduces the spread of harmful germs and microbes
- Keeps hands clean when soap and water are not available
- Soft, fragrance free

SKU	Alcohol Content	Compliance	Pack Qty
ALCWIPES100	75% Alcohol	ISO 9001 ISO 13485	100 Wipes Per Pack



## Multi Use Anti-Fog Wipes - 200 Pack

- Dispenser of 200 Individually Packaged Wipes
- Multi use, suitable for glasses, phones, tablets, glasses, workplace eyewear, LCD monitors, camera lenses
- 24 hour anti-fog protection
- Anti-Fog and non-scratch wipes
- Micro fiber material – pre-moistened
- Individually wrapped

SKU	Suitable Applications	Pack Qty
FOGWIFE200	Suitable for glass, plastic or polycarbonate	200 Wipes Per Pack

## Clear Face Shield



- Anti-fog treated, easy to use, peel off the protective film before use
- Soft and comfortable no discomfort when wearing for long periods of time.
- High transmittance light transmission provides you with a clear view
- Simply peel off protective film before use

SKU	Pack Qty	Size	Compliance
FACESHIELDCLR	Sold Singularly	One Size Fits All	TGA Approved ARTG Number: 375910

## COVID-19 Ag Rapid Saliva Test Device (Self-Test)



- Simple saliva specimen test, no mess, quick result in 10 - 15 minutes
- Convenient storage: 2-30°
- Non invasive – No nose or throat swab required. Simply rub the kit on sides of mouth & place on tongue.
- No mixing, spitting, or messy procedure required to get result.
- Intuitive and easy to use with written & illustrated instructions included.
- Easy storage in pack 2-30 Degrees C.
- 2 Year Shelf Life.

SKU	Pack Qty	Brand	Compliance
AGSAL1	1	ORAWELL	ARTG Number: 377136

## VivaDiag 25 Pack Covid-19 Rapid Antigen Test Nasal or Throat Swab



**25 TESTS**

- Saliva or nasal specimen test, quick result in 15 minutes
- Convenient storage, suitable for home use self diagnostic

SKU	Pack Qty	Brand	Compliance
AGNAS25VD	25 Tests Per Box	VivaDiag	ARTG Number: 348890



## Ear Plugs - Corded - 100 Pairs Per Box

- Rated at 27db
- Available in Hi Vis Yellow, suitable for a range of industries
- The earplugs come individually packaged. 100 pairs per box

SKU	Compliance	Colour	Material
SEULTEPCORD27	Class 5, SLC80 27db Comply to AS/NZS 1270:2002	Yellow Ear Plugs Blue Cord	PU Foam with PVC Cord
SEULTEPFOOD27		Blue Ear Plugs Blue Cord	



## Ear Plugs - Corded - 100 Pairs Per Box

- Rated at 27db
- Hi Vis Blue is specifically designed for Food industry
- The earplugs come individually packaged. 100 pairs per box

SKU	Compliance	Colour	Material
SEULTEPCORD27	Class 5, SLC80 27db Comply to AS/NZS 1270:2002	Yellow Ear Plugs Blue Cord	PU Foam with PVC Cord
SEULTEPFOOD27		Blue Ear Plugs Blue Cord	



## Ear Plugs - Non Corded - 200 Pairs Per Box

- 27db rating
- The Earplugs are made out of Soft PU foam for comfort
- They are a High Vis colour to identify wearer compliance
- The earplugs come Individually Packaged. 200 pairs per box

SKU	Compliance	Colour	Material
SEULTEPNON27	Class 5, SLC80 27db Comply to AS/NZS 1270:2002	Yellow	PU Foam



## Economy Ear Muff

- Class 4, Comply to AS/NZS 1270:2002
- Non-allergic, comfortable wear, one size fit all
- High Vis colour to identify wearer compliance
- Individually packaged.

SKU	Applications	Compliance
SEULTEPCORD	<ul style="list-style-type: none"> <li>• General Assembly</li> <li>• Construction &amp; Demolition</li> <li>• Grinding &amp; Sanding</li> <li>• Machine Operation</li> <li>• DY0</li> </ul>	Class 4 Comply to AS/NZS 1270:2002



## Safety Ear Muff - Class 5



- Designed to be comfortable whilst providing optimum performance
- High quality foam cushions for comfortable secure seal
- Cushioned headband with 2 point suspension
- Non-allergenic sealing surfaces that are easy to clean
- Individually packaged.

SKU	Applications	Compliance
SEMUFFTRA	<ul style="list-style-type: none"> <li>• General Assembly</li> <li>• Construction &amp; Demolition</li> <li>• Grinding &amp; Sanding</li> <li>• Machine Operation</li> <li>• DY0</li> </ul>	Class 4 Comply to AS/NZS 1270:2002

## Premium Ear Muff



- Class 5, SLC80 26db Comply to AS/NZS 1270:2002
- Non-allergic, comfortable wear, one size fit all
- They are a High Vis colour to identify wearer compliance
- Individually Packaged.

SKU	Applications	Compliance
SEMUFFPRE	<ul style="list-style-type: none"> <li>• General Assembly</li> <li>• Construction &amp; Demolition</li> <li>• Grinding &amp; Sanding</li> <li>• Machine Operation</li> <li>• Metal Fabrication</li> <li>• Mining, Oil &amp; Gas Industries</li> </ul>	Class 4 Comply to AS/NZS 1270:2002

## Safety Glasses Nitro Brand



- Lightest weight safety glasses, polycarbonate lens and legs
- Universal fitting wraparound design, with moulded nose bridge
- Hard coat anti-scratch coating, great low cost alternative
- AS/NZS 1337.1 medium impact
- Sold singularly. Bulk buy available

SKU	Colour	Qty	Size	Rating
SENITC	Clear	Sold Singularly	One Size Fits All. Unisex	Medium Impact. Comply to AS/NZS 1337.1
SENITB	Smoke			

## Safety Glasses Topaz Brand



- Stylish wraparound design with adjustable rubber temple tips for extra comfort.
- Hard coat anti-scratch coating, outstanding optical clarity
- Medium impact, comply to AS/NZS 1337.1 - 2010
- 99.9% UV protection for outdoor use
- Sold singularly, bulk buy available

SKU	Colour	Qty	Size	Rating
SETOPB	Black	Sold Singularly	One Size Fits All. Unisex	Medium Impact. Comply to AS/NZS 1337.1 - 2010
SETOPC	Clear			



## Safety Glasses

### Arc Vision Hammer Brand

- High performance, anti-fog. Available in Clear OR Smoke
- Great for everyday eye protection commonly used in many industrial & Manufacturing Industries.
- Made out of polycarbonate, with a hard scratch-resistant coating
- The glasses are Ultra Violet (UV) protection treated
- Unisex, one size fit all. Impact: Medium
- Standards: Certified to AS/NZS 1337:2010

SKU	Colour	Qty	Material
SEARB	Smoke	Sold Singularly	Lens & Legs: Polycarbonate



## Safety Glasses

### Karbon - Smoke Lens

- Universal fitting wraparound design, polycarbonate lens and legs
- Comfort fit rubber nose bridge design
- Hard coat anti-scratch coating
- Great low cost alternative
- 99.9% UV protection
- Available in clear and smoke lens with optical clarity
- AS/NZS 1337.1 medium impact

SKU	Colour	Qty	Material
SEARBB	Smoke	Sold Singularly	Lens & Legs: Polycarbonate



## Safety Glasses

### Force 360 Brand

- Certified medium impact rated protection to AS/NZS 1337.1:2010
- Scratch resistance, anti-fog and ant-dirt build up
- Co-moulded TPR side arms reduce pressure and wearer fatigue

SKU	Colour	Qty	Size	Rating
SEFORCE360	Lens: Clear Legs: Black	Sold Singularly	One Size Fits All. Unisex	Medium Impact. Comply to AS/NZS 1337.1
SEFORCE360B	Lens: Smoke Legs: Turquoise			
SEFORCE360A	Lens: Amber Legs: Black			



## Safety Glasses

### Opel Brand

- Stylish wraparound design, rubber temple tips for extra comfort
- Hard coat anti-scratch coating, anti fog treated
- AS/NZS 1337.1 Medium Impact approved
- 99.9% UV protection for outdoor use

SKU	Colour	Qty	Size	Rating
SEOPELA	Amber	Sold Singularly	One Size Fits All Unisex	Medium impact. Comply to AS/NZS 1337.1
SEOPELS	Smoke			
SEOPELC	Clear			

## Maxi Guard Half Mask Silicone General Purpose Kit with P3 Carbon Cartridges R7500



- Suitable for asbestos, silica dust, mining, welding, industrial, fiberglass.
- Comfortable silicone mask, easy to wear, fully adjustable harness
- Easy to clean and maintain, low profile slim design
- Twin filter designs provides lower breathing resistance
- Balanced fit and clear field of vision
- Simple, secure bayonet filter attachment system
- Available in large and medium size

SKU	Size	Compliance	Content
RESPHMSIM	M	AS/NZS 1716:2012	1pc x R7500 Half Face Respirator
RESPHMSIL	L		2pcs x R72000-P3C – P3 Carbon Particle filters
RESPHMC PF	Universal		2pcs x P3 Carbon Replacement filters

## Full Face Respirator Asbestos/Dust Kit



- Lightweight and well balanced, easy to wear MaxiGuard Full Face Respirator Asbestos/ Dust Kit
- Twin P3 Carbon Particle filter design provides lower breathing resistance
- Wide field of vision with scratch resistant polycarbonate lens
- Simple, secure bayonet filter attachment system
- Fully adjustable harness
- Certified to AS/NZS 1716:2012

SKU	Size	Compliance	Content
RESPFFASBM	M	AS/NZS 1716:2012	1 x MaxiGuard Full Face Respirator 1 x R2000-P3C – P3 Carbon Particle filters 5 x EHW449 (5 wipes)
RESPFFASBL	L		1 x R680PLC-5 lens cover 1 x CONT5500 Plastic container
RESPHMC PF	Universal		2pcs x P3 Carbon Replacement filters

## Full Face Respirator Painters Kit & Half Mask Painter Kit



- Wide field of vision with scratch resistant polycarbonate lens for full face
- Simple, secure, filter attachment system
- Half mask is made from 100% silicone for maximum comfort
- Fully adjustable harness

SKU	Size	Compliance	Content
RESPFFM	M	AS/NZS 1716:2012	1 x MaxiGuard Full Face Respirator R701-A1P2 Filter 5 x EHW449 (5 wipes)
RESPFFL	L		1 x R680PLC-5 lens cover 1 x CONT5500 Plastic container
RESPHMSPM	M	N/A	1 x RRX01 Shigematsu Silicone Half Face Respirator 2 x Shigematsu RCA-A1 Gas Filters
RESPHMSPL	L		2 x Shigematsu RP2RC Particle PreFilters 3 x Hygiene Alcohol Wipes for cleaning



## Nitrile Gloves - Ultra Feel Powder Free - Blue

- TGA Listed Product – Medical Device Included Class 1
- Food Handling – HACCP Approved
- Light Blue, disposable single use only, comfortable wear
- Slip resistance texture, high tactility, non-Sterile

SKU	Size	Qty	Material
SGBXS100	XS	100 Per Box (50 pairs)	Nitrile  (Latex Free, Phthalate Free, BPA Free, MBT Free Powder Free)
SGBS100	S		
SGBM100	M		
SGBL200	L	200 Per Box (100 pairs)	
SGBXL200	XL		



## Nitrile Gloves - Ultra Feel Powder Free - Black

- Protection from unwanted and dangerous substances.
- Beaded cuff ensures easy donning and prevents roll down.
- Superior strength with excellent puncture resistance.
- Powder-Free and odour free
- Chemical resistance to incidental splash exposure

SKU	Size	Qty	Material
SGBLS100	S	100 Per Box (50 pairs)	Nitrile
SGBLM100	M		
SGBLL100	L		
SGBLXL100	XL		



## Disposable Vinyl Gloves Powder Free - Blue

- Premium quality, latex / powder FREE, ambidextrous, food safe
- Beaded Cuff, puncture resistant
- Non sterile. Provide excellent biological barrier. NOT intended for use as a chemical barrier

SKU	Size	Qty	Material
SGVGBS100	S	100 Per Box (50 pairs)	Vinyl
SGVGBM100	M		
SGVGBL100	L		
SGVGBXL100	XL		



## Disposable Vinyl Gloves Powder Free - Clear

- Latex-free and powder-free and can fit left and right hands.
- They are ambidextrous, ideal for safely handling food, protecting your skin while cleaning, and avoiding germs and contamination.
- Comply with ARTG: 355273

SKU	Size	Qty	Material
SGVGCS100	S	100 Per Box (50 pairs)	Vinyl
SGVGCM100	M		
SGVGCL100	L		
SGVGCXL100	XL		



## Stealth Blue Heeler PU Palm Glove



- Seamless 13 gauge Polyester Shell to provide protection while being as thin and flexible as possible
- Great for cleaning, construction, manufacturing, plumbing, recycling etc
- Perfect for handling small components and carrying out precision works

SKU	Size	Applications	Material
SGSBH8	M	<ul style="list-style-type: none"> <li>• General Engineering</li> <li>• Construction</li> <li>• Plumbing</li> <li>• Logistics &amp; Warehousing</li> <li>• Material Handling</li> </ul>	Polyurethane coated non-slip on the palm and fingers, polyester liner
SGSBH9	L		
SGSBH10	XL		

## NEXUS ECO Gloves



- Black 13g polyester shell with foam nitrile palm coating for oil, wet & dry grip
- Lint free, machine washable
- Excellent abrasion resistance level 4 EN 388 2016

SKU	Size	Applications	Material
SGNEXECOS	S - Size 7	<ul style="list-style-type: none"> <li>• General Assembly</li> <li>• Light/medium fabrication</li> <li>• Inspection</li> <li>• Maintenance</li> <li>• Construction</li> <li>• Mining</li> <li>• Engineering</li> </ul>	13g Polyester Shell, Foam nitrile coating for palm and finger
SGNEXECOM	M - Size 8		
SGNEXECOL	L - Size 9		
SGNEXECOXL	XL - Size 10		
SGNEXECO2XL	2XL - Size 11		

## NEXUS Grip Gloves



- Black 13g polyester shell with sandy nitrile palm coating for oil, wet & dry grip
- Lint free, machine washable.
- Actifresh treated to protect against bacterial growth and odours.
- Excellent abrasion resistance level 4 EN 388 2016

SKU	Size	Applications	Material
SGNEXGRS	S - Size 7	<ul style="list-style-type: none"> <li>• General Assembly</li> <li>• Light/medium fabrication</li> <li>• Inspection</li> <li>• Maintenance</li> <li>• Construction</li> <li>• Mining</li> <li>• Engineering</li> </ul>	13g Polyester Shell, Foam nitrile coating for palm and finger
SGNEXGRM	M - Size 8		
SGNEXGRL	L - Size 9		
SGNEXGRXL	XL - Size 10		
SGNEXGR2XL	2XL - Size 11		

## NEXUS Grip C5 Gloves



- High performance synthetic fibre shell, great anti-slip characteristics
- Lint free, machine washable.
- Great dexterity, flexibility and breathability
- Maximum ratings EN388 - 4X44C

SKU	Size	Applications	Material
SGNEXGRCS	S - Size 7	<ul style="list-style-type: none"> <li>• Auto assembly</li> <li>• Metal fabrication</li> <li>• Metal stamping</li> <li>• Oil applications</li> <li>• Glass handling</li> <li>• Recycling</li> </ul>	HPPE High Performance Synthetic Fibre Shell
SGNEXGRCM	M - Size 8		
SGNEXGRCL	L - Size 9		
SGNEXGRCXL	XL - Size 10		Foam nitrile coating for palm and finger
SGNEXGRC2XL	2XL - Size 11		



## RONIN Stealth Black- Nitrile Nylon Gloves

- Made out of a 15 gauge nylon, comfortable and stretches for flexibility
- The gloves have a layer of nitrile foam to provide an excellent grip
- A great choice when working with machinery, tools, small parts

SKU	Size	Applications	Material
SGBNN7	S	<ul style="list-style-type: none"> <li>• Materials Handling</li> <li>• Construction</li> <li>• Automotive Industry</li> <li>• Logistics &amp; Warehousing</li> <li>• General Purpose</li> </ul>	Nitrile Nylon, a layer of nitrile foam at palm and fingers
SGBNN8	M		
SGBNN9	L		
SGBNN10	XL		
SGBNN11	2XL		



## NEXUS Grip Dry Gloves - Hi-Vis Blue

- Blue nylon shell with black sandy latex palm coating for oil, wet & dry grip
- Full smooth latex coating to keep your hands dry
- Actifresh treated to protect against bacterial growth and odour's
- This glove is machine washable

SKU	Size	Applications	Material
SGNEXGRD7	S - Size 7	<ul style="list-style-type: none"> <li>• General assembly</li> <li>• Light / Medium Fabrication</li> <li>• Construction</li> <li>• Maintenance</li> <li>• Mining</li> <li>• Oil &amp; Gas</li> <li>• Inspection</li> <li>• Gardening</li> </ul>	15g Nylon Shell, Latex Coating
SGNEXGRD8	M - Size 8		
SGNEXGRD9	L - Size 9		
SGNEXGRD10	XL - Size 10		
SGNEXGRD11	2XL - Size 11		



## Black Knight Gripmaster Hi-Vis Gloves Green

- The thin coating ensures flexibility without compromising on safety
- Yellow Hi-Vis colour of the gloves allows maximum safety
- Suitable for many different industries and applications

SKU	Size	Applications	Material
SGBKH7	S - Size 7	<ul style="list-style-type: none"> <li>• Materials handling work</li> <li>• Hand / Power tool Operation</li> <li>• Maintenance operation</li> <li>• Baggage handling</li> <li>• Construction industry</li> <li>• Mining industry</li> <li>• Automotive industry</li> <li>• Agricultural industry</li> </ul>	13 Gauge Lycra with Nylon shell
SGBKH8	M - Size 8		
SGBKH9	L - Size 9		
SGBKH10	XL - Size 10		
SGBKH11	2XL - Size 11		



## G-Force Synthetic Rigger Gloves

- Certified to Cut Resistance Level 2 to EN388 Standards
- Elastane back for comfort and breathability
- Outperforms traditional leather riggers, machine washable
- Elastic wrist for snug fit, no knuckle bar improves fit and feel

SKU	Size	Applications	Material
SGSRG7	S - Size 8	<ul style="list-style-type: none"> <li>• Steel and Metal Handling</li> <li>• Cables and Chain Handling</li> <li>• Rope Handling</li> <li>• Hand / Power Tool Operations</li> <li>• Maintenance Operations</li> <li>• Building / Construction</li> <li>• Automotive Industry</li> <li>• Rigging Industry</li> <li>• Timber and Forestry</li> </ul>	13 Gauge Lycra with Nylon shell
SGSRG8	M - Size 9		
SGSRG9	L - Size 10		
SGSRG10	XL - Size 11		
SGSRG11	2XL - Size 12		

## Snake Mechanic Gloves



- Perforated fourchettes for breathability, reflective piping
- ID Tag, Hi-Vis orange stitching on back and palm
- Machine washable in cold water
- Rated UPF50+ Excellent Protection

SKU	Size	Applications	Material
SGMECHSN7	S	<ul style="list-style-type: none"> <li>• Automotive</li> <li>• Shipping &amp; transport</li> <li>• Power tools use</li> <li>• Rescue operations</li> <li>• General handling</li> <li>• Mining</li> <li>• Metal handling</li> <li>• Oil &amp; gas</li> </ul>	0.8mm Armorskin Nylon/Lycra, Foam Back, 45mm Neoprene Cuff with Velcro Fastener
SGMECHSN8	M		
SGMECHSN9	L		
SGMECHSN10	XL		
SGMECHSN11	2XL		Neoprene Padded Reinforced Palm


## Cowhide Riggers Gloves



- Highest grade cowhide palm and back
- Wing thumb, in sewn elastic
- Economic rigger choice

SKU	Size	Applications	Material
SGRGS	S	<ul style="list-style-type: none"> <li>• Construction</li> <li>• Timber handling</li> <li>• General purpose</li> <li>• Mining</li> <li>• Transport and trucking</li> <li>• Warehousing</li> </ul>	Cowhide with Insewn Elastic
SGRGM	M		
SGRGL	L		
SGRGXL	XL		
SGRG2XL	2XL		

## Clear Acrylic Glove Holder /Dispenser



- Available in single or 3 tiers, can be wall mounted
- Wide opening at the front for easy access of gloves
- It allows for quick product and size identification to enhance efficiency
- It can also be used for holding tissue boxes or wet wipes

SKU	Applications	Material
GLOVEDISP1A	Fits 1 Standard Size Tissue Box	Clear Acrylic
GLOVEDISP3A	Fits 1 - 3 Standard Size Tissue Boxes	

## White Wire Glove Holder /Dispenser



- Available in single or 3 tiers.
- Can be fixed to wall, fixings not included
- It allows for quick product and size identification to enhance efficiency
- It can also be used for holding tissue boxes or wet wipes

SKU	Applications	Material
GLOVEDISP1	Fits 1 Standard Size Tissue Box	White Metal Wire
GLOVEDISP3	Fits 1 - 3 Standard Size Tissue Boxes	



## Hard Hat with Ratchet Harness - Vented

- One size fits all, 10 ventilation points for increased airflow, adjustable ratchet
- Attachment slot fit's most brands of earmuffs
- Replaceable sweatband for user comfort
- Custom logo available, contact us for a quote

SKU	Colour	Material	Compliance
HWRHHVW	White	UV and impact resistant ABS material	AS/NZS 1801:1997
HWRHHVFY	Fluro Yellow		
HWRHHVY	Yellow		
HWRHHVP	Pink		
HWRHHVO	Orange		



## Height Safety Hard Hat with Chin Strap

- This style of hard hat is often preferred in height situations because it has a short peak which allows easier upward vision.
- Adjustable chin strap as standard and a safety harness, these features are to prevent it falling off at height.

SKU	Type	Material	Compliance
HWSHCS	Hard Hat	Poly Propylene & Poly Carbonate	AS/NZS 1801:1997
HWHCS	Chin Strap	Plastic & Elastic Nylon Strap	Compatible with All Safety Xpress Hard Hats



## Detachable Hard Hat Brim with Back Neck Flap

- Improves protection from the sun and splashes
- Attached neck flap provides additional protection to the rear of the neck
- Designed to fit onto hard hats, cotton construction with velcro strap
- Does not impact on safety helmet performance or certification

SKU	Colour	Material	Size
HWBRIMW	White	Cotton with Velcro Straps	One Size Fits All Hard Hats
HWBRIMBL	Blue		



## Coil Hard Hat Tether

- Reliable and out of the way, the Coil Hard Hat Tether is so low-profile you won't even know you're wearing it
- The coil features industrial-grade PU to deliver strength and work-site ruggedness
- With a metal clamp far exceeding its max load rating combined with a tactical, light-weight design, the Coil Hard Hat Tether brings dependable strength when needed, and low-profile compatibility

SKU	Length	Load Rating
SHCHHT	Relaxed length: 11cm Expanded length: 86cm	0.5kg





## Tool Lanyard

- Convenient stretch-lanyard for tool tethering
- Heavy duty elasticised, polyester webbing
- Anchoring loop secures to tool or tether anchor
- Single-action karabiner for attaching to users belt

SKU	Length	Type	Load	Applications
SHTL13510	Relaxed: 85cm Expanded: 135cm	Single	10kg	<ul style="list-style-type: none"> <li>• Oil &amp; Gas Industries</li> <li>• Mining &amp; Drilling</li> <li>• Lifting &amp; Rigging</li> <li>• Demolition</li> <li>• Construction &amp; Roofing</li> <li>• Scaffolding</li> <li>• Window cleaning</li> <li>• Forestry</li> <li>• Linesmen</li> </ul>
SHTTL13510		Twin		

## 25mm Webbing Sling



- For working where Falls are possible, recommended working load 140kG. 1 person inc.tools, use in conjunction with compatible shock absorbing lanyards and inertia reels connected to appropriate structural anchors

SKU	Length	Applications	Compliance
SHWEBS12	1.2 M	<ul style="list-style-type: none"> <li>• Roof Work as part of Roofers Kit</li> <li>• Scaffold Work</li> <li>• Construction Work</li> <li>• General Fall Arrest Systems where Anchorage requirements are self determined</li> </ul>	Rated 22KN  Comply to AS/NZS5532:2013
SHWEBS15	1.5 M		
SHWEBS20	2.0 M		

## Mini Block Retractable Lanyard with Swivel



- Ideal for fall arrest applications where the anchor point is within 2.5m of an exposed edge or there is a need to reduce fall distances
- 16kN capacity Twist Lock Karabiners (ANSI Certified),
- Integrated Energy Absorber for shock absorption
- Minimum Breaking Strength 15kN
- Swivel attachment at anchorage end with Fall Indicator
- 47mm High Strength Polyester Webbing

SKU	Length	Applications	Compliance
SHLANR2	2 M	<ul style="list-style-type: none"> <li>• Stock picking</li> <li>• Cherry picker</li> <li>• Sharp edges</li> </ul>	Certified to EN 360:2002 standards

## Suspension Trauma Straps - Pair



- Help to avoid the effects of suspension trauma in the event of a fall or during prolonged hanging.
- Can be attached to any full body harness.
- They are positioned so that the worker can step into the straps and reduce the pressure of the harness on the body and promote blood circulation.

SKU	Qty	Applications	Compatibility
SHSUSTST	Pair	<ul style="list-style-type: none"> <li>• Stock picking</li> <li>• Cherry picker</li> <li>• Height works</li> </ul>	Can be attached to any full body harness



## Rope Line With Adjuster & Shock Absorber

- Temporary anchorage solutions to provide protection when ascending or working at height on a flat or sloping surface.
- These systems rely on the user generally to provide the adjustment to keep them at risk of minimal fall.
- Typically used in Roofers Kits

SKU	Length	Features
SHRL15	15 Metres	<ul style="list-style-type: none"> <li>• 11mm Kernmantle Rope</li> <li>• Passivated Steel Lock off Adjuster</li> <li>• Non-detachable AS/NZS1891.1 2009 complaint shock absorber</li> <li>• Compliant Shock Absorber &amp; Wear Sleeve</li> <li>• 18mm Screw Gate Karabiners</li> </ul>



## Steel T Bar Edge Anchor

- AS/NZS5523 2013 compliant rated for one person – 15kn
- Suitable for Metal and Tiled roof top
- Material – Steel
- Not to be used in acidic or basic environments
- Not to be used for lifting
- Fixings required – Read and comply with user instructions before use

SKU	Compliance	Applications
SHSTBART	AS/NZS5523 2013	<ul style="list-style-type: none"> <li>• Suitable for Metal and Tiled roof top</li> <li>• Material Steel</li> <li>• Not to be used in acidic or basic environments</li> <li>• Not to be used for lifting</li> <li>• Fixings required</li> </ul>



## Flat Anchor Bar

- Provides quick and easy installation for roof access onto sheet metal roofs.
- Fits to edge of the roof sheeting and easily secured using existing screws and holes in the sheeting.
- Must be used in conjunction with an Energy Absorbing device

SKU	Compliance	Applications
SHFLBAR500	AS/NZS5523 2013	<ul style="list-style-type: none"> <li>• Suitable for 1 PERSON - 15Kn</li> <li>• 500mm Fixed Anchor for Roof Work</li> <li>• Suitable for trapezoidal custom orb roof top</li> <li>• Material: Steel</li> <li>• Not to be used in acidic or basic environments</li> <li>• Not to be used for lifting</li> <li>• Fixings required</li> </ul>



## Self Retractable Lanyard with Carabiner & Aluminium Hook

- Ergonomic, easy to use and is ideal for direct connection to most harnesses.
- Locks quickly - stopping a fall within inches
- Minimum Breaking strength: 15kN
- Inbuilt Energy Absorber will reduce the forces of fall to less than 4kN
- Can be used horizontally, webbing made from technora
- Fall Distance is minimal as compared to Energy Absorbing Lanyards

SKU	Compliance	Applications
SHSRLAN2	EN360:2002 & Dynamic Requirement of EN355:2002	<ul style="list-style-type: none"> <li>• Stock picking</li> <li>• Cherry picker</li> <li>• Sharp edges</li> <li>• EWP (Elevated Work Platform)</li> </ul>

## Double Elasticated Lanyard incl. Snaphook & Scaffold Hook



- Shock absorber at harness end provides maximum force on user in the event of a fall 6kN, suitable for 60 - 140kg
- Elasticated 44mm high strength tubular polyester webbing provides shorter relaxed length while moving around
- Abrasion resistant cover on loop ends to prevent damage from snap hooks
- 16Kn capacity Snap/Scaffold Hooks with 20mm/60mm gate size

SKU	Compliance	Applications
SHLAN2E	AS/NZS1891.4:2009 AS1891.5:2020	<ul style="list-style-type: none"> <li>• For working in fall arrest situation, attached to front or rear attachment point on harness maximising freefall to 2m</li> <li>• Scaffold Work / Roof Work / Construction Work</li> <li>• Maintenance work on machinery</li> </ul>

## Web Shock Absorbing Lanyard - 2 Metres



- 44mm High Strength Polyester Webbing
- Abrasion resistant cover on loop ends to prevent damage from snap hooks
- Incorporates energy absorbing pack at harness end of lanyard
- Tested to High Capacity, certified to AS/NZS 1891.1:2007
- 19mm gate double action snap hooks
- Steel snap hooks 19mm opening, gate size 19mm

SKU	Compliance	Applications
SHLANWS2	AS/NZS 1891.1:2007	<ul style="list-style-type: none"> <li>• Stock picking</li> <li>• Cherry picker</li> <li>• Sharp edges</li> <li>• EWP (Elevated Work Platform)</li> </ul>

## Web Shock Absorbing Lanyard with Snap hook & Scaffold Hook - 2 Metres



- Shock absorber at harness end provides maximum force on user in the event of a fall 6kN, suitable for maximum weight 100kg
- 44mm high strength polyester webbing
- Abrasion resistant cover on loop ends to prevent damage from snap hook.
- Double Action Snap Hook and Scaffold Hook provide high level of connection
- Snap Hook/Scaffold Hook with 19/50mm gate size

SKU	Compliance	Applications
SHSWLAN2	AS/NZS 1891.1:2007	<ul style="list-style-type: none"> <li>• Stock picking</li> <li>• Cherry picker</li> <li>• Maintenance work at height</li> <li>• EWP (Elevated Work Platform)</li> </ul>

## Web Shock Absorbing Double Lanyard with Snap hook & Scaffold Hook



- 44mm High Strength Polyester Webbing
- Abrasion resistant cover on loop ends to prevent damage from snap hooks
- Incorporates energy absorbing pack at harness end of lanyard
- Double leg allows you to move while remaining anchored at all times
- 16Kn capacity Snap Hook with 20mm gate size, steel Scaffold Hooks
- Max. working load 100kg, use with an approved full body harness

SKU	Compliance	Applications
SHDWLAN2	AS/NZS 1891.1:2020	<ul style="list-style-type: none"> <li>• Stock picking</li> <li>• EWP (Elevated Work Platform)</li> <li>• Working in fall arrest situation, attached to front or rear attachment point.</li> </ul>



## Heavy Duty Single Elasticated Lanyard - 2 Metres - with Triple Action Karabiners

- Shock absorber at harness end provides maximum force on user in the event of a fall 6kN
- Elasticated 44mm high strength tubular polyester webbing provides shorter relaxed length while moving around
- Abrasion resistant cover on loop ends to prevent damage from snap hook
- Triple Action Karabiners provide highest level of connection

SKU	Compliance	Applications
SHHDELAN2	Meets and Tested to AS1891.5:2020 Certified by BSI	<ul style="list-style-type: none"> <li>• Working in fall arrest, attached to front or rear attachment point on harness allowing movement across structure maintaining attachment and maximising freefall to 2m</li> </ul>



## Gloves Clip

- Multi-purpose, design to grip and hold gloves, glasses, helmets or towels.
- Made of heavy duty Polymethylene (POM) an engineering thermoplastic with excellent flexibility & toughness.
- Dual interlocking jaws with a wide opening angle.
- Break away holding cord Hi-Vis colour for extra visibility Attaches to belt loops & any pockets.

SKU	Colour	Material
SUPJAWORA	Orange	Polyoxymethylene (POM)
SUPJAWYEL	Yellow	
SUPJAWBLA	Black	



## Full Body Harness with Front & Rear Attachment Points w/ 2m Lanyard & Snap Hook Attached

- Full Body Harness with rear Adjustable Fall Arrest Dorsal D Ring fitted with AS1891.5 2020 compliant Shock Absorbing Lanyard
- Frontal Fall Arrest Loops when used together
- Adjustable Chest, Side, and Leg straps facilitate proper fit
- Snug Fitting Sub Pelvic web strap distributes load
- High strength polyester webbing, one size fits all, size M -2XL
- Interlocking Buckles, light weight fitting design

SKU	Compliance	Applications
SHFULLBODKIT	AS/NZS1891.1:2020 AS1891.5:2020	<ul style="list-style-type: none"> <li>• EWP, Stock Picking, Scaffold Work</li> <li>• Roof work / work where fall is possible</li> </ul>



## Confined Space Harness

- Full Body Harness with Confined Space loops, Padded Waist, Frontal loops, Side D Rings, light Weight & Fitting design
- Fall arrest adjustable dorsal D ring, fall arrest loops to front
- Interlocking push through buckles, load capacity 140kg
- High Strength Polyester Webbing shoulder loops for Confined Space rescue using MAXISAFE Spreader Bar.
- Labelling fully protected in permanently attached pouch
- Heavy Duty Steel Alloy Hardware
- Padded Waist belt with side D Rings for work positioning and comfort

SKU	Compliance	Applications
SHCONHAR	AS/NZS 1891.1 2007	<ul style="list-style-type: none"> <li>• Confined Space Rescue &amp; Recovery</li> <li>• Manhole Access / Entry to tanks</li> <li>• Drains and underground access</li> </ul>





## Full Body Roofers Harness w/ Front & Rear Attachment Points

- Full Body Harness with front and rear attachment points
- General purpose harness with front and back attachment points
- Fully adjustable with quickly releasable push through buckles
- Karabiner provided with front attachment loops
- General purpose harness with front and rear attachment points
- Fully adjustable buckles for ease of use



SKU	Compliance	Applications
SHROOFHAR	AS/NZS 1891.1 2007	<ul style="list-style-type: none"> <li>• General tradesperson</li> <li>• Construction workers</li> <li>• Roofing</li> <li>• Vertical climbing</li> </ul>



## Roofers Harness Kit

- Pre-Assembled 15m Kernmantle Rope assembly includes Shock Absorber. Ready to connect to Anchor and Harness (Rated at 140kg)
- 3 x ANSI Twist Lock Karabiners. ANSI Hooks AS1891.5 2020
- 25mm x 2m Webbing Sling (AS/NZS 5532.2013) provides Universal connection rated at 22kN
- Sizable Backpack ruggedly constructed provides ample space for the kit
- Fully adjustable leg and shoulders straps
- Harnesses should be used with compatible connectors which ensure connection will be maintained in the event of high forces on the gate

SKU	Compliance	Applications
SHROOFKIT	AS/NZS 1891.1 2020	<ul style="list-style-type: none"> <li>• Roof work</li> <li>• General Fall Protection</li> </ul>



## Plant Daily Inspection Logbook - Triplicate Copy Pages

- Plant equipment pre-start & safety inspections are essential to reduce potential incidents on site.
- Utilise daily inspection logs in conjunction with the items specified in the plant operator's manual.

SKU	Size	Applications
PLANTLOGBK	150mm W x 210mm H x 10mm Thickness	<ul style="list-style-type: none"> <li>• Plant Machinery / Equipment Inspection &amp; Record</li> </ul>



## Safety Sticker Set Earth Moving Machinery Sticker Set Tipper Kit Safety Sticker Set

- 6 pages of stickers
- OHS COMPLIANT

SKU	Size	Applications
TPRKIT	A4 X 6 Pages	<ul style="list-style-type: none"> <li>• Apply / Use on Tippers</li> </ul>
EMRKIT		<ul style="list-style-type: none"> <li>• Apply / Use on Earth Moving Equipments</li> </ul>

## Hi-Vis Plain Yellow Safety Vest

- Front flap with hook-pile velcro tape closure, contrast grey binding
- Available in larger sizes normally worn over layers
- 100% Polyester tricot for durability
- Custom logo option available, contact us for a quote.



SKU	Size	Material	Compliance
SVYELS	S	100% Polyester tricot for durability	AS/NZS 1906.4:2010 and AS/NZS 4602.1:2011 Day Only
SVYELM	M		
SVYELL	L		
SVYELXL	XL		
SVYEL2XL	2XL		
SVYEL3XL	3XL		
SVYEL4XL	4XL		
SVYEL5XL	5XL		

## Hi-Vis Plain Orange Safety Vest

- Front flap with hook-pile velcro tape closure, contrast grey binding
- Available in larger sizes normally worn over layers
- 100% Polyester tricot for durability
- Custom logo option available, contact us for a quote.



SKU	Size	Material	Compliance
SVORAS	S	100% Polyester tricot for durability	AS/NZS 1906.4:2010 and AS/NZS 4602.1:2011 Day Only
SVORAM	M		
SVORAL	L		
SVORAXL	XL		
SVORA2XL	2XL		
SVORA3XL	3XL		
SVORA4XL	4XL		
SVORA5XL	5XL		

## Hi-Vis Yellow Safety Vest with STAFF On Back

- Front flap with hook-pile velcro tape closure, contrast grey binding
- Available in larger sizes normally worn over layers
- 100% Polyester tricot for durability



SKU	Size	Material	Compliance
SVSTYS	S	100% Polyester tricot for durability	AS/NZS 1906.4:2010 and AS/NZS 4602.1:2011 Day Only
SVSTYM	M		
SVSTYL	L		
SVSTYXL	XL		
SVSTY2XL	2XL		
SVSTY3XL	3XL		
SVSTY4XL	4XL		
SVSTY5XL	5XL		



## Hi-Vis Reflective Orange Safety Vest

- Front flap with velcro hook-pile tape closure, contrast grey binding
- Available in larger sizes normally worn over layers
- 100% Polyester tricot for durability

SKU	Size	Material	Compliance
SVORAFS	S	100% Polyester tricot for durability	AS/NZS 1906.4:2010 and AS/NZS 4602.1:2011 Day & Night
SVORAFM	M		
SVORAF L	L		
SVORAFXL	XL		
SVORAF2XL	2XL		
SVORAF3XL	3XL		
SVORAF4XL	4XL		
SVORAF5XL	5XL		



## Hi-Vis Reflective Yellow Safety Vest

- Front flap with velcro hook-pile tape closure, contrast grey binding
- Available in larger sizes normally worn over layers
- 100% Polyester tricot for durability

SKU	Size	Material	Compliance
SVYELFS	S	100% Polyester tricot for durability	AS/NZS 1906.4:2010 and AS/NZS 4602.1:2011 Day & Night
SVYELFM	M		
SVYELFL	L		
SVYELFXL	XL		
SVYELF2XL	2XL		
SVYELF3XL	3XL		
SVYELF4XL	4XL		
SVYELF5XL	5XL		



## Hi-Vis Reflective Yellow Safety Vest with STAFF On Back

- Front flap with velcro hook-pile tape closure, contrast grey binding
- Available in larger sizes normally worn over layers
- 100% Polyester tricot for durability

SKU	Size	Material	Compliance
SVYREFSTSFMS	S	100% Polyester tricot for durability	AS/NZS 1906.4:2010 and AS/NZS 4602.1:2011 Day & Night
SVYREFSTSFME	M		
SVYREFSTSLG	L		
SVYREFSTXL	XL		
SVYREFSTST2XL	2XL		
SVYREFSTST3XL	3XL		
SVYREFSTST4XL	4XL		
SVYREFSTST5XL	5XL		



## Hi-Vis Reflective

### Yellow Safety Vest with VISITOR On Back

- Front flap with hook-pile velcro tape closure, contrast grey binding
- Available in larger sizes normally worn over layers
- 100% Polyester tricot for durability

SKU	Size	Material	Compliance
SVYREFVISM	S	100% Polyester tricot for durability	AS/NZS 1906.4:2010 and AS/NZS 4602.1:2011 Day & Night
SVYREFVIME	M		
SVYREFVILG	L		
SVYREFVIXL	XL		
SVYREFVI2XL	2XL		
SVYREFVI3XL	3XL		
SVYREFVI4XL	4XL		
SVYREFVI5XL	5XL		



## Vic Roads Reflective Hi-Vis Red Safety Vest Zippered

- Vic Roads specified Tail length and full width, front zipper
- Big 50mm reflective tape in Vic Rail compliant
- Available in larger sizes normally worn over layers
- 100% Polyester tricot for durability

SKU	Size	Material	Compliance
SVVROS	S	100% Polyester tricot for durability	Designed to meet AS/NZS 4602.1:2011 requirements and Vic Roads regulations
SVVROM	M		
SVVROL	L		
SVVROLXL	XL		
SVVROL2XL	2XL		
SVVROL3XL	3XL		
SVVROL4XL	4XL		
SVVROL5XL	5XL		
SVVROL6XL	6XL		



## Vic Rail Reflective Hi-Vis Orange Safety Vest Zippered

- Vic Roads specified Tail length and full width, front zipper
- Big 50mm reflective tape in Vic Rail compliant, includes front PVC pocket
- Available in larger sizes normally worn over layers
- 100% Polyester tricot for durability

SKU	Size	Material	Compliance
SVVRAS	S	100% Polyester tricot for durability	AS/NZS 4602.1:2011 Vic Rail Compliant
SVVRAM	M		
SVVRAL	L		
SVVRALXL	XL		
SVVRAL2XL	2XL		
SVVRAL3XL	3XL		
SVVRAL4XL	4XL		
SVVRAL5XL	5XL		
SVVRAL6XL	6XL		





## Hi-Vis Orange Safety Vest with Elastic & Reflective

- Elasticated side panels for greater movability
- PVC ID pocket at front, silver reflective tape
- Easy to use zip puller
- 100% lightweight polyester

SKU	Size	Material	Compliance
SVORAEM	M	100% Polyester with Elastic Side Panel	AS/NZS 4602.1:1999
SVORAE L	L		
SVORAE XL	XL		
SVORAE2XL	2XL		
SVORAE3XL	3XL		
SVORAE4XL	4XL		
SVORAE5XL	5XL		



## Hi-Vis Yellow Safety Vest with Elastic & Reflective

- Elasticated side panels for greater movability
- PVC ID pocket at front, silver reflective tape
- Easy to use zip puller
- 100% lightweight polyester with zip fastener

SKU	Size	Material	Compliance
SVYELEM	M	100% Polyester with Elastic Side Panel	AS/NZS 4602.1:1999
SVYELE L	L		
SVYELE XL	XL		
SVYELE2XL	2XL		
SVYELE3XL	3XL		
SVYELE4XL	4XL		
SVYELE5XL	5XL		

## Red Fire Warden Safety Vest, Non-Reflective

- Pre-printed with the text FIRE WARDEN on the back
- Made with 100% lightweight polyester, cool and breathable
- Velcro fastening
- Black edge binding

SKU	Size	Material
SVFWREDS	S	100% Polyester
SVFWREDM	M	
SVFWREDL	L	
SVFWREDXL	XL	
SVFWRED2XL	2XL	
SVFWRED3XL	3XL	
SVFWRED4XL	4XL	






## First Aid Vest, Non-Reflective

- Pre-printed with the text FIRST AID on the back
- Made with 100% lightweight polyester, cool and breathable
- Velcro fastening
- Black edge binding

SKU	Size	Material
SVFAGRNS	S	100% Polyester
SVFAGRNM	M	
SVFAGRNL	L	
SVFAGRNXL	XL	
SVFAGR2XL	2XL	
SVFAGR3XL	3XL	
SVFAGR4XL	4XL	



## Register of Injuries Book

- It is required that all employers keep a Register of Injuries that is readily accessible in the workplace
- Enables employers to keep a record of all workplace injuries for immediate and future claims with Workcover
- Ensures that all injuries have the correct documentation
- Carbonless duplicate copies

SKU	Description	Material
FAINJREG	Duplicate Sets	Paper



## Fastaid Pocket Size CPR Mask

- Use a pocket mask to deliver safe and effective rescue breaths during CPR
- A pocket size CPR mask easy to carry around everywhere
- Comes in a plastic clamshell case
- Contains an oxygen port, for use in CPR
- Has a pre-inflated cuff, giving a highly effective seal
- It is un-foldable (un-fold and gently push out valve before use)

SKU	Description	Material
CPRMASKPORT	Fastaid Pocket Size CPR Mask to deliver safe and effective rescue breaths during CPR	Plastic Clamshell



## Fast Aid Samaritan RD500 Defibrillator FS-RD500

- A semi-automatic defibrillator that is operated by using two simple buttons.
- It features clear and simple voice prompts for users, and visual prompts to assist the rescuer in noisy or multi-lingual environments.
- Features unique patient-specific CPR feedback which instructs the user to push harder, faster, slower to reassure you that you're doing it right.
- 8-year warranty with lowest cost of ownership over 8 years (PAD & battery).
- Public Access Defibrillator with world leading CPR Advisor
- Easy-to-follow Visual and Voice Prompts

SKU	Description	Dimensions
DEFRIBFA	Fast Aid HeartShine Samaritan RD500 Defibrillator FS-RD500	200 (W) X 184 (D) X 480 (H)

## Emergency Eyewash First Aid Kit



- Contains essential treatments for those unexpected eye injuries.
- Suitable for industrial work places
- Highly portable plastic case to protect contents as well as have this Kit ready to perform.
- Carry handle for portability and internal compartments for organisation.
- Wall mount bracket for mounting in vehicles, workshops and first aid rooms.

SKU	Content	Kit Size	Compliance
FIRSTAIDEYE	2 X Eyewash Bottles 500ML 2 X Eyewash Ampoule 20ML 2 X Eye Pad Dressing 1 X Mirror	30cm x 30cm x 40cm H	ARTG Registered No. 128314

## Portable Eye Wash Stations



- A cost effective solution where plumbed water isn't available
- High quality non-toxic polyethylene construction
- Automatic water flow control valve 2L/minute
- Water flow is easily activated by pulling on green eyewash tray
- Ideal initial first aid treatment for chemical burns and injuries
- Classified as Supplemental Equipment in accordance with AS 4775-2007
- Suitable for a range of situations such as mobile or field work, areas without running water, medical labs, construction sites etc

SKU	Content	Size	Compliance
EWSPORT35	35L	370mm H x 600mm W x 255mm D	AS 4775-2007
EWSPORT60	60L	600mm H x 600mm W x 500mm D	

## Stainless Steel Wall Mount Eye Wash Station



- Wall-mounted design for tight settings, hand operated
- Eye wash sprays with integral flip dust covers
- Balanced water supply inlets ensure optimum wash pattern
- SST valves, fittings and handle
- Certified to Australian Standards AS 4775-2007 and ANSI/ISEA Z358.1, EN15154-1&2
- Suitable for a range of settings such as medical labs, schools, plants etc

SKU	Material	Size	Compliance
EWSSSTWM	304 Grade Stainless Steel	Eye wash bowl: 11-1/2" dia.	AS 4775-2007 ANSI/ISEA Z358.1, EN15154-1&2

## Stainless Steel Pedestal Mounted Eye Wash Unit



- Aerated eye wash for applications which pose a hazard to the eyes, such as dust, airborne particles and mild chemicals
- Eye wash sprays with integral flip dust covers
- Balanced water supply inlets ensure optimum wash pattern
- Hand and foot operated
- SST valves, fittings and handle
- Sturdy Floor mounting plate
- Suitable for a range of settings such as medical labs, plants etc

SKU	Material	Size	Compliance
EWSSSTPM	304 Grade Stainless Steel	Overall Height 1079mm Bowl dia. 292mm	AS 4775-2007 ANSI/ISEA Z358.1, EN15154-1&2

## Stainless Steel Drench Shower & Eyewash Floor Mounted Combination Unit



- Allows users to quickly flush away hazardous substances
- Fits in easily to any work environment to prevent potential injuries
- Flow Valve built in to avoid secondary hurt
- Provides a superior wash down with a more even spray pattern
- The shower valve operates quickly by a pull rod with a round handle
- Eyewash is easily operated by a large push handle
- Spray head comes in a stand out safety yellow colour

SKU	Material	Size	Compliance
EWSSSTFMS	304 Grade Stainless Steel	Overall Height 2197mm Bowl dia. 500mm	AS 4775-2007 ANSI/ISEA Z358.1, EN15154-1&2



## Stainless Steel Wall Mounted Safety Shower



- Fits easily into any workplace, basic wall mounted style safety shower
- Hand operated, SST pull rod
- Ball valve activates within 1 second
- Water working pressure: 0.2MPa - 0.8MPa, flow control: 76L/Min
- Suitable for a range of setting such as medical laboratories, schools and universities, dangerous and corrosive material storage plants, chemical manufacturing, decontamination, petrochemical


SKU	Material	Size	Compliance
EWSSSWM	304 Grade Stainless Steel	84cm x 21.5cm x 11.5cm	AS 4775-2007 ANSI/ISEA Z358.1, EN15154-1&2

## Safety Sign Emergency Shower/Emergency Eye Wash Station



SKU	Size	Material	Type
ESSSIGNM300	225mm x 300mm	Metal	Emergency Shower Sign
ESSSIGNM600	450mm x 600mm		
ESSSIGNP300	225mm x 300mm	Polypropylene	
EWSSIGNM300	225mm x 300mm	Metal	Emergency Eye Wash Sign
EWSSIGNM600	450mm x 600mm		
EWSSIGNP300	225mm x 300mm	Polypropylene	
EWSSIGNP600	450mm x 600mm		
EWSESSIGNM450	300mm x 450mm	Metal	Emergency Shower & Eye Wash Sign
EWSESSIGNM600	450mm x 600mm		
EWSESSIGNP450	300mm x 450mm	Polypropylene	
EWSESSIGNP600	450mm x 600mm		

## Emergency Sign AED Automated External Defibrillator First Aid Sign



SKU	Size	Material	Type
AEEXTDEFSIGN	225mm x 300mm	Polypropylene	AED Sign
FAIDSIGNM225	225mm x 300mm	Metal	First Aid Sign
FAIDSIGNM300	300mm x 450mm		
FAIDSIGNM450	450mm x 600mm		
FAIDSIGNP225	225mm x 300mm	Polypropylene	
FAIDSIGNP300	300mm x 450mm		
FAIDSIGNP450	450mm x 600mm		
FIRSTAID55	55mm x 90mm	Sticker (pack of 5)	
FIRSTAID100	100mm x 140mm		

## Compact First Aid Kit - 76 pcs - Soft Pack



- Compact, suitable for home / personal use / in-car use
- Ideal grab and go personal compact first aid kit perfect for slipping into your backpack, with reflective tape for increased visibility in low light conditions
- Contains essential first aid items for treating cuts, scrapes, small wounds and CPR
- TGA registered no. 128314 for peace of mind knowing we only use quality hospital grade contents

SKU	Kit Size	Compliance
FIRSTAIDCOMP	180 (W) X 110 (H) X 70 (D)	TGA registered no. 128314 for peace of mind knowing we only use quality hospital grade contents

## First Aid Responder Kit - Soft Pack - 166 pcs



- Suitable for home / personal use
- Comprehensive first aid kit ideal for roadside emergencies, travel, around the home or getting out and about
- Loaded with quality first aid items for treating a range of injuries including burns, cuts, sprains, bleeding, CPR, eye injuries and splinter removal
- Reflective tape for increased visibility in low light conditions
- Dimensions: 26 (W) x 19 (H) x 9 (D) cm

SKU	Kit Size	Applications
FIRSTAIDRESP	26 (W) X 19(H) X 9 (D)	Suitable for Home / Personal Use

## DIY Workshop First Aid Kit - Plastic Case



- 166 piece portable first aid kit
- Comprehensive first aid kit ideal for D.I.Y. home workshop, recreational including boating, around the home or getting out and about
- Loaded with quality first aid items for treating a range of injuries including burns, cuts, sprains, bleeding, CPR, eye injuries and splinter removal
- Heavy duty portable dust proof plastic case with carry handle
- Dimensions: 27 (W) x 18.5 (H) x 9 (D) cm

SKU	Kit Size	Applications
FIRSTAIDDIYWKP	27 (W) x 18.5 (H) x 9 (D) cm	Suitable for Home / Personal Use

## R1 - Motorist First Aid Kit Soft Pack



- Handy medical tool for every vehicle, fits into most glove boxes
- Compact case design to fit into most vehicles glove boxes or under seats.
- Practical internal compartments to assist with contents organisation
- Easy to find colour coded contents
- Packed with quality hospital grade extras like saline eye wash, CPR face shield and more. 176 pieces included

SKU	Kit Size	Compliance
FIRSTAIDKTM	180 (W) X 110 (H) X 70 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).

## R1 - Motorist First Aid Kit Max Kit - Soft Pack



- Complies with WHS 2019 Regulations for Work Vehicles in Remote Areas.
- The ever popular deluxe vehicle kit.
- Loaded with ARTG Registered quality extras like splinter probes, Hydrogel burn gel, heavy duty crepe bandage, instant ice pack and more.
- Medium sized case with internal compartments ready for that unexpected road side emergency.

SKU	Kit Size	Compliance
FIRSTAIDVEHMAX	360 (W) X 260 (H) X 100 (D)	Complies with National WHS 2015 & State Regulations for Work Vehicles.

## R1 Remote Vehicle First Aid Kit, Soft Pack



- Complies with WHS 2019 Regulations for Work Vehicles in Remote Areas.
- Medium sized case, suitable for vehicle and low risk 1 - 10 persons
- Grab and run design with Snake & Spider Bite treatment contents for those unexpected emergencies. It also includes a torch, whistle and other dressings for remote areas.

SKU	Kit Size	Compliance
FIRSTAIDREMVEH	260 (W) X 190 (H) X 100 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



## R2 - First Aid Kit Workplace Response - Soft Pack

- 1-25 Person Workplace Response First Aid Kit.
- Standard workplace kit that contains contents specific to WHS requirements for Australian workplaces.
- Entry level kit for workplaces where additional risks do not exist.
- Note: this kit does not cover high risk work

SKU	Kit Size	Compliance
FIRSTAIDWPRES	300 (W) X 300 (H) X 200 (D)	Complies with National WHS 2012 Regulations



## R2 Sports Action First Aid Kit, Soft Pack

- Be prepared for the sports action, grab and run style case
- Loaded with ARTG registered quality hospital grade contents ready to perform whenever, wherever.
- BONUS Wall mount Bracket
- Suitable for 1 - 25 persons use

SKU	Kit Size	Compliance
FIRSTAIDSPORT	355 (W) X 270 (H) X 110 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



## R2 - Workplace Response First Aid Kit Plastic Portable Case

- Standard workplace kit that contains contents specific to WHS requirements for Australian workplaces.
- Entry-level kit for workplaces where additional risks do not exist.  
Note: this kit does not cover high-risk work.
- BONUS Wall mount Bracket

SKU	Kit Size	Compliance
FIRSTAIDWPP	410 (W) X 575 (H) X 130 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



## R2 Response Plus First Aid Kit - Tackle Box

- Complies with WHS 2019 Regulations for Workplace
- Suitable for low / high risk 1-25 persons work places
- Ideal general purpose First Aid Kit for any application.
- Includes Eye 'n' Wound, Burn and Outdoor modules for catering to specific injury risks in these areas.

SKU	Kit Size	Compliance
FIRSTAIDRESPTB	400 (W) X 130 (H) X 230 (D)	ARTG Registered (no. 128314)



## R2 First Aid Kit For Electrical Workers - Soft Pack



- Complies with WHS 2019 Regulations for Workplaces.
- Specially electrical workers with specific contents to assist with attending to injuries sustained in this electrical industry.
- Conforms to most standards required by Energy providers. Bonus wall mount bracket, portable case

SKU	Kit Size	Compliance
FIRSTAIDPLUMB	355 (W) X 270 (H) X 110 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).

## R2 Plumbers & Gas Fitters First Aid Kit, Soft Pack



- Complies with WHS 2019 Regulations for Workplaces.
- Specially designed for plumbers or gasfitters with specific contents to assist with attending to injuries sustained in this industry.
- Bonus wall mount bracket, portable case

SKU	Kit Size	Compliance
FIRSTAIDPLUMB	355 (W) X 270 (H) X 110 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).

## R2 First Aid Kit Wall Mount Metal Cabinet



- Complies with WHS 2019 Regulations for Workplaces.
- Standard workplace kit that contains contents specific to WHS requirements for Australian workplaces.
- Entry-level kit for workplaces where additional risks do not exist
- Note: this kit does not cover high-risk work.
- Suit almost any application in the workplace.

SKU	Kit Size	Compliance
FIRSTAIDKTWP	240 (W) X 380 (H) X 120 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).

## R3 Trauma Emergency Response Pro First Aid Kit, Soft Pack



- The ultimate R3 first aid kit for trauma injury management.
- Suitable for 1 - 50 persons low risk workplace use
- Suitable for 1 - 25 persons high risk workplace work
- Bonus heavy duty wall mount bracket

SKU	Kit Size	Compliance
FIRSTAIDTRAU	360 (W) X 320 (H) X 210 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



### R3 Marine Action First Aid Kit, Soft Pack

- Exceeds requirements for Ocean Racing Boats 2013 Category 3 & 4, YA (Yachting Australia) Special Regulations Part 1 for Racing Boats & Cruising Boats 2013-2017, WHS National Regulations 2019.
- Includes complete comprehensive first aid manual and carbonless duplicate Register of Injuries book, bonus wall mount bracket.

SKU	Kit Size	Compliance
FIRSTAIDMARINE	355 (W) X 270 (H) X 110 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



### R3 Truck & Plant First Aid Kit, Soft Pack

- Complies with WHS 2019 Regulations for Workplaces.
- Specifically designed for the truck and plant operator that is at distance from immediate medical help.
- Valuable quality extras that are of hospital grade, including Eye 'n' Wound and Outdoor modules, bonus wall mount bracket.

SKU	Kit Size	Compliance
FIRSTAIDTRUCK	355 (W) X 270 (H) X 110 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



### R3 Constructa Max Pro First Aid Kit Metal Wall Mount Cabinet

- The first aid kit of choice for construction sites.
- Suitable for 1 - 50 persons low risk workplace use
- Suitable for 1 - 25 persons high risk workplace work
- Additional modules to specially suit the outdoor type work nature of a construction site.

SKU	Kit Size	Compliance
FIRSTAIDCONSPRO	410 (W) X 575 (H) X 130 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



### R4 Constructa Medic First Aid Kit Soft Pack

- The first aid kit of choice for construction sites.
- Suitable for 1 - 50 persons low / high risk workplace use
- One of the biggest and best in our R4 range, especially suited to first aid rooms, etc
- Hospital-grade content to provide an effective response to injuries.

SKU	Kit Size	Compliance
FIRSTAIDCONMED	520 (W) X 280 (H) X 330 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).

## R4 Constructa Max Pro First Aid Kit Metal Wall Mount Cabinet

- The first aid kit of choice for construction sites.
- Suitable for 1 - 50 persons low / high risk workplace use
- One of the biggest and best in our R4 range, especially suited to first aid rooms, etc
- Hospital-grade content to provide an effective response to injuries.

SKU	Kit Size	Compliance
FIRSTAIDCONSWM	410 (W) X 575 (H) X 130 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



## First Aid Kit For Emergency Burns

- Emergency Burns Kit containing essential treatments for those unexpected and painful burn injuries.
- It contains a wide variety of burns dressings, gels, and other essentials.
- Portable plastic case to protect contents as well as have this kit ready

SKU	Kit Size	Compliance
FIRSTAIDBURN1	300 (W) X 300 (H) X 200 (D)	ARTG Registered (no. 128314).



## Snake 'N' Spider Bite First Aid Kit

- Compact and lightweight kit for your backpack or emergency kit.
- Quality hospital grade contents.
- Full colour Snake and Spider Identification Sheet.
- Easy to follow Symptoms and Treatment Guide.
- Flexible soft pouch presentation for excellent portability.

SKU	Kit Size	Content
FIRSTAIDBITE	300 (W) X 300 (H) X 200 (D)	<ul style="list-style-type: none"> <li>• Cold pack, instant, standard</li> <li>• Crepe bandage, heavy weight, 10cm, brown</li> <li>• Emergency first aid information booklet</li> <li>• Snake 'n' spider bite information booklet</li> <li>• Triangular bandage, cotton, large, white</li> </ul>



## E-Series D.I.Y. Workshop First Aid Kit, Tackle Box

- Perfect first aid companion, ready to respond to a wide range of basic first aid emergencies.
- Robust tackle box case for high portability and durability.
- Internal compartments for easy organisation
- Colour coded contents for rapid response & easy identification.
- Quality hospital grade contents that you can rely on.
- Lift out internal tray for easy access, contains 164 pieces

SKU	Kit Size	Compliance
FIRSTAIDDIY1	330 (W) X 145 (H) X 175 (D)	ARTG Registered (no. 128314)





## E-Series Modular Survival Pack First Aid Kit, Contains 6 Individual First Aid Kits - Soft Pack

- Incredible value for money, total 303 pieces
- Content: Burns Kit, Bites & Stings Kit, Outdoor Prevention Kit, Cuts & Wounds Kit, First Aid Essentials Kit, SOS Emergency Kit
- Suitable for Indoor/Outdoor

SKU	Kit Size	Compliance
FIRSTAIDMODKIT	310 (W) X 240 (H) X 12 (D)	ARTG Registered (no. 128314)

## Body Fluid Clean Up Kit - Single Use Pack

- Containing essentials to safely and easily clean up infectious body fluid spills like vomit and blood etc.
- It provides protection from bloodborne pathogen risks.
- Reduces the risk of slip and fall injuries from body fluid spills.
- Neatly packed into a single-use module.

SKU	Kit Size	Compliance
FIRSTAIDBF	70 (W) X 70 (H) X 200 (D)	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).

## R1 - First Aid Refill Kit Fast Aid Workplace Response

- Complies with WHS 2019 Regulations for Work Vehicles.
- The ever-popular deluxe vehicle kit.
- Loaded with ARTG Registered quality extras like splinter probes, Hydrogel burn gel, heavy duty crepe bandage, instant ice pack and more

SKU	To Refill	Compliance
FIRSTAIDR1REF	To Refill R1 First Aid Kit	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).

## R2 - First Aid Refill Kit Fast Aid Workplace Response

- Complies with WHS 2019 Regulations for Work Vehicles.
- Standard workplace kit that contains contents specific to WHS requirements for Australian workplaces.
- Entry-level kit for workplaces where additional risks do not exist.
- Note: this kit does not cover high-risk work.

SKU	To Refill	Compliance
FIRSTAIDR2REF	R2 First Aid Refill Kit	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



## R3 Trauma Emergency Response Pro First Aid Refill Kit

- Complies with WHS 2019 Regulations for Work Vehicles.
- The ever-popular deluxe vehicle kit.
- Loaded with ARTG Registered quality extras like splinter probes, Hydrogel burn gel, heavy duty crepe bandage, instant ice pack and more

SKU	To Refill	Compliance
FIRSTAIDTRAUREF	R3 Trauma Emergency Response First Aid Refill Kit	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



## R4 - Constructa Medic First Aid Refill Kit

- Complies with WHS 2019 Regulations for Work Vehicles.
- One of the biggest and best in our R4 range, especially suited to first aid rooms, etc.
- Additional modules to make contents easily locatable.
- Hospital-grade content to provide an effective response to injuries.

SKU	To Refill	Compliance
FIRSTAIDR4CONREF	R4 Constructa Medic First Aid Refill Kit	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



## R4 First Aid Refill Kit Industra Medic Refill Pack

- Complies with WHS 2019 Regulations for Work Vehicles.
- One of the biggest and best in our R4 range, especially suited to first aid rooms, etc.
- Additional modules to make contents easily locatable.
- Hospital-grade content to provide an effective response to injuries

SKU	To Refill	Compliance
FIRSTAIDR4MEDREF	R4 Industra Medic First Aid Refill Kit	ARTG Registered (no. 128314) and exceeds Australian Standard AS2675-1983 (Size B).



## Saliva Drug Test Kit ToxWipe™ 7

- Accurately and efficiently detect up to 7 commonly abused drugs and drug metabolites, including Amphetamine, Opiates, Cocaine, Methamphetamine, Benzodiazepines, Oxycodone, and Marijuana (THC) in one test
- Small sample volume – 0.2mls
- Integrated buffer to push the sample through to the chamber
- Fast read time, take a quick drug test using a saliva drug test kit wherever.

SKU	Type	Kit Content	Compliance
DATTOX1	ToxWipe7 Saliva Drug Test	Single Test	AS/NZS 4760:2019
DATTOX7		5 x Test Cassettes	





**Detects  
8 Types of  
Drugs +  
Alcohol**



## DrugSense DS08 PLUS - Saliva Test

- Detects 8 drug groups Amphetamines, Cocaine, Benzodiazepines, Methamphetamines, Opioids, THC, Oxycodone, K2 and Alcohol
- Simple and easy test: take saliva sample with sponge swab, place the saturated sponge in the provided cylinder, screw the top down, and the extraction will begin automatically. Results are shown within 5-10 minutes

SKU	Type	Kit Content	Compliance
DATDS08	Saliva Drug & Alcohol Test	1 x Test Kit	AS/NZS 4760:2019



## Black Polyurethane Boot

- General purpose
- 100% polyester single jersey sock lining
- Available in Size 4 - Size 13, wide fit to accommodate for broad feet
- Comply with AS/NZS 2210.3

SKU	Size	SKU	Size
SFSHOB4	4	SFSHOB9	9
SFSHOB5	5	SFSHOB10	10
SFSHOB6	6	SFSHOB11	11
SFSHOB7	7	SFSHOB12	12
SFSHOB8	8	SFSHOB13	13



## Black Polyurethane Boot - with Safety Toe

- Hi Vis sole and steel cap toe for added safety in industrial settings
- Available in Size 4 - Size 14, wide fit to accommodate for broad feet
- Comply with AS/NZS 2210.3

SKU	Size	SKU	Size
SFFORB4	4	SFPAT10	10
SFFORB5	5	SFPAT11	11
SFFORB6	6	SFPAT12	12
SFFORB7	7	SFPAT13	13
SFFORB8	8	SFPAT14	14
SFFORB9	9		



## Orange Polyurethane Boot - with Safety Toe

- Hi Vis orange body for added safety in industrial settings
- Available in Size 4 - Size 14, soft flexible upper for hours of tireless wear
- Comply with AS/NZS 2210.3 EN20345:2007 SABS1320-1

SKU	Size	SKU	Size
SFCOMO4	4	SFCOMO10	10
SFCOMO5	5	SFCOMO11	11
SFCOMO6	6	SFCOMO12	12
SFCOMO7	7	SFCOMO13	13
SFCOMO8	8	SFCOMO14	14
SFCOMO9	9		

## White Polyurethane Boot



- Blood & fat / Oil & acid resistant, suitable for food processing, medical use.
- 100% polyester single jersey sock lining
- Available in Size 4 - Size 13, wide fit to accommodate for broad feet
- Comply with AS/NZS 2210.3

SKU	Size	SKU	Size
SFSHOW4	4	SFSHOW9	9
SFSHOW5	5	SFSHOW10	10
SFSHOW6	6	SFSHOW11	11
SFSHOW7	7	SFSHOW12	12
SFSHOW8	8	SFSHOW13	13

## Aerosol Can Storage Cabinet 12 Cans



- Fully welded 1.6mm thick heavy duty steel construction
- Electrostatic high gloss powder coated green colour finish
- Heavy duty locking door, complete with bolt down plates for extra security
- Excellent ventilation with full safety signage
- Prevents injury and dangers involved with aerosols
- Suitable for both indoor and outdoor use

SKU	Configuration	Size	Compliance
AERCAB12	1 Door, 1 Shelf To accommodate 12 Aerosol Cans	External: 400mm x 500mm x 250mm Internal: 326mm x 438mm x 230mm	AS3833-2007 Compliant

## Aerosol Can Storage Cabinet 60 Cans



- Fully welded 1.6mm thick heavy duty steel construction
- Electrostatic high gloss powder coated green colour finish
- Heavy duty locking door, complete with bolt down plates for extra security
- Excellent ventilation with full safety signage
- Prevents injury and dangers involved with aerosols
- Suitable for both indoor and outdoor use

SKU	Configuration	Size	Compliance
AERCAB60	1 Door, 2 Shelves To accommodate 60 Aerosol Cans	External: 650mm x 700mm x 300mm Internal: 570mm x 620mm x 220mm	AS3833-2007 Compliant

## Aerosol Can Storage Cabinet 108 Cans



- Fully welded 1.6mm thick heavy duty steel construction
- Electrostatic high gloss powder coated green colour finish
- Heavy duty locking door, complete with bolt down plates for extra security
- Excellent ventilation with full safety signage
- Prevents injury and dangers involved with aerosols
- Suitable for both indoor and outdoor use

SKU	Configuration	Size	Compliance
AERCAB108	1 Door, 3 Shelves To accommodate 108 Aerosol Cans	External: 900mm x 850mm x 400mm Internal: 820mm x 770mm x 320mm	AS3833-2007 Compliant



## MSDS Document Storage Box & Emergency Info MSDS Cabinet

- Ideal way to keep MSDS, Equipment Manuals, and Emergency Information secure and readily available, while protecting them from the moisture and dirt.
- Weather resistant, long lasting

SKU	Size	Material
MSDSBOX	Internal Dimensions: 292mm H x 222mm W x 41mm D External Dimensions: 318mm H x 260mm W x 57mm D	Polyethylene
MSDSCAB	425mm H x 350mm W x 156mm D Comes with Fire Brigade L003 Lock and Keys	1.2mm Zinc anneal Steel
FEEMCAB	425mm H x 325mm W x 100mm D 4 Stickers Supplied, with 2 x L003 Lock and Keys	Steel



## Warning Tags - Blank - Yellow & Black

- 100mm x 150mm
- PVC or Cardboard
- PVC - Reusable - Pack of 10pcs
- Cardboard - Single Use - Pack of 100pcs

SKU	Type	Qty	Type
OOSBTAGPVC	PVC	Pack of 10	Reusable
OOSBTAGC	Cardboard	Pack of 100	Single Use



## Warning Tags - Out Of Service - Yellow & Black

- 100mm x 150mm
- PVC or Cardboard
- PVC - Reusable - Pack of 10pcs
- Cardboard - Single Use - Pack of 100pcs

SKU	Type	Qty	Type
OOSTAGPVC	PVC	Pack of 10	Reusable
OOSTAGC	Cardboard	Pack of 100	Single Use



## Danger Tags - Out Of Service Black & White

- 100mm x 150mm
- PVC or Cardboard
- PVC - Reusable - Pack of 10pcs
- Cardboard - Single Use - Pack of 100pcs

SKU	Type	Qty	Type
OOSTAGPVC	PVC	Pack of 10	Reusable
OOSTTAGC	Cardboard	Pack of 100	Single Use





## General Purpose Spill Kit - 20L - Carry Bag

- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills
- Perfect for truck drivers, crane / machinery operators and mobile technicians.
- The main absorbent powder is EcoSweep Premium Bio active Absorbent these natural fibrous materials are blended and processed to produce a range of absorbents that quickly absorb many liquids.

SKU	Size	Contents
SPILLGP20	20L	<ul style="list-style-type: none"> <li>• Land Socks for perimeter containment</li> <li>• General Purpose absorbent mats</li> <li>• EcoSweep</li> <li>• Suitable personal protective equipment</li> <li>• Spill clean up instructions</li> </ul>



## General Purpose Spill Kit - 50L - Carry Bag

- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills
- Perfect for truck drivers, crane / machinery operators and mobile technicians.
- The main absorbent powder is Eco Sweep Premium Bio active Absorbent

SKU	Size	Contents
SPILLGP50	50L	<ul style="list-style-type: none"> <li>• 2 x 2kg EcoSweep Bio Active absorbent powders</li> <li>• 1 x 1.5m land sock for perimeter containment</li> <li>• 15 x absorbent mats</li> <li>• 1 x absorbent pillow</li> <li>• 1 x pair acid resistant elbow length gloves</li> <li>• 4 x statistician waste disposal bags with ties</li> <li>• Spill clean-up instructions</li> </ul>



## General Purpose Spill Kit - 120L - Wheelie Bin

- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills
- This kit can be centrally located and easily wheeled to the spill location.
- Ideal for small to medium automotive, repair and industrial workshops.

SKU	Size	Contents
SPILLGP120	120L	<ul style="list-style-type: none"> <li>• 1 x 3 General Purpose Boom – LS300</li> <li>• 2 x 1.5 General Purpose Boom – LS150</li> <li>• 2 x Bags of Absorbent Powder - SA10</li> <li>• 25 X Gp 10 Single Mat – GP10</li> <li>• 1 x packet of 4 bag of ties - BT</li> <li>• PVC 18 gloves – PVC18</li> </ul>



## General Purpose Spill Kit - 240L - Wheelie Bin

- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills
- This kit can be centrally located and easily wheeled to the spill location.
- Ideal for medium to large automotive, repair and industrial workshops.

SKU	Size	Contents
SPILLGP240	240L	<ul style="list-style-type: none"> <li>• Land Socks for perimeter containment</li> <li>• General purpose absorbent mats</li> <li>• EcoSweep</li> <li>• Suitable personal protective equipment</li> <li>• Spill clean up instructions.</li> </ul>



## Fuel and Oil Spill Kit - 20L - Carry Bag

- Suitable for fuel, oil, petroleum, cooking oil and other messy liquid spills
- Perfect for truck drivers, crane / machinery operators and mobile technicians.
- The main absorbent powder is EcoSweep Premium Bioactive Absorbent these natural fibrous materials are blended and processed to produce a range of absorbents that quickly absorb many liquids.

SKU	Size	Contents
SPILLFO20	20L	<ul style="list-style-type: none"> <li>• EcoSweep BioActive Absorbent Powder</li> <li>• Fuel &amp; Oil Absorbent Mats</li> <li>• Land Sock for perimeter containment</li> <li>• Acid Resistant Gloves</li> <li>• Anti-static Waste Disposal Bags with Ties</li> <li>• Spill Clean Up Instruction Card</li> </ul>



## Fuel and Oil Spill Kit - 50L - Carry Bag

- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills
- Comes in a slimline carry bag, to fit in driver's cabin
- All the essential elements for containment of fuel and oil spills Perfect for truck drivers, crane / machinery operators and mobile technicians.
- The main absorbent powder is EcoSweep Premium Bioactive Absorbent

SKU	Size	Contents
SPILLFO50	50L	<ul style="list-style-type: none"> <li>• 2 x 2kg EcoSweep BioActive Absorbent Powders</li> <li>• 1 x 3m Land Sock for perimeter containment</li> <li>• 15 x Absorbent Mats</li> <li>• 1 x Absorbent Pillow</li> <li>• 1 x pair Acid Resistant Elbow Length Gloves</li> <li>• 4 x Anti-static Waste Disposal Bags with Ties</li> <li>• Spill Clean-Up Instructions</li> </ul>



## Fuel and Oil Spill Kit - 120L - Wheelie Bin

- Suitable for fuel, oil, petroleum, cooking oil and other messy liquid spills
- This kit can be centrally located and easily wheeled to the spill location.
- Ideal for small to medium automotive, repair and industrial workshops.
- EcoSweep is inoculated with bioactive microbes for the bio remediation of hydrocarbons – spent product is converted into a soil conditioner within a period of time

SKU	Size	Contents
SPILLFO120	120L	<ul style="list-style-type: none"> <li>• Socks (Booms) for perimeter containment</li> <li>• Absorbent mats</li> <li>• Gloves</li> <li>• Anti Static Waste Disposal Bags</li> <li>• EcoSweep (a fibrous absorbent that is Bio-Active and will re-mediate to land fill)</li> <li>• Full spill clean up instructions</li> </ul>



## Fuel and Oil Spill Kit - 240L - Wheelie Bin

- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills
- This kit can be centrally located and easily wheeled to the spill location.
- Ideal for medium to large automotive, repair and industrial workshops.
- EcoSweep is inoculated with bio active microbes for the bio-remediation of hydrocarbons – spent product is converted into a soil conditioner within a period of time

SKU	Size	Contents
SPILLFO240	240L	<ul style="list-style-type: none"> <li>• EcoSweep Socks (Booms) for perimeter containment</li> <li>• Absorbent Mats</li> <li>• Gloves</li> <li>• Anti Static Waste Disposal Bags</li> <li>• Full spill clean up instructions</li> </ul>

## Hazchem Spill Kit 20L - Carry Bag



- Suitable for hazardous chemical spills
- Ideal for mobile technicians.
- ChemSorb particulate is a lightweight, fast acting absorbent particulate, offering excellent absorption.

SKU	Size	Contents
SPILLHC20	20L	<ul style="list-style-type: none"> <li>• A Boom for perimeter containment</li> <li>• Hazchem absorbent mats</li> <li>• Chemsorb particulate</li> <li>• Suitable personal protective equipment</li> <li>• Spill clean up instructions</li> </ul>

## Hazchem Spill Kit 50L - Carry Bag



- Suitable for hazardous chemical spills
- For Aggressive & Non-aggressive chemical spills
- ChemSorb particulate is lightweight, fast acting absorbent particulate

SKU	Size	Contents
SPILLHC50	50L	<ul style="list-style-type: none"> <li>• Weatherproof vinyl slimline carry bag</li> <li>• 1 x 1.5m hazchem land sock for perimeter containment</li> <li>• 3 x 4L Chemsorb hazchem absorbent powder</li> <li>• 20 x hazchem chemical absorbent mats (pads)</li> <li>• 1 x pair disposable overalls</li> <li>• 1 x pair elbow length acid resistant gloves</li> <li>• 1 x pair safety glasses</li> <li>• 4 x anti-static waste disposal bags with ties</li> <li>• 1 x spill clean-up instructions</li> </ul>

## Hazchem Spill Kit 120L - Wheelie Bin



- Suitable for hazardous chemical spills, ideal for small to medium businesses
- This kit can be centrally located and easily wheeled to the spill location.

SKU	Size	Contents
SPILLHC120	120L	<ul style="list-style-type: none"> <li>• Chemsorb Absorbent</li> <li>• Hazchem grade absorbent mats</li> <li>• 3m Hazchem grade Land Socks for perimeter containment</li> <li>• 1.5m Hazchem grade Land Socks</li> <li>• Disposable overalls</li> <li>• Safety eye glasses</li> <li>• Elbow length acid resistant gloves</li> <li>• Anti-static waste disposal bags</li> <li>• Step-By-Step spill response instructions.</li> </ul>

## Hazchem Spill Kit 240L - Wheelie Bin



- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills
- This kit can be centrally located and easily wheeled to the spill location.
- Ideal for medium to large automotive, repair and industrial workshops.

SKU	Size	Contents
SPILLHC240	240L	<ul style="list-style-type: none"> <li>• ChemSorb Absorbent</li> <li>• Hazchem grade absorbent mats</li> <li>• 3m Hazchem grade land socks for perimeter containment</li> <li>• 1.5m Hazchem grade Land Socks</li> <li>• Disposable overalls</li> <li>• Safety eye glasses</li> <li>• Elbow length acid resistant gloves</li> <li>• Anti-static waste disposal bags</li> <li>• Step-By-Step spill response instructions.</li> </ul>





## Wheelie Bin - For General Purpose Spill Kits - Lime Green Bin with Gray Lid

- Follows the uniform colours for spill kits implemented by the AusSpill Association.
- Ergonomically designed for easy maneuverability in and around the workshop.
- Built tough and UV colour stabilised.
- Bin only, refill contents sold separately

SKU	Colour	Capacity	Type
SPILLBIN120GP	Body: Lime Green Lid: Gray	120L	General Purpose
SPILLBIN240GP		240L	



## Wheelie Bin - For Fuel and Oil Spill Kits - Lime Green Bin with White Lid

- Follows the uniform colours for spill kits implemented by the AusSpill Association.
- Ergonomically designed for easy maneuverability in and around the workshop.
- Built tough and UV colour stabilised.
- Bin only, refill contents sold separately

SKU	Colour	Capacity	Type
SPILLBIN120FO	Body: Lime Green Lid: White	120L	Fuel and Oil
SPILLBIN240FO		240L	



## Wheelie Bin - For Fuel and Oil Spill Kits - Lime Green Bin with Yellow Lid

- Follows the uniform colours for spill kits implemented by the AusSpill Association.
- Ergonomically designed for easy maneuverability in and around the workshop.
- Built tough and UV colour stabilised.
- Bin only, refill contents sold separately

SKU	Colour	Capacity	Type
SPILLBIN120HC	Body: Lime Green Lid: Yellow	120L	Hazchem / Chemical
SPILLBIN240HC		240L	



## Spill Kit Label Set - 3 Options

- General Purpose Spill Kit Label
- Hazchem Spill Kit Label
- Fuel and Oil Spill Kit Label

SKU	Colour	Size	Type
SPILLBINLABELGP	Black / White	30cm x 30cm	General Purpose
SPILLBINLABELFO	Black / White		Fuel & Oil
SPILLBINLABELHC	Black / White / Yellow		Hazchem / Chemical



## Refill Kit For 20L - General Purpose

- Following a spill incident, it is important restock your spill kit
- Our Restock Kit contains all the consumable items necessary to restock your 20L General Purpose Spill Kit.
- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills
- Perfect for truck drivers, crane / machinery operators and mobile technicians.

SKU	Size	Contents
SPILLGP20REF	20L	<ul style="list-style-type: none"> <li>• Land Socks for perimeter containment</li> <li>• General Purpose absorbent mats</li> <li>• EcoSweep</li> <li>• Suitable personal protective equipment</li> <li>• Spill clean up instructions</li> <li>• Refill kit does NOT contain carry bag</li> </ul>



## Refill Kit For 50L - General Purpose

- A must for EPA compliance. The easiest way to keep your 50L General Purpose Spill Kit up to date and re-stocked to its full spill response capacity.
- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills

SKU	Size	Contents
SPILLGP50REF	50L	<ul style="list-style-type: none"> <li>• 2 x 2kg EcoSweep BioActive absorbent powders</li> <li>• 1 x 1.5m land sock for perimeter containment</li> <li>• 15 x absorbent mats</li> <li>• 1 x absorbent pillow</li> <li>• 1 x pair acid resistant elbow length gloves</li> <li>• 4 x anti-static waste disposal bags with ties</li> <li>• Spill clean-up instructions</li> <li>• Refill kit does NOT contain carry bag</li> </ul>



## Refill Kit For 120L - General Purpose

- Suitable for hazardous chemical spills, ideal for small to medium businesses
- This kit can be centrally located and easily wheeled to the spill location.
- Wheelie Bin NOT included, sold separately

SKU	Size	Contents
SPILLGP120REF	120L	<ul style="list-style-type: none"> <li>• 1 x 3 General Purpose Boom – LS300</li> <li>• 2 x 1.5 General Purpose Boom – LS150</li> <li>• 2 x Bags of Absorbent Powder - SA10</li> <li>• 25 X Gp 10 Single Mat – GP10</li> <li>• 1 x packet of 4 bag of ties - BT</li> <li>• pvc 18 gloves – PVC18.</li> <li>• Refill kit does NOT include Wheelie Bin</li> </ul>



## Refill Kit For 240L - General Purpose

- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills
- This kit can be centrally located and easily wheeled to the spill location.
- Ideal for medium to large automotive, repair and industrial workshops.
- Wheelie Bin NOT included, sold separately

SKU	Size	Contents
SPILLGP240REF	240L	<ul style="list-style-type: none"> <li>• Land Socks for perimeter containment</li> <li>• General purpose absorbent mats</li> <li>• EcoSweep</li> <li>• Suitable personal protective equipment</li> <li>• Spill clean up instructions.</li> <li>• Refill kit does NOT include Wheelie Bin</li> </ul>





## Refill Kit For 20L - Hazchem Spill Kit

- Following a spill incident, it is important restock your spill kit
- Suitable for hazardous chemical spills
- For Aggressive & Non-aggressive chemical spills
- Portable, convenient spill control
- ChemSorb particulate is a lightweight, fast acting absorbent particulate, offering excellent absorption.

SKU	Size	Contents
SPILLHC20REF	20L	<ul style="list-style-type: none"> <li>• A Boom for perimeter containment</li> <li>• Hazchem absorbent mats</li> <li>• Chemsorb particulate</li> <li>• Suitable personal protective equipment</li> <li>• Spill clean up instructions</li> <li>• Refill kit does NOT contain carry bag</li> </ul>



## Refill Kit For 50L - Hazchem Spill Kit

- Following a spill incident, it is important restock your spill kit
- Suitable for hazardous chemical spills
- For Aggressive & Non-aggressive chemical spills

SKU	Size	Contents
SPILLHC50REF	50L	<ul style="list-style-type: none"> <li>• 1 x 1.5m hazchem land sock for perimeter containment</li> <li>• 3 x 4L Chemsorb hazchem absorbent powder</li> <li>• 20 x hazchem chemical absorbent mats (pads)</li> <li>• 1 x pair disposable overalls</li> <li>• 1 x pair elbow length acid resistant gloves</li> <li>• 1 x pair safety glasses</li> <li>• 4 x anti-static waste disposal bags with ties</li> <li>• 1 x spill clean-up instructions</li> <li>• Refill kit does NOT contain carry bag</li> </ul>



## Refill Kit For 120L - Hazchem Spill Kit

- Suitable for hazardous chemical spills, ideal for small to medium businesses
- This kit can be centrally located and easily wheeled to the spill location.
- Wheelie Bin NOT included, sold separately

SKU	Size	Contents
SPILLGP120REF	120L	<ul style="list-style-type: none"> <li>• 1 x 3 General Purpose Boom – LS300</li> <li>• 2 x 1.5 General Purpose Boom – LS150</li> <li>• 2 x Bags of Absorbent Powder - SA10</li> <li>• 25 X Gp 10 Single Mat – GP10</li> <li>• 1 x packet of 4 bag of ties - BT</li> <li>• pvc 18 gloves – PVC18.</li> <li>• Refill kit does NOT include Wheelie Bin</li> </ul>



## Refill Kit For 240L - Hazchem Spill Kit

- Suitable for fuel, oil, petroleum, coolant and non-aggressive chemical spills
- Ideal for medium to large industrial workshops.
- Wheelie Bin NOT included, sold separately

SKU	Size	Contents
SPILLGP240REF	240L	<ul style="list-style-type: none"> <li>• ChemSorb Absorbent</li> <li>• Hazchem grade absorbent mats</li> <li>• 3m Hazchem grade land socks (for perimeter containment)</li> <li>• 1.5m Hazchem grade Land Socks</li> <li>• Disposable overalls</li> <li>• Safety eye glasses</li> <li>• Elbow length acid resistant gloves</li> <li>• Anti-static waste disposal bags</li> <li>• Step-By-Step spill response instructions.</li> <li>• Refill kit does NOT include Wheelie Bin</li> </ul>


## Bunding Flexible Bunding



- Durable, and flexible, will not crack, chip, or split.
- UV stable heavy duty urethane
- Suits forklift and truck traffic
- Complies with EPA regulations
- Performed anchor points for dynabolting
- Simple installation, installation kit sold separately

SKU	Colour / Material	Size
BUND150	Red Urethane	150mm W x 25mm H x 1000mm L
BUND200		200 mm W x 32mm H x 1000mm L

## Bunding Heavy Duty Aluminium Bunding



- Provides a permanent bund solution to contain spills
- Suits forklift and truck traffic
- Light in weight, optimum chemical resistance
- Complies with EPA regulations
- Performed anchor points for dyna-bolting
- Simple installation, installation kit sold separately

SKU	Colour / Material	Size
BUND150A	Silver Aluminium	150mm W x 25mm H x 1000mm L
BUND200A		200 mm W x 32mm H x 1000mm L

## Bunding Corner Pre Cast 90 Degree Corner



- Corner Pieces make installation of floor bunding around corners simplified
- No messy or wasteful cuts
- Offers outstanding strength as well as chemical resistance
- Complies with EPA regulations
- Performed anchor points for dyna-bolting
- Simple installation, installation kit sold separately

SKU	Colour / Material	To Suit
BUND150CRN	Red Urethane	150mm W Urethane Floor Bunding
BUND200CRN		200mm W Urethane Floor Bunding

## Spill Kit Sign Metal OR Polypropylene



- Displayed on wall to mark location of spill kit storage points
- Available in Metal or Polypropylene
- Easily mounts to wall, or can be glued to wall

SKU	Size	Material
SKITSIGNM225	225mm x 300mm	Metal
SKITSIGNM450	450mm x 600mm	
SKITSIGNP225	225mm x 300mm	Polypropylene





## Caution - A Frame Safety Sign

- A must have for shops and work places
- Commonly used when cleaning is in progress, displayed when there are spills and water leak which may cause slip to pedestrians
- Bright yellow acts as a visual caution, double sided text and pictorials
- Foldable plastic A frame, easily stored away when not in use.
- Polypropylene construction, lightweight with easy carry handle

SKU	Size	Text
WETFLAFRAME	650mm H x 320mm x 310mm	CAUTION WET FLOOR
CLEANPROFRAME		CAUTION CLEANING IN PROGRESS



## Rolling Step Stool With Retractable Castor Wheels

- Safe solution for adding extra height to reach stock in work places
- Used in factories, retail shops, libraries and offices
- Non-slip rubber base holds firmly to the floor preventing the step from sliding, rolling or tipping.
- Lightweight plastic with matt blue finish.
- 3 x Retractable castor wheels which locks and springs upwards when stepped on


SKU	Height	Dia.	Weight	Load Capacity	Colour	Material
STOOL	410mm	283mm (Top) 433mm (Base)	2.5kg	150kg	Blue	Plastic



## Amber Beacon Light - Magnetic, 3 Types

- A must have for construction vehicles to keep workers, drivers, and pedestrians safety from potential hazards
- Magnetic Base, easy put on vehicle, or any metal surface
- 3 Types available: solar, with removable USB cable, with AUX/DC Cable

SKU	Type	Modes
BEACONYEL	Solar Powered	Flashing
BEACONYELUSB	Removable USB Cable	Constant OR Flashing
BEACONYELDC	With AUX/DC Cable	Flashing



## Star Pickets Fence & Caps

- Pre-drilled holes allow wires to be easily fixed to pickets
- Can also be used with mesh barriers or buntings on construction sites
- Maintain workplace safety by fitting these highly visible Star Picket Caps to fence posts, reo bars and star pickets
- Caps and steel posts sold separately

SKU	Length	Holes	Material	Colour	Pack Qty
STARPICK1650	1650mm	14 Holes Per Picket	Carbon Steel	Black	Pack of 10s
STARPICAP	N/A	N/A	Polyethylene	Yellow	Box of 50s



## Ratchet Strap



- Manufactured from high tenacity polyester webbing, heavy duty hook and keepers stamped with lashing capacity, heavy duty powder coated ratchet buckle

SKU	Length	Width	Load Capacity	Colour	Material
RATCHSTRAPL	3000mm	50mm	50 Tonne	Blue	Polyester webbing, heavy duty hook

## Tape Measure



- Retractable, easy carry with lanyard
- Displays both CM and MM.
- A must have for all tradies and work places
- Lanyard for easy carrying and storage
- Metal buckles on side - can be buckled onto belt

SKU	Width	Length	Material
TAPEM80	22mm	8 Metres	Rule: Steel Casing: Plastic

## LED Traffic Batons



- A must have when diverting traffic at work places
- Visible 200 metres away in darkness
- Batteries included
- ABS and PVC casing
- 10,000 hours lifespan, batteries are not included

SKU	Size	Batteries	Modes	LED
BATLED50	520mm L x 30mm dia	2 x C Batteries	Flash, Constant, Off	6pcs LED

## Padlock With 2 Keys Keyed Alike



- Suitable for both indoor / outdoor use
- Can be used on bollards, locks, latches, doors etc.

SKU	Size	Keys	Colour	Material
PADLOCK40	40mm	2 x Keys Supplied (keyed alike)	Silver	Steel, non-spring

## Fire Extinguisher



Wall / Vehicle Mount  
Bracket Included



## Fire Extinguisher ABE Dry Chemical

- Dry powder (Dry Chemical) Fire Extinguishers
- A Class Fires (paper, wood, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)
- EPDM type UV resistant discharge hose with dust cap
- Zinc plated brass valve with pressure indicator.
- 316 Stainless steel handles and levers
- 316 Stainless steel hose retaining clip and bands on 2.5kg, 4.5kg & 9.0kg models
- 1kg ABE extinguisher comes with / without hose
- 1500kpa operating pressure
- Epoxy coated metal vehicle bracket comes with 1.0kg, 2.0kg & 2.5kg models. 2.5kg model comes with wall bracket for internal installation.
- Powder coated with UV resistant paint finish,
- Wall hanging bracket included
- Australian Standards Aluminium Inspection Tag fitted
- Certificate of Approval available

SKU	Discharge Time (approx.)	Dia.	Height	Weight (ABE)	Weight (mass)	Fire Rating
FEDCP1C	8-11 secs	95mm	340mm	1kg	1.9kg	2A10B:E
FEDCP1CH	8-11 secs	95mm	340mm	1kg	1.9kg	2A10B:E
FEDCP15C	8-11 secs	95mm	390mm	1.5kg	3kg	3A10B:E
FEDCP2C	11-14 secs	120mm	400mm	2kg	3.7kg	3A30B:E
FEDCP25C	13-16 secs	135mm	440mm	2.5kg	4.6kg	4A40B:E
FEDCP45C	17-20 secs	150mm	510mm	4.5kg	7.5kg	6A60B:E
FEDCPHP45C	17-20 secs	150mm	510mm	4.6kg	7.5kg	6A60B:E
FEDCP9C	20-23 secs	195mm	590mm	9kg	13.6kg	10A80B:E

Note: FEDCP1C does not come with standard hose

FEDCPHP45C is High Performance - BE Mine Approved

## Fire Extinguisher



Wall Mount Bracket  
Included



## Fire Extinguisher - CO2

- Carbon Dioxide (CO2) Fire Extinguisher
- B Class Fires (flammable liquid fires such as Oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)
- High pressure hose assembly with the Bell Horn design.
- 316 Stainless steel handles and levers.
- Extinguisher body is powder coated with UV resistant paint finish.
- CO2 is a clean nontoxic gas ideal for office areas
- Wall mount bracket x 1 included (no screws), service tag included
- Certificate of Approval available

SKU	Discharge Time (approx.)	Dia.	Height	Weight (CO2)	Weight (mass)	Fire Rating
FECD2	8 secs	158mm	555mm	2kg	5kg	5B:E
FECD35L	10.5 secs	150mm	590mm	3.5kg	7kg	10BE
FECD35	10.5 secs	150mm	590mm	3.5kg	8.9kg	10BE
FECD5	11 secs	160mm	675mm	5kg	11.9kg	10BE



Wall Mount Bracket  
Included

## Fire Extinguisher Wet Chemical

- Wet Chemical (Foam) Fire Extinguisher
- A Class Fires (paper, wood, textiles)
- F Class Fires including cooking oils & fats
- Stainless steel cylinder, filled and charged ready to use
- Powder coated with UV resistant paint finish
- Stainless steel handles and levers
- Heavy duty zinc plated brass valve with easy to read pressure indicator
- Wall hanging bracket included
- Australian Standards Aluminium Inspection Tag fitted
- Certificate of Approval available

SKU	Discharge Time (approx.)	Dia.	Height	Weight (Wet Chem)	Weight (mass)	Fire Rating
FEWC2	8 secs	125mm	460mm	2L	4.6kg	2A:4F
FEWC7	10.5 secs	169mm	600mm	7L	10kg	3A:4F



## Fire Blankets

- Fibreglass Mesh Blanket
- Suitable for cooking oil / fat fires and clothing fires
- NOT Suitable for electrical fires
- Red PVC Pouch with 2 hang holes
- AS/NZS 3504
- Global Mark Approval License Number 102557

SKU	Weight (Blanket)	Weight (Pouch)
FB100100	1000mm x 1000mm	30cm L x 15cm W
FB120120	1200mm x 1200mm	30cm L x 15cm W
FB120180	1200mm x 1800mm	40cm L x 23cm W
FB180180	1800mm x 1800mm	40cm L x 23cm W




## Fire Extinguisher Wall Mount Brackets

- Wall mount bracket to hang fire extinguisher for easy access
- Available in bright red or metal, fixings not included

SKU	Type	Dimension
FERWB1	4.5kg - 9kg Fire Extinguisher	Metal
FERWB2	2.5kg Fire Extinguisher	Metal Powder Coated Red

## Fire Extinguisher Accessories



## Emergency Services Cabinet For Storage of Log Books

- Essential Services Log Book Cabinet
- Metal Lockable Cabinet For Storage of Log Books
- High Quality Red Powder Coated Finish
- 2 x Key supplied per unit (Keyed alike)

SKU	Keys	Material	Colour	Dimension
FEEMCAB	2 x Keys Supplied	Steel	Red	155mm x 315mm x 385mm

## Fire Extinguisher Accessories

## Fire Extinguisher Cabinet & Replacement Glass

- Fire cabinets come with Key and 003 Lock.
- Additional break glass available for purchase
- 2 x Key supplied per unit (Keyed alike) with Fire extinguisher cabinets

SKU	Type	Dimension
FECAB25	2.5kg Fire Extinguisher	H500mm x W250mm x D200mm
FECAB45	4.5kg Fire Extinguisher	H546mm x W280mm x D202mm
FECAB90	9kg Fire Extinguisher	H710mm x W280mm x D258mm
FECABRG	Replacement Break Glass	85mm Dia.

## Fire Extinguisher Accessories

- Metal service tag is for fire extinguisher, used for tracking maintenance service dates and tests. Comply to AS1851
- Punches with numerals 0 - 5 used for punching service tags
- Brass 003 padlock with 1 x key supplied, keyed alike
- Padlock can be used with fire extinguisher cabinets, fire hydrants etc.


SKU	Type	Material	Size
FETAG	Maintenance Tag	Aluminium	40mm x 75mm
FETAGR	Split Ring	Metal	25mm Dia.
FELOCK	Padlock with 1 Key	Brass	3cm x 5cm
FEPUNCHTAG	Tag Punch	Metal	23cm x 10cm

## Fire Extinguisher Accessories

## Fire Extinguisher Water resistant UV Treated Vinyl Bag


- Available in 2 sizes
- Used to protect fire extinguishers from direct sunlight

SKU	To Suit	Size	Dimension
FEBAGS	4.5kg Fire Extinguisher	Small	40cm x 10cm
FEBAGL	9kg Fire Extinguisher	Large	20cm x 10cm





## Anti - Tamper Tags



- Plastic, available in a range of colours
- Used to ensure the contents haven't been used or tampered with.

SKU	Colour	Dimension
FEANTIBL	Black	10cm L x 1.5cm Wide
FEANTIB	Blue	
FEANTIG	Green	
FEANTIY	Yellow	
FEANTIO	Orange	
FEANTIR	Red	

## Fire Blanket Sign



- AS 1319 specifies that Fire Signs should advise the location of fire alarms and fire fighting facilities.
- Fire Signs shall comprise a red rectangular sign with a white symbol or words (or both)
- Can be easily fixed onto wall, eg glued above fire extinguishers

SKU	Type	Dimension	Colour	Compliance
FBPVC	PVC	150mm x 225mm	Red / White	AS 1319

## Fire Door Signs

**FIRE SMOKE DOOR  
DO NOT OBSTRUCT  
DO NOT KEEP OPEN**


**FIRE (SAFETY) DOOR  
DO NOT OBSTRUCT  
DO NOT KEEP OPEN**

**FIRE DOOR  
DO NOT OBSTRUCT  
DO NOT KEEP OPEN**

- AS 1319 specifies that Fire Signs should advise the location of fire alarms and fire fighting facilities.
- Can be easily fixed onto wall, eg glued onto fire doors

SKU	Type	Dimension	Colour	Compliance
DOORSIGNFIRES	PVC	140mm x 250mm	Red / White	AS 1319
DOORSIGNSMOKE	Poly	120mm x 310mm	Green / White	
DOORSIGNFIRE	Poly	215mm x 300mm	Red / White	

## Fire Extinguisher Signs



- AS 1319 specifies that Fire Signs should advise the location of fire alarms and fire fighting facilities.
- Can be easily fixed onto wall, above fire extinguishers, on vehicle, etc

SKU	Type	Dimension	Colour	Compliance
FELPVCEXTS	PVC	150mm x 225mm	Red / White	AS 1319
FELPVCEXTM		210mm x 315mm		
FELPVCEXTL		295mm x 450mm		
FIREEXT55	5 pcs Stickers Set	55mm x 90mm		
FIREEXT100		100mm x 140mm		



## Fire Hydrant Signs

- Can be easily fixed onto wall next to fire hydrants, available in range of material and sizes

SKU	Type	Dimension	Colour	Compliance
FIREHYD300STICK	Sticker	225mm x 300mm	Red / White	AS 1319
FIREHYD300P	Poly	225mm x 300mm		
FIREHYD300M	Metal	295mm x 450mm		
FIREHYD450M		300mm x 450mm		

## Fire Hose Reel Sign - 3 Sizes - PVC Fire Hose Reel Sticker

- Can be easily fixed onto wall, to indicate location of Fire Hose Reels

SKU	Type	Dimension	Colour	Compliance
FELPVCFHS	PVC	150mm x 225mm	Red / White	AS 1319
FELPVCFHM		210mm x 315mm		
FELPVCFHL		295mm x 450mm		
FIREHOSESIGN18	Sticker	18cmm Dia.	Black / White	N/A

## Fire Hose Reel Sign - Right Angle - PVC

- AS 1319 specifies that Fire Signs should advise the location of fire alarms and fire fighting facilities.
- Fire Signs shall comprise a red rectangular sign with a white symbol or words (or both)
- Double sided, so visible from distance
- Can be easily fixed onto wall, eg glued above fire extinguishers

SKU	Type	Dimension	Colour	Compliance
FELPVCEXT	PVC	150mm x 225mm	Red / White	AS 1319

## Fire Hose Reel Sign - Right Angle - PVC

- AS 1319 specifies that Fire Signs should advise the location of fire alarms and fire fighting facilities.
- Fire Signs shall comprise a red rectangular sign with a white symbol or words (or both)
- Double sided, so visible from distance
- Can be easily fixed onto wall, eg glued above fire extinguishers

SKU	Type	Dimension	Colour	Compliance
FELPVCFH	PVC	150mm x 225mm	Red / White	AS 1319




## Water - PVC

### Fire Extinguisher Identification Sign

- AS 1319 specifies that Fire Signs should advise the location of fire alarms and fire fighting facilities.
- Fire Signs shall comprise a red rectangular sign with a white symbol or words (or both)
- Can be easily fixed onto wall, eg glued above fire extinguishers

SKU	Type	Dimension	Colour	Compliance
FEPVCW	PVC	190mm x 190mm	Red Black / White	AS 1319




## Wet Chemical - PVC

### Fire Extinguisher Identification Sign

- AS 1319 specifies that Fire Signs should advise the location of fire alarms and fire fighting facilities.
- Fire Signs shall comprise a red rectangular sign with a white symbol or words (or both)
- Can be easily fixed onto wall, eg glued above fire extinguishers

SKU	Type	Dimension	Colour	Compliance
FEPVCABE	PVC	190mm x 190mm	Red / White	AS 1319




## Wet Chemical - PVC

### Fire Extinguisher Identification Sign

- AS 1319 specifies that Fire Signs should advise the location of fire alarms and fire fighting facilities.
- Fire Signs shall comprise a red rectangular sign with a white symbol or words (or both)
- Can be easily fixed onto wall, eg glued above fire extinguishers

SKU	Type	Dimension	Colour	Compliance
FEPVCWC	PVC	190mm x 190mm	Green / White	AS 1319



## CO2 - PVC

### Fire Extinguisher Identification Sign

- AS 1319 specifies that Fire Signs should advise the location of fire alarms and fire fighting facilities.
- Fire Signs shall comprise a red rectangular sign with a white symbol or words (or both)
- Can be easily fixed onto wall, eg glued above fire extinguishers

SKU	Type	Dimension	Colour	Compliance
FEPVCCD	PVC	190mm x 190mm	Black / Red	AS 1319

## Emergency Lighting



### LED Emergency Downlight - Recessed

- LED Emergency Downlight 3w with flex and plug D40
- 1.2M flex and plug fitted
- Quick fit bracket for fast and easy installation, ceiling / wall mount
- Low energy consumption, long life
- Indoor use only
- Comply to AS/NZS 2293.3
- 3 Years Manufacturers Warranty

SKU	Colour	Dimension	Life Span	Emergency
LEDEDW	White	85mm Diameter	50,000hr LED (3w D40)	2Hr Runtime in Emergency Mode
LEDEDB	Black			

## Emergency Lighting



### LED Emergency Downlight Surface Mount (Hardwire)

- Quick fit bracket for fast and easy installation, ceiling / wall mount
- Energy Saving, environmentally friendly
- LED 3w D40 - Low energy consumption, long life
- Indoor use only
- Comply to AS/NZS 2293.3
- 3 Years Manufacturers Warranty

SKU	Colour	Dimension	Life Span	Emergency
LEDEDWH	White	135mm x135mm Square x 30mm	50,000hr LED (3w D40)	2Hr Runtime in Emergency Mode
LEDEDBH	Black			

## Emergency Lighting



### Ceiling / Wall Mount - Universal LED Exit Light IP20

- Decals are single sided, 3 design options to choose from
- Quick fit bracket for fast and easy installation, ceiling OR wall mount
- Large terminal block and cable entry, lithium battery, quick fit base,
- Mounting accessories included
- Indoor use only
- Energy saving LED - low energy consumption, long life
- Easy testing and maintenance
- Comply to AS/NZS 2293.3
- 3 Years Manufacturers Warranty

SKU	Colour	Decal	Dimension	Life Span / Emergency
EERML	White	Running Man with Left Arrow	350mm L x 73mm H x 208mm W	50,000hr LED 3Hr Runtime in Emergency Mode
EERM		Running Man with Right Arrow		
EERMSTD		Running Man with No Arrow		
EERMLB	Black	Running Man with Left Arrow	350mm L x 73mm H x 208mm W	50,000hr LED 3Hr Runtime in Emergency Mode
EERM RB		Running Man with Right Arrow		
EERMSTDB		Running Man with No Arrow		





## Ceiling Mount

### Universal LED Exit Light - IP20

- Large terminal block and cable entry, lithium battery , quick fit base,
- Singled sided decal, 3 design options to choose from
- Energy saving LED - low energy consumption, long life
- Comply to AS/NZS 2293.3
- 3 Years Manufacturers Warranty

SKU	Colour	Decal	Dimension	Life Span / Emergency
EERMCL	White	Running Man with Left Arrow	370mm L x 160mm H x 204mm W	50,000hr LED
EERMCR		Running Man with Right Arrow		3Hr Runtime in Emergency Mode
EERMCSST		Running Man with No Arrow		



## Ceiling Mount

### Blade Universal LED Exit Light - IP20

- Large terminal block and cable entry, lithium battery , quick fit base,
- Singled sided decal, 3 design options to choose from
- Energy saving LED - low energy consumption, long life
- Comply to AS/NZS 2293.3
- 3 Years Manufacturers Warranty

SKU	Colour	Decal	Dimension	Life Span / Emergency
EERMBL	White	Running Man with Left Arrow	350mm L x 73mm H x 220mm W	50,000hr LED  2Hr Runtime in Emergency Mode
EERMBR		Running Man with Right Arrow		
EERMBSTD		Running Man with No Arrow		
EERMBLB	Black	Running Man with Left Arrow		
EERMBRB		Running Man with Right Arrow		
EERMBSTD		Running Man with No Arrow		



## Ceiling Mount

### Blade Universal LED Exit Light - IP20

- Singled sided decal, 3 design options to choose from
- Energy saving LED - low energy consumption, long life
- Standard running man Black Flex n Plug included (no need for Electrician if they have a socket in the ceiling), Conversion Plate available to match all competitors footprint , Lithium Battery ,
- Comply to AS/NZS 2293.3
- 3 Years Manufacturers Warranty

SKU	Colour	Decal	Dimension	Life Span / Emergency
EERMRBL	White	Running Man with Left Arrow	430mm L x 100mm H x 195mm W	50,000hr LED  2Hr Runtime in Emergency Mode
EERMRBR		Running Man with Right Arrow		
EERMRBST		Running Man with No Arrow		
EERMRBLB	Black	Running Man with Left Arrow		
EERMRBRB		Running Man with Right Arrow		
EERMRBSTB		Running Man with No Arrow		



## Weatherproof Wall / Ceiling Mount LED Exit Light

- Decals are single sided, 3 design options to choose from
- Indoor / Outdoor use, weather proof
- Up to 40m viewing distance
- Bracket for ceiling/surface mount, double sided, hoops already on fitting for suspension supplied
- Energy saving LED - low energy consumption, long life
- Comply to AS/NZS 2293.3
- 3 Years Manufacturers Warranty

SKU	Colour	Decal	Dimension	Life Span/ Emergency
EERMWPL	White	Running Man with Left Arrow	381mm L x 162mm H x 98mm W	50,000hr LED  3Hr Runtime in Emergency Mode
EERMWPR		Running Man with Right Arrow		
EERMWSTD		Running Man with No Arrow		



## LED Jumbo Exit Light - IP20

- Decals are single sided, 3 design options to choose from
- Indoor use only
- Up to 40m viewing distance
- Bracket for ceiling/surface mount, double sided, hoops already on fitting for suspension supplied
- Energy saving LED - low energy consumption, long life
- Comply to AS/NZS 2293.3
- 3 Years Manufacturers Warranty

SKU	Colour	Decal	Dimension	Life Span/ Emergency
EERMJL	White	Running Man with Left Arrow	630mm L x 320mm H x 100mm W	50,000hr LED  3Hr Runtime in Emergency Mode
EERMJR		Running Man with Right Arrow		
EERMJSTD		Running Man with No Arrow		



## Wall / Ceiling Mount LED Exit Light - IP20

- Decals are single sided, 3 design options to choose from
- Indoor use only
- Up to 40m viewing distance
- Bracket for ceiling/surface mount, double sided, hoops already on fitting for suspension supplied
- Energy saving LED - low energy consumption, long life
- Comply to AS/NZS 2293.3
- 3 Years Manufacturers Warranty

SKU	Colour	Decal	Dimension	Life Span/ Emergency
EERMWML	White	Running Man with Left Arrow	378mm L x 160mm H x 74mm W	50,000hr LED  3Hr Runtime in Emergency Mode
EERMWMR		Running Man with Right Arrow		
EERMWMSTD		Running Man with No Arrow		

## 'Peel &amp; Stick'

Foam Impact Protection Strip  
Range of Profiles

- Designed to prevent and cushion potential impact
- Come in a range of profiles to suit your application
- To warn of protruding corners, edges, vulnerable pipes and protects many other areas such as walls, vehicles, and machines.
- Made of high grade flexible age resistant polyurethane foam, can be easily cut to required length, or use them in a row to form longer length.
- UV resistant hi-vis safety black and yellow stripes
- Self adhesive backing for quick DIY installation.
- Suitable for commercial or private home use



SKU	Dimensions	Profile
IMPPROS1	40mm Dia. x 1000mm L Adhesive Push Fit Gap Size: 20mm x 8mm	

IMPPROS2	40mm Dia. x 1000mm L Adhesive Push Fit Gap Size: 20mm x 20mm at 90 Degrees	
----------	---	--

IMPPROS3	37mm x 40mm x 1000mm L Adhesive Push Fit Gap Size: 20mm x 3mm	
----------	---	--

IMPPROS5	45mm x 45mm x 1000mm L at 90 Degrees	
----------	--	--

IMPPROS9	40mm x 400mm x 1000mm L Adhesive Push Fit Gap Size: 20mm x 40mm Triangular Cut	
----------	---	--

SKU	Dimensions	Profile
IMPPROS10	100mm W x 20mm H x 1500mm L	

IMPPROS11	60mm W x 20mm H x 1000mm L	
-----------	-------------------------------	--

IMPPROS68	68mm x 70mm x 1000mm L Adhesive Push Fit Gap Size: 50mm x 20mm	
-----------	--	--



## Impact Protection



## Smart Racking Sensor Light

- Make your warehouse a safe workplace by having these Smart Racking Sensor Light installed at corner of racking.
- Protects pedestrian and forklift drivers, avoids possible collision
- 9 Meters detection range
- Easy installation, super strong magnets adhere to corner of metal rackings, adjustable.
- Green light - when there is traffic on one side only, no horn beep
- Red light - when there is traffic approaching on both sides, horn beeps at 70 - 90 decibels, can be easily heard even in noisy warehouse
- Batteries can be easily replaced

SKU	Range	Size	Material
RACKSENLT	9 Meters	150.4mm W x 232mm H x 105.5mm D	ABS Casing with Magnetic Attachment at back

## Impact Protection



## Rubber Impact Protection Strip

- Rubber Impact Protectors are used to prevent or lessen vehicles impact, to protect wall or machinery surfaces, to cover sharp corners, and to protect wall surfaces
- Perfect for car park spaces, garages, columns and walls, rubber is durable and these yellow reflective strips act as a safety warning
- Can stand heavy traffic and can take minor bumps and scratches
- Easy installation, can be easily fixed or glued to surfaces

SKU	Colour	Size	Thickness
WALLP800	Black Rubber with Yellow Reflective Pattern	22mm x 800mm	10mm
CRNPROTCT		90mm x 90mm x 800mm	7mm
WBUMP1M		150mm x 1000mm x 50mm	M shape profile

## Impact Protection



## Docking Bumper

- Designed for loading docks to absorb impacts from reversing trucks without causing damage to structures or vehicles
- Can be used singularly or multiple ones together to form longer length
- Made from heavy duty rubber, durable and extremely hard wearing
- Easy installation, standard fixings provided

SKU	Material	Size	Fixings
DOCBUMP330	Fibre Reinforced Prime Rubber Containing Nylon and Polyester	250mm (W) x 102mm (H) x 330mm (L)	2 x Fixings
DOCBUMP1M		200mm x 200mm x 1000mm (L)	3 x Fixings



## Racking Guard Strap On Bumpers



- Prevent rack and shelving damage from forklifts and pallet trucks
- Made from hard wearing High Density Polyethylene (HDPE)
- Nylon velcro straps x 2 per racking guard, easy strap ons
- Install or stack them to the desired height
- Sold individually

SKU	Colour	Size
RACBUMP83	Yellow with Black Straps	135mm (Depth) x 135mm (W) x 450mm (H)

## Column Protector



- Protects vehicles and columns from damage by absorbing impacts
- Made from hard wearing High Density Polyethylene (HDPE)
- 3 x nylon velcro straps per column protector, easy to strap on and take off
- Suit round or square column up to 250mm x 250mm wide
- Lightweight, easy to transport
- Rust proof and all weather proof, can be used indoor or outdoor

SKU	Colour	Size	Weight
COLPRO250	Yellow with Black Straps	Inner: 250mm x 250mm Outer: 610mm Dia. x 900mm Height	8.5kg (combined)

## Racking Guard



- Designed for asset protection in warehouses, often bolted down around legs of rackings, to prevent forklift frequently hitting racking and reduce replacement cost over time
- Galvanised steel powder coated safety yellow
- Surface mount, easy installation, standard free fixings supplied
- Complies to AS 4084-12

SKU	Colour	Size
RACKG15530	Galvanised Steel Powder Coated Yellow	150mm (Depth) x 155mm W x 400mm H

## Down Pipe Protector



- Australian Made down pipe protector
- Protect your downpipes from vehicle impact or damage
- Easy Installation, standard fixings included 6pcs x M10 60mm screws

SKU	Colour	Type	Length	Width	Height	Weight
DOWNPRO150	Galvanised Steel Silver	150mm x 150mm x 1200mm H		2mm	50mm	

## Guard Rail Beams - Galvanised

- Build to required length, long lasting, hard wearing
- Suitable for warehouses or road side applications
- Manufactured using HA350 2.5mm material
- Hot Dipped Galvanised steel, complies to AS 4680:2006
- Suitable for outdoor roadways, warehouses and factories
- 9mm dia. mounting holes, fixings sold separately

SKU	Colour	Nett Laid Length	Overall Length	Post Spacings	Weight
GRAIL500ML	Galvanised Steel	500mm	818mm	N/A	9kg
GRAIL1ML		1000mm	1318mm	N/A	14kg
GRAIL150CM		1500mm	1818mm	N/A	20kg
GRAIL2ML		2000mm	2318mm	N/A	24kg
GRAIL250L		2500mm	2818mm	N/A	28kg
GRAIL3ML		3000mm	3318mm	1500mm	35kg
GRAIL3.8M		3810mm	4128mm	1905mm	44kg
GRAIL4ML		4000mm	4300mm	2000mm	46kg
GRAIL5ML		5000mm	5318mm	2500mm	56kg



## Guard Rail Beams - Safety Yellow

- Bright yellow acts as a visual warning
- Build to required length, long lasting, hard wearing
- Suitable for warehouses or road side applications Manufactured using HA350 2.5mm material
- Hot Dipped Galvanised steel, powder coated yellow
- Complies to AS 4680:2006
- Suitable for outdoor roadways, warehouses and factories
- 9mm dia. mounting holes

SKU	Colour	Nett Laid Length	Overall Length	Post Spacings	Weight
GRAIL500MLPC	Powder Coated Safety Yellow	500mm	818mm	N/A	9kg
GRAIL1MLPC		1000mm	1318mm	N/A	14kg
GRAIL150CMP		1500mm	1818mm	N/A	20kg
GRAIL2MLPC		2000mm	2318mm	N/A	24kg
GRAIL250LPC		2500mm	2818mm	N/A	28kg
GRAIL3MLPC		3000mm	3318mm	1500mm	35kg
GRAIL3.8MPC		3810mm	4128mm	1905mm	44kg
GRAIL4MLPC		4000mm	4318mm	2000mm	46kg
GRAIL5MLPC		5000mm	5318mm	2500mm	56kg



## Guard Rail C Posts with Base Plate - Galvanised & Safety Yellow



- Hot Dipped Galvanised steel, comply to AS 4680:2006
- Manufactured out of HA250 6mm material. 750mm is VicRoads compliant
- 1200mm is double punched suitable for installing 2 guard rail beams
- Custom Height post is available between 700mm - 1200mm height

SKU	Base	Height	Width	Weight	Finish
GRAIL700MP	300mm x 300mm square	700mm	178mm Wide with 76mm returns	17kg	Galvanised Steel
GRAIL750MP		750mm		18kg	Galvanised Steel
GRAIL750MPPC		750mm		18kg	Powder Coated Yellow
GRAIL1200MP		1200mm		26kg	Galvanised Steel

## Guard Rail Posts In Ground - Galvanised



- In Ground C Post without base plate for Safety Xpress guardrail systems
- Hot Dipped Galvanised steel, comply to AS 4680:2006
- Manufactured out of HA250 6mm material

SKU	Height	Post Dimensions	Weight
GRPOST13	1320mm	178mm Wide with 76mm returns	19kg
GRPOST18	1800mm		26kg
GRPOST21	2100mm		30kg
GRPOST24	2400mm		34kg

## Right Angle Bend Internal - Galvanised & Safety Yellow



- The 90 degree bend offers a method of changing direction of the guardrail run, making it easy to protect the corner of building etc.
- 2.5mm material thickness
- Galvanised to AS 4680:2006


SKU	Colour	Length	Width	Height	Weight
GRAILRABI	Galvanised Steel	700mm	700mm	750mm	11kg
GRAILRABIP	Powder Coated Safety Yellow	700mm	700mm	750mm	11kg

## Right Angle Bend External - Galvanised & Safety Yellow



- The corner section offers a method of changing direction of the guardrail run, making it easy to protect the corner of building or other important structures
- 2.5mm material thickness
- Galvanised to AS 4680:2006

SKU	Colour	Length	Width	Height	Weight
GRAILRAB	Galvanised Steel	700mm	700mm	400mm	11kg
GRAILRABPC	Powder coated Safety Yellow	700mm	700mm	400mm	11kg



## Guard Rail Bull Nose Ends - Galvanised

- Bull nose ends to finish off your guardrail system and conceal sharp edges

SKU	Colour	Type	Length	Width	Height	Weight
GRAILBNE	Silver	Standard Bull Nose 2.5mm Galvanised	680mm	400mm	300mm	10kg
GRAILBNEL	Silver	Large Bull Nose 3mm HA250 Galvanised	1100mm	550mm	400mm	22kg



## Guard Rail Bull Nose Ends - Safety Yellow

- End caps to finish off your guardrail system and conceal sharp edges
- Safety Yellow acts as a visual warning to further enhance safety

SKU	Colour	Type	Length	Width	Height	Weight
GRAILBNEY	Yellow	Standard Bull Nose 2.5mm Metal	680mm	400mm	300mm	10kg
GRAILBNELPC	Yellow	Large Bull Nose 3mm HA250 Metal	1100mm	550mm	400mm	22kg



## Guard Rail End Caps - Rubber Ends Safety Yellow

- Rubber end to finish off your guardrail system and conceal sharp edges
- Easy installation, simply slide onto ends of guard rail beams
- Makes it safer for pedestrians and workers, to conceal sharp corners

SKU	Colour	Type	Length	Width	Height	Weight
GRAILRUBEND	Yellow	Rubber Caps	125mm	91mm	320mm	0.4kg



## Guard Rail - Bolts

- Fixings to suit Safety Xpress guard rail system

SKU	Type	Base Plate	Dimensions
GRAILMHB50	Mushroom Bolt	Galvanised Steel	50mm x 16mm
GRAILMHB50PC		Powder coated Safety Yellow	50mm x 16mm
GRAILSB32	Splice Bolt	Galvanised Steel	32mm x 16mm
GRAILSB32Y		Powder coated Safety Yellow	32mm x 16mm
GRAILTRUBOLT	True Bolt	Galvanised Steel	110mm x 20mm
GRAILTBOLT		Galvanised Steel	125mm x 20mm
GRAILHEX	Hex Bolt	Galvanised Steel	35mm x 16mm




## Door Entrance Ramp



- Entrance Ramps provides a transition between elevated surfaces,
- Textured surface provides great traction and works great with wheelchairs, power chairs, scooters, and pedestrian traffic.
- Durable rubber construction, ribbed backing, built-in cable channels

SKU	Material	Height	Width	Length	Weight	Channels
DERAMP30	Rubber	30mm	300mm	980mm	6kg	N/A
DERAMP70		70mm	700mm	1000mm	20kg	2
DERAMP102		101.6mm	610mm	1070mm	26kg	3





## Kerb Ramp Portable Light Duty



- Light Duty Portable Kerb Ramp is a very simple and easy way to move trolleys with light loads over kerbs and steps without jostling the cargo or causing strain to the operator.
- Protects cargo while preventing causing strain to the operator.
- Light Duty Portable Kerb Ramp is a very simple and easy way to move trolleys with light loads over kerbs and steps
- No bolting down is required, can be quickly put over kerbs and used.

SKU	Material	Height	Width	Length	Load Capacity
LGTKRAMP	Plastic	101mm	685mm	686mm	150kg



## Heavy Duty Kerb Ramp with Cable Channels



- Heavy Duty Rubber Kerb ramp is suitable for warehouse and industrial settings or whenever heavy load is required to be transported - providing a smooth transition over concrete kerbs
- Each module can be used separately or joined together to form a longer ramp.
- Made of solid industrial strength rubber, dense webbing structure underneath provides extra support
- Installed using the mounting bolts supplied or can be positioned freestanding
- Fixings for installation included

SKU	Material	Height	Width	Length	Load Capacity	Cable Channels
KERBRAMP	Rubber	135mm	320mm	480mm	20 Tonne	2

## Ramp



### Heavy Duty Rubber Disability Access Ramp

- Designed for wheelchair access, these Entrance Ramps provides a smooth transition between elevated surfaces
- Rubber type can be used as a semi-permanent access feature
- Smooth transition from all 3 sides, can be used for disable wheel chair access / or used as an access ramp eg. for trolley and unloading stock etc
- Dense webbing structure on back provides safe support
- Ribbed surfaces provides extra traction even under wet and raining conditions
- No bolting down required

SKU	Material	Height	Width	Depth	Weight	Load Capacity
EDGERAMP102	Rubber	102mm	900mm	610mm	27kg	20 Tonne

## Ramp




### Portable Plastic Disability Access Ramp

- Designed for wheelchair access, these Entrance Ramps provides a smooth transition between elevated surfaces
- Portable and ideal for wheelchairs and hand trolleys wanting to gain temporary access to elevated areas and suitable for any workplace, care facilities, public events, sporting carnivals and use around the home
- Plastic portable types can also be bolted down, standard fixings provided

SKU	Material	Height	Width	Length	Weight	Load Capacity
WCRAMP	Plastic	102mm	1300mm	700mm	11kg	300kg
KERBRAMPDDA	HDPE with Rubber Edging	110mm	1280mm	760mm	10kg	350kg

## Ramp




Load Capacity

### Container Access Ramp

- Allow access into standard shipping containers
- Modular design for quick and easy installation by one person using supplied bone connectors to link modules together to form the complete ramp.
- Easily put together no fixings required. 8 Modules form 2200mm Width
- Made from recycled rubber.

SKU	Material	Height	Width	Depth	Weight	Load Capacity
CONRAMP	Rubber	160mm	Per Module: 275mm Total: 2200mm	1250mm	210kg	20 Tonne





## Polyrib Entrance Matting

Top selling ribbed commercial mat that provides good performance at a value price

- Effectively removes dirt and moisture from footwear
- Ribbed construction traps dirt and moisture in recessed channels
- Durable polypropylene needle punch fibre, vinyl back and borders
- Slip resistant vinyl backing with 25mm borders
- Stain and fade resistant
- Suitable for offices, shopping centres, educational facilities etc.
- Indoor use only, easy to clean

SKU	Colour	Border	Width	Length
500PB6090	Black	25mm	900mm	600mm
500PB69015		25mm	900mm	1500mm



## Entrymaster Classic Matting

- General entrance mat, ideal for high traffic areas
- Excellent dirt and water retention, raised pattern will not flatten
- Cleated back minimises movement on most surfaces especially carpet
- Moulded rubber edge is tear, curl and damage resistant
- Easily cleaned by sweeping, vacuuming or hosing
- Durable polypropylene will not fade, rot or stain, dries quickly
- Anti-static, safe for use in sensitive areas. Rating: 1.2KV.
- Passes flammability standards DOCF-70

SKU	Colour	Width	Length
200ENT9015	Black	900mm	1500mm
200ENT1824		1800mm	2400mm
200ENT12LM		1200mm	Custom Length



## Comfort Master Matting

- Suitable for both wet & dry areas
- Moulded gel foam, impervious to all acid and alkali based cleaning chemicals including bleach, chlorine as well as petroleum solvents, oils and animal fats
- Conforms to workplace manual handling issues (less than half the weight of all other rubber mats the same size)
- Anti-trip beveled edges
- Suitable for work places, education institutions, industrial applications, restaurants eating establishments, sports facilities etc

SKU	Colour	Thickness	Width	Length
COMFMAST900	Black	17mm	900mm	Custom Length
COMFMAST1200			1200mm	Custom Length
COMFMAST1800			1800mm	Custom Length



## Mats



### Anti-Fatigue

#### Ergo Stance Matting - Black OR Yellow Border

The Ergo Stance Anti-Fatigue Mat is commonly used within work places in areas in which staff are conducting tasks on their feet for long periods of time.

- Moulded rubber mat with excellent anti-fatigue properties
- Anti-fatigue support when working standing for extended periods of time
- Flexible domed top surface, specifically designed to provides comfort and relief for leg and back fatigue. Beveled edged for added safety

SKU	Colour	Thickness	Width	Length
ERGSTA60X90BLK	Black Border	16mm	600mm	900mm
ERGSTA60X90YLW	Yellow Border	16mm	600mm	900mm
ERGSTA90x12YBLK	Black Border	16mm	1200mm	Custom
ERGSTA90x12YLW	Yellow Border	16mm	1200mm	Custom
ERGSTA90	Black OR Yellow	16mm	900mm	Custom

\* Custom length available, contact us for a quote

## Mats



### Anti-Fatigue

#### Diamond Plate Sponge

- Durable PVC surface bonded to a resilient anti-fatigue vinyl foam base, offers great comfort and exceptional wear
- The two layers are heat bonded during manufacture which prevents delamination often found in products put together with adhesive
- Excellent foam memory retention springing back to original form
- PVC vinyl giving exceptional wear life & excellent chemical resistance
- Available in plain Black, or with Yellow borders
- Beveled edges on all sides

SKU	Colour	Thickness	Width	Length
416DPS6090BLK	Black Border	14mm	600mm	900mm
416DPS6090YLW	Yellow Border	14mm	600mm	900mm
416DPS9015	Black Border	14mm	900mm	1500mm
416DPS9015-B	Yellow Border	14mm	900mm	1500mm

## Mats




### Engineers Mat

- Heavy duty thick anti-fatigue matting with holes.
- Extra-large holes for drainage of fluids and small debris, keeping the work area clean and safe for employees
- Ideal for workshops in front of machinery and welding bays
- Good resistance to most chemicals

SKU	Colour	Thickness	Width	Length
ENGMATBL	Black No Border	23mm	1000mm	1500mm
ENGMATBLCUST	Black No Border	23mm	1000mm	Custom
ERGSTA90x12YBLK	Black Border	23mm	1200mm	Custom
ERGSTA90x12YLW	Yellow Border	23mm	1200mm	Custom
ENGMATBLKCUST	Black Border	23mm	Custom	Custom
ENGMATYLWCUST	Yellow Border	23mm	Custom	Custom



## Gym Mat Tile Square



Gym Mat tiles are primarily used for floor protection in gym and indoor fitness settings, can be easily put together to cover a large area.

- Anti-skid and slip resistance
- Non-flammable, impact absorption
- Durable and hard wearing, sound deadening, anti-vibration
- Made from SBR Safety Recycled Rubber Tiles
- Beveled edge on all sides

SKU	Colour	Thickness	Width	Length
GYMTILERUBB	Black	15mm	1000mm	1000mm



## YOU BEAUTE Ute Mat




Protect your cargo and the deck of your ute with the You Beaute Ute Mat.

- Non slip rubber surface stops cargo slipping around on the tray
- Reduces impact and noise
- Made from 100% natural rubber
- 1.83m wide to suit standard ute trays, can be easily cut with a knife
- Can also be used for boats, workshops or home gyms

SKU	Colour	Thickness	Width	Length
UTEMATH	Black	10mm	1830mm	Custom



## Custom Size Mats




Custom made to order products are Sold in EXACT metres continuous length

We offer custom length mats, see table below

- Engineers Mat: with Black or Yellow Border, or No Border, custom size
- Comfort Master custom length only

SKU	Type	Colour	Width	Length
ENGMATBLCUST	Engineers Mat	Black No Border	1000mm	Custom
ENGMATBLKCUST		Black with Black Border	Custom	Custom
ENGMATYLWCUST		Yellow Border	Custom	Custom
COMFMAST900	Comfort Master	Black with Black Border	900mm	Custom
COMFMAST1200			1200mm	Custom
COMFMAST1800			1800mm	Custom



## Bike Storage Solutions

### Wall Mount Types

- Ideal for apartment blocks, multi-level car parks basements, small offices and small garages to increase storage space
- Solid steel construction, galvanised steel / powder coated
- Wall Mount Bike Racks can be easily fixed to the wall to hang a bicycle vertically without causing any damage to the bike
- Multiple wall mount bike racks can be installed along each other to maximise space use
- Suitable for indoor or outdoor use

SKU	Type	Height	Length	Depth	Material
WMBIKERACK	Fixed Wall Mount	700mm	600mm	120mm	Galvanised Steel Powder Coated Black



## U Bar Hand Rail

- U-Bar hand rail can be used as a barrier and to divert traffic
- It is also a good choice for providing protection for assets from light impacts, for instance, from pedestrians and bicycles.
- Very versatile product.
- Easy installation, surface mount, no need to core drill.

SKU	Type	O.D	Height	Width
UBD100SMG	Surface Mount	Tube: 48mm Dia. x 3mm Thickness	1300mm (1000mm above ground, 300mm below ground)	1200mm



## Pedestrian Holding Rail

### Bike Path Grab Rail

- Bike path grab rails are beneficial for both cyclists and pedestrians
- Galvanised steel powder coated yellow with Red / White Reflective band, visible at night or in dimly lit areas
- U-Bar hand rail can be used as a barrier and to divert traffic

SKU	Type	O.D	Height	Width
BPGRAIL1200	In-Ground	Tube: 60mm Dia. x 3mm Thickness	1300mm (1000mm above ground, 300mm below ground)	1200mm

## Bike Racks

### Surface Mount Stainless Steel Hoops



- Available galvanised steel, 304 or 316 grade stainless steel
- Perfect for bike storage in places like schools, shopping centres and car parks
- Complies with Australian standard AS 2890.3:2015

SKU	Material	Diameter	Height	Width
BHOOPGALSM	Galvanised Steel	Tube: Φ48 x 3mm Thickness	800mm	800mm
BHOOPSSSM	304 Grade Stainless Steel	Base Plate: Φ150 x 8mm Thickness	800mm	800mm
BHOOPSSSM316	316 Grade Stainless Steel	6 Mounting Holes per hoop	800mm	800mm

## Bike Racks

### In Ground Stainless Steel Hoops



- Available in 304 or 316 grade stainless steel
- Perfect for bike storage in places like schools, shopping centres, car parks
- Install into new concrete by inserting the anchor rods provided or core drilled and set in existing concrete without anchor rods.


SKU	Material	O.D	Height	Width
BHOOPSSIG	304 Grade Stainless Steel	Tube: Φ48 x 3mm Thickness	1100mm (800mm above ground, 300mm below ground)	800mm
BHOOPSSIG316	316 Grade Stainless Steel	Anchor rod diameter 10mm x length:98mm	1100mm (800mm above ground, 300mm below ground)	800mm

## Bike Repair Station with Multi Tools

- Ideal for apartment blocks, multi- level car parks, office buildings, educational institutions, public parks etc
- Solid steel construction, powder coated safety yellow
- Surface mount, easily mounts to concrete surfaces
- 9 different tools plus inflator pumps, secured in place by anti-theft cables
- Has all the commonly used tools required for simple bike maintenance.



SKU	Type	Height	Post	Wall
BIKEREPAIRSTN1200	Surface Mount	1300mm	152mm Dia	3mm
Material		Tools Inc.		
Steel Powder coated Yellow		2 x Pry tire rods    1 x Inflator pump 1 x Multi-function scratch wrench 1 x Phillips screwdriver 1 x Straight screwdriver 1 x Torx T-25    1 x Hex key set		



## Residential Bike Rack - Single Tier

### 2, 4, 6 Parker

- Perfect for resident light use, install in garage, under veranda, in home gym
- Surface mounted bike parking solution for multiple bikes, easy installation
- Recommended for indoor residential light use only
- Steel powdercoated Black
- Fixings supplied


SKU	Colour	Height	Depth	Width	To Fit	Material
RBIKERACK2B	Black	281mm	320mm	394mm	2 Bikes	Steel
RBIKERACK4B				994mm	4 Bikes	
RBIKERACK6B				1594mm	6 Bikes	



## Bike Rack - 5 Parker

- Perfect for anywhere that needs a surface mounted bike parking solution for multiple bikes such as schools, libraries, universities, shopping centres, sporting facilities, and other public areas
- Easy installation, tubes clips together and mount to surface

SKU	Colour	Height	Length	Depth	Material
GBIKERACK5B	Black	360mm	1800mm	380mm	Galvanised Steel Powder Coated Black



## Double Decker Bike Rack

### Fits 4 Bikes - 2 Up, 2 Down

- Perfect for anywhere that needs multi bike parking solution for multiple bikes such as schools, libraries, universities, shopping centres, sporting facilities, apartments and other public areas
- Double decker saves space, gas strut assisted easy to put the racks up/down
- Accommodates 4 bikes, 2 up and 2 down.
- Surface mount, fixings included

SKU	Colour	Height	Width	Depth	Material
GBIKERACKDD4	Silver	1400mm	910mm	1303mm	Galvanised Steel






### Double Decker Bike Rack Fits 6 Bikes - 3 Up, 3 Down

- Perfect for anywhere that needs multi bike parking solution for multiple bikes such as schools, libraries, universities, shopping centres, sporting facilities, apartments and other public areas
- Double decker saves space, gas strut assisted easy to put the racks up/down
- Accommodates 6 bikes, 3 up and 3 down.
- Surface mount, fixings included


SKU	Colour	Height	Width	Depth	Material
GBIKERACKDD6	Silver	1400mm	1000mm	1303mm	Galvanised Steel



### Double Decker Bike Rack Fits 8 Bikes - 4 Up, 4 Down

- Perfect for anywhere that needs multi bike parking solution for multiple bikes such as schools, libraries, universities, shopping centres, sporting facilities, apartments and other public areas
- Double decker saves space, gas strut assisted easy to put the racks up/down
- Accommodates 8 bikes, 4 up and 4 down.
- Surface mount, fixings included

SKU	Colour	Height	Width	Depth	Material
GBIKERACKDD8	Silver	1400mm	1735mm	1303mm	Galvanised Steel




### Double Decker Bike Rack Fits 10 Bikes - 5 Up, 5 Down

- Perfect for anywhere that needs multi bike parking solution for multiple bikes such as schools, libraries, universities, shopping centres, sporting facilities, apartments and other public areas
- Double decker saves space, gas strut assisted easy to put the racks up/down
- Accommodates 10 bikes, 5 up and 5 down.
- Surface mount, fixings included

SKU	Colour	Height	Width	Depth	Material
GBIKERACKDD10	Silver	1400mm	1735mm	1303mm	Galvanised Steel

## EZYRAIL Hand Rail System

- No welding required !!
- Suits Dia. 48mm O/D (40 NB)
- Easy assembly using an impact drill / hex key
- Hot dipped galvanised cast iron
- Strong and sturdy, all weather proof
- Ensure pedestrian safety in a range of settings
- Suitable for: car parks, warehouses, factories, disability access, shopping centres, foot bridges, roof railings, pathways etc.
- Build to desired height and length
- Individual components or pre-assembled stanchions can be purchased for easy self assembly
- Custom design / custom colour available



SKU	Description	Image	Application
EZY101	Short Tee		
EZY104	Long Tee		
EZY112	Short Tee 45°		
EZY116	Three Way Through		
EZY119	2 Way Socket Cross		
EZY123	Elbow 40°-70°		
EZY124	Elbow 15° - 60°		
EZY125	Elbow 90°		
EZY128	3 Way Elbow		
EZY129	Adjustable Short Tee 30 - 45°		
EZY251	Slope Base Flange 30° - 45°		

SKU	Description	Image	Application
EZY152	Base Flange 0° - 11°		
EZY153	Short Tee 0° - 11°		
EZY154	Elbow 0° - 11°		
EZY155	Long Tee 0° - 11°		
EZY156	2 Way Socket Cross 0° - 11°		
EZY252	Slope Base Flange 11° - 30°		
EZY253	Slope Short Tee 11° - 30°		
EZY255	Slope Long Tee 11° - 30°		
EZY256	2 Way Socket Cross 11° - 30°		
EZY127	Long Tee 30° - 45°		
EZY130	2 Way Socket Cross 30° - 45°		

**EZYRAIL  
Components List**














SKU	Description	Image	Application
EZY141	Railing Horizontal / Vertical Side Support		
EZY143	Hand Rail Bracket		 Offsets from Wall/ Ground
EZY145	Railing Side Support		 Offsets from Wall/ Ground Railing can not pass bottom of component
EZY148	Short Tee Swivel		 2 pcs form desired angle
EZY125H	Swivel Elbow		
EZY167	180° Double Swivel Combination		 Up Down 180°
EZY168	90° Corner Swivel		 Up 90° Down 90°
EZY135	Clamp On Tee		
EZY138	Gate Hinge - Female Part		 Female Male
EZY140	Gate Hinge - Male Part		 Female Male
TWO WAY GATE HINGE	Two Way Gate Hinge For Self Closing Gate		
EZY133	Plastic End Cap		
EZY184	Metal End Cap (Galv. Cast Iron)		
HEXKEY	Hexagon Key		






SKU	Description	Image	Application
EZY176	3 Way Socket Cross		
EZY158	4 Way Cross		
EZY161	90° Cross Over		
EZY161U	U-Bolt Cross Over		
EZY199	Single Fixing Bracket / Gate Stopper		
EZY201	Open Cross Over (Cradle Clamp)		
EZY300	Long Hook Clamp		
EZY149	Sleeve Joint		
EZY150	Internal Expanding Joint (Set)		
EZY131	Wall Flange		 x 4 Fixing Holes
EZY132	Base Flange		
EZY232	Base Flange (Heavy Duty)		
EZY169	Swivel Base Flange		
EZY170	Mesh Panel Clip Single		
EZY171	Mesh Panel Clip Double		



## EZYRAIL

### Pre-assembled Parts & Stanchions

SKU	Description	Image
SHR40NB GAL1	Ezyrail - Mid/Top Rail (Galvanised) 1 Metre Length 48mm O/D (40 NB)	
SHR40NB GAL	Ezyrail - Mid/Top Rail (Galvanised) 2 Metres Length 48mm O/D (40 NB)	
SHRAILMDTP1	Ezyrail - Mid/Top Rail (Powder coated Yellow) 1 Metre Length 48mm O/D (40 NB)	
SHRAILMDTP	Ezyrail - Mid/Top Rail (Powder coated Yellow) 2 Metres Length 48mm O/D (40 NB)	
SHRGT900GA	Ezyrail - Self Closing Gate 900mm Length (Galvanised) Assembled	
SHRGT12GA	Ezyrail - Self Closing Gate 1200mm Length (Galvanised) Assembled	
SHRAILGATE	Ezyrail - Self Closing Gate 900mm Length (Powder coated Yellow) Assembled	
SHRGT12	Ezyrail - Self Closing Gate 1200mm Length (Powder coated Yellow) Assembled	
EZYCBEND	Ezyrail - Closure Bend (Powder coated Yellow) 500mm x 350mm	
EZYCBENDGAL	Ezyrail - Closure Bend (Galvanised) 500mm x 350mm	
SHRAILGPG	Gate Post with Square Fixing Plate (Galvanised) 1000mm (H) 48mm O/D (40 NB)	
SHRAILGP	Gate Post with Square Fixing Plate (Powder coated Yellow) 1000mm (H) 48mm O/D (40 NB)	
EZY234	Four Fixings Point Square Base Flange For Bike Rails	

SKU	Description	Finish	Image
EZYTP	Ezyrail - Through Stanchion	Galvanised	
EZYTPY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYCP	Ezyrail - Corner Stanchion 90° Corners Fixed	Galvanised	
EZYCPY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYVPH	Ezyrail - Variable Horizontal Corner Stanchion Corners can be adjusted horizontally to required angle	Galvanised	
EZYVPHY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYVPV	Ezyrail - Variable Vertical Corner Stanchion 90° Corners can be adjusted vertically	Galvanised	
EZYVPVY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPG	Ezyrail - End Stanchion 90° End Corners Fixed	Galvanised	
EZYEPY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	







- Angled stanchions are recommended to use on ramps or for handrails installed as stair balustrades









## EZYRAIL - Pre-assembled Stanchions

SKU	Description	Finish	Image
EZYEPG1	Ezyrail - End Stanchion 0°-11°	Galvanised	
EZYEP1Y	Base plate and connectors all at 0°-11° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM1 (Rise) EZYEPGSM1F (Fall)	Ezyrail - End Stanchion (Rise) (Fall) 0°- 11° Base plate sit flat on ground	Galvanised	
EZYEPSM1Y (Rise) EZYEPSM1YF (Fall)	Connectors are at 0°- 11° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM	Ezyrail - Through Stanchion (Rail/Wall Mount)	Galvanised	
EZYEPGRM1 (Rise) EZYEPGRM1 (Fall)	Straight angle 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM1 (Rise) EZYEPGRM1 (Fall)	Ezyrail - End Stanchion (Rail/Wall Mount) 0°- 11°	Galvanised	
EZYEPGRM1Y (Rise) EZYEPGRM1YF (Fall)	Connectors are at 0°- 11° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYTP1	Ezyrail - Through Stanchion 0°-11°	Galvanised	
EZYTP1Y	Base plate and connectors all at 0°- 11° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYTPSM1	Ezyrail - Through Stanchion 0°-11°	Galvanised	
EZYTPSM1Y	Base plate sit flat on ground Connectors are at 0°- 11° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	

SKU	Description	Finish	Image
EZYEPG2	Ezyrail - End Stanchion 11°- 30°	Galvanised	
EZYEP2Y	Base plate and connectors all at 11°- 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM2	Ezyrail - End Stanchion 11°- 30° (Rise)	Galvanised	
EZYEPSM2Y	Base plate sit flat on ground Connectors are at 11°- 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM2F	Ezyrail - End Stanchion 11°- 30° (Fall)	Galvanised	
EZYEPSM2YF	Base plate sit flat on ground Connectors are at 11°- 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM2	Ezyrail - End Stanchion 11°- 30° Rail/Wall Mount (Rise)	Galvanised	
EZYEPGRM2Y	Connectors are at 11°- 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM2F	Ezyrail - End Stanchion 11°- 30° Rail/Wall Mount (Fall)	Galvanised	
EZYEPGRM2YF	Connectors are at 11°- 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYTP2	Ezyrail - Through Stanchion 11°- 30° Rail/Wall Mount (Through)	Galvanised	
EZYTP2Y	Connectors and Base Plate are at 11°-30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	



SKU	Description	Finish	Image
EZYTPSM2	Ezyrail - Through Stanchion 11° - 30° Base sit flat on ground	Galvanised	
EZYTPSM2Y	Connectors and Base Plate are at 11° - 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPG3	Ezyrail - End Stanchion 30° - 45° (Rise) Base plate and connectors all at 30° - 45°	Galvanised	
EZYEPG3Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZPEPGSM3	Ezyrail - End Stanchion 23° - 30° (Rise) Base sit flat on ground	Galvanised	
EZYEPSM3Y	Connectors are at 23° - 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM3F	Ezyrail - End Stanchion 23° - 30° (Fall) Base sit flat on ground	Galvanised	
EZYEPSM3YF	Connectors are at 23° - 30° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM3	Ezyrail - End Stanchion 23° - 30° Rail/Wall Mount (Rise) Connectors are at 23° - 30°	Galvanised	
EZYEPRM3Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM3F	Ezyrail - End Stanchion 23° - 30° Rail/Wall Mount (Fall) Connectors are at 23° - 30°	Galvanised	
EZYEPRM3YF	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	

SKU	Description	Finish	Image
EZYEPGSM5	Ezyrail - End Stanchion 31° - 44° (Rise) Base sit flat on ground	Galvanised	
EZYEPSM5Y	Connectors are at 31° - 44° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM5F	Ezyrail - End Stanchion 31° - 44° (Fall) Base sit flat on ground	Galvanised	
EZYEPSM5YF	Connectors are at 31° - 44° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM5	Ezyrail - End Stanchion 31° - 44° Rail/Wall Mount (Rise) Connectors are at 31° - 44°	Galvanised	
EZYEPRM5Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM5F	Ezyrail - End Stanchion 31° - 44° Rail/Wall Mount (Fall) Connectors are at 31° - 44°	Galvanised	
EZYEPRM5YF	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYTP3	Ezyrail - Through Stanchion 30° - 40° Base plate and connectors all at 30° - 40°	Galvanised	
EZYTP3Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYTPSM3	Ezyrail - Through Stanchion 30° - 40° Base plate sit flat on ground	Galvanised	
EZYTPSM3Y	Connectors are at 30° - 40° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	




## In House Manufacturing

Our manufacturing department fabricate all handrail systems on site, we can design and cut to your required length.








SKU	Description	Finish	Image
EZYEPG4	Ezyrail - End Stanchion 45°	Galvanised	
EZYEP4Y	Base plate and connectors all at 45° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM4	Ezyrail - End Stanchion 45° (Rise)	Galvanised	
EZYEPSM4Y	Base sit flat on ground Connectors are at 45° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGSM4F	Ezyrail - End Stanchion 45° (Fall)	Galvanised	
EZYEPSM4YF	Base sit flat on ground Connectors are at 45° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM4	Ezyrail - End Stanchion 45° Rail/Wall Mount (Rise)	Galvanised	
EZYEPRM4Y	Connectors are at 45° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYEPGRM4F	Ezyrail - End Stanchion 45° Rail/Wall Mount (Fall)	Galvanised	
EZYEPRM4YF	Connectors are at 45° 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	






SKU	Description	Image	Application	X	Y
EZY101R	Reducing Short Tee Connector for railings of 2 different sizes D48 and C42			D43	C42




- All EZY Rail posts are 40mm N.B
- All EZY Components fit 48mm O. D Tubes

- SafetyXpress Ball fence are C42 pipes

SKU	Description	Finish	Image
EZYFB700G	Ezyrail Mesh Panel 2000mm (H) x 900mm (W) 48mm O/D (40 NB)	Galvanised	
EZYFB700BG	Ezyrail Mesh Panel at 37° 2000mm (H) x 700mm (W) 48mm O/D (40 NB)	Galvanised	
EZYBIGE	Ezyrail - End Stanchion with Straight Base Plate	Galvanised	
EZYBIYE	For 700mm H Straight Mesh Panel 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBIGST	Ezyrail - Through Stanchion with Straight Base Plate	Galvanised	
EZYBIYST	For 700mm H Straight Mesh Panel 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBIGT	Ezyrail - Through Stanchion with Straight Base Plate	Galvanised	
EZYBIYT	For 37° 700mm H Mesh Panel 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	

SKU	Description	Finish	Image
EZYBIGRE	Ezyrail - Rise Stanchion with Straight Base Plate	Galvanised	
EZYBIYRE	For 700mm H Straight Mesh Panel 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBIGFE	Ezyrail - Fall Stanchion with Straight Base Plate	Galvanised	
EZYBIYFE	For 700mm H Straight Mesh Panel 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBIGRE1	Ezyrail - Rise Stanchion with Angle Base Plate	Galvanised	
EZYBIYRE1	For 37° 700mm H Mesh Panel 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBIGFE1	Ezyrail - Fall Stanchion with Angle Base Plate	Galvanised	
EZYBIYFE1	For 37° 700mm H Mesh Panel 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBIGT1	Ezyrail - Through Stanchion with Angle Base Plate	Galvanised	
EZYBIYT1	For 37° 700mm H Mesh Panel 1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
















# EZY Rail Balustrading

Off Set Stanchions - Compatible with 900mm H Mesh

EzyRail - Hand Rail System

SKU	Description	Finish	Image
EZYFB900G	Ezyrail Mesh Panel 2000mm (H) x 900mm (W) 48mm O/D (40 NB)	Galvanised	
EZYFB900BG	Ezyrail Mesh Panel at 37° 2000mm (H) x 900mm (W) 48mm O/D (40 NB)	Galvanised	
EZYBOGRE	Ezyrail - End Stanchion with Straight Base Plate 37° Offset Rise For 900mm H Straight Mesh Panel	Galvanised	
EZYBOYRE	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBOGFE	Ezyrail - End Stanchion with Straight Base Plate 37° Offset Fall For 900mm H Straight Mesh Panel	Galvanised	
EZYBOYFE	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBOGT	Ezyrail - Through Stanchion with Straight Base Plate For 37° 900mm H Mesh Panel	Galvanised	
EZYBOYT	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	



SKU	Description	Finish	Image
EZYBOGST	Ezyrail - Through Stanchion with Straight Base Plate Offset For 900mm H Straight Mesh Panel	Galvanised	
EZYBOYST	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBOGE	Ezyrail - End Stanchion with Straight Base Plate Offset For 900mm H Straight Mesh Panel	Galvanised	
EZYBOYE	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBOGRE1	Ezyrail - End Stanchion with Angle Base Plate 37° Offset Rise For 900mm H Straight Mesh Panel	Galvanised	
EZYBOYRE1	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBOGFE1	Ezyrail - End Stanchion with Angle Base Plate 37° Offset Fall For 900mm H Straight Mesh Panel	Galvanised	
EZYBOYFE1	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYBOGT1	Ezyrail - Through Stanchion with Angle Base Plate For 37° 900mm H Mesh Panel	Galvanised	
EZYBOYT1	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	


## EZYRAIL DDA Assist Range



- Complies with the requirement of DDA Act
- Complies to AS1428.1-2009 / Equality Act 2010
- No welding required, simple and effective joiner / clamp / connect system forms smooth and flush joints
- Suits Diameter 48mm O/D (40 NB)

- Internally expanding fittings and saddle type fittings require no riveting or drilling
- Steps and ramps can be easily accommodated
- Fast and easy to install using impact drill or a hex key
- Can be powder coated to any colour
- For assistance and special design please contact us

SKU	Description	Image	Application
EZY745	DDA Assist Hand Rail Bracket		
EZY746	DDA Assist Saddle Wall Bracket		
EZY747	DDA Assist Expanding Internal Swivel Bracket		
EZY748	DDA Assist Saddle Internal Swivel Bracket		
EZY751	DDA Assist Swivel Saddle		
EZY725	DDA Assist Expanding Elbow		
EZY326	DDA Assist Internal Swivel Elbow		
EZYDCBG	DDA Termination Closure Bend - Galvanised		
EZYDCBY	DDA Termination Closure Bend - Yellow Powder Coated		




## EZYRAIL Self Assembly Guide





- No welding required!!
- Easy to assemble using a hex key, or impact drill
- We have individual components you can purchase or pre-assembled stanchions ready for installation
- Meet the Australian and New Zealand standard **AS 1657.2018** and **NZS 1657.1992** when installed correctly
- Versatile suitable for multiple applications
- Modular, relocatable and reconfigurable
- Can be installed at any angle, on slopes or flat surface.
- Custom design available please contact us for a quote



**12 MONTHS**  
WARRANTY




## EZYRAIL DDA Stanchions - with Kick Panel Att.

SKU	Description	Finish	Image
EZYDKRSG	DDA Stanchion Straight Angle with Att. for Kick Panel	Galvanised	
EZYDKRSY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDKRSG1	DDA Stanchion 0° - 11° Angle with Att. for Kick Panel	Galvanised	
EZYDKRS1Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDKRSG2	DDA Stanchion 11° - 30° Angle with Att. for Kick Panel	Galvanised	
EZYDKRS2Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDKRSG3	DDA Stanchion 30° - 45° Angle with Att. for Kick Panel	Galvanised	
EZYDKRS3Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	






## EZYRAIL DDA Stanchions - without Kick Panel Att.

SKU	Description	Finish	Image
EZYDSRG	DDA Stanchion Straight Angle	Galvanised	
EZYDSRY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDSRG1	DDA Stanchion 0° - 11° Angle	Galvanised	
EZYDSR1Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDSRG2	DDA Stanchion 11° - 30° Angle	Galvanised	
EZYDSR2Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDSRG3	DDA Stanchion 30° - 45° Angle	Galvanised	
EZYDSR3Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	










## EZYRAIL DDA Stanchions - with Mid Rail

SKU	Description	Finish	Image
EZYDSRMRG	DDA Stanchion Straight Angle with Att. for Mid Rail	Galvanised	
EZYDSRMR1Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDSRMRG1	DDA Stanchion 0° - 11° Angle with Att. for Mid Rail	Galvanised	
EZYDSRMR1Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDSRMRG2	DDA Stanchion 11° - 30° Angle with Att. for Mid Rail	Galvanised	
EZYDSRMR2Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDSRMRG3	DDA Stanchion 30° - 45° Angle with Att. for Mid Rail	Galvanised	
EZYDSRMR3Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDKPG	Kick Panel for DDA Stanchions - Sold Per Metre	Galvanised	

## EZYRAIL DDA Stanchions - with Kick Panel Att. & Mid Rail

SKU	Description	Finish	Image
EZYDSMKPG	DDA Stanchion Straight Angle with Att. for Kick Panel & Mid Rail	Galvanised	
EZYDSMKPY	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDSMKPG1	DDA Stanchion 0° - 11° Angle with Att. for Kick Panel & Mid Rail	Galvanised	
EZYDSMKP1Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDSMKPG2	DDA Stanchion 11° - 30° Angle with Att. for Kick Panel & Mid Rail	Galvanised	
EZYDSMKP2Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	
EZYDSMKPG3	DDA Stanchion 30° - 45° Angle with Att. for Kick Panel & Mid Rail	Galvanised	
EZYDSMKP3Y	1000mm (H) 48mm O/D (40 NB)	Powder coated Yellow	





Ezyrail Modular Trolley Bay system is designed for shopping trolley storage in shopping centre car parks and comes in a range of sizes and designs, all ready for DIY installation in kit form.

Comes in Single, Double and Triple width: with / without bottom rails, with / without signs, and Back to back option available

Four design options to choose from:

- Surface Mount with Bottom Rail
- Surface Mount without Bottom Rail
- Below Ground with Bottom Rail
- Below Ground without Bottom Rail

Custom design available, contact us today to discuss your requirements.



## Single Width Trolley Bays

SKU	Description	Bottom Rail	Height	Width	Length	Dia.
TBAYS-BG	Single Width In-Ground	N/A	800mm above ground + 150mm below ground	900mm	4000mm	40mm
TBAYS-SM	Single Width Surface Mount	N/A	800mm		4000mm	
TBAYS2R-BG	Single Width In-Ground	With Bottom Rail	800mm above ground + 150mm below ground		4000mm	
TBAYS2R-SM	Single Width Surface Mount	With Bottom Rail	800mm		4000mm	
TBAYSB2B-BG	Single Width Back to Back In-Ground	N/A	800mm above ground + 150mm below ground		8000mm	
TBAYSB2B-SM	Single Width Back to Back Surface Mount	N/A	800mm		8000mm	
TBAYS2B2B-BG	Single Width Back to Back In-Ground	With Bottom Rail	800mm above ground + 150mm below ground		8000mm	
TBAYS2B2B-SM	Single Width Back to Back Surface Mount	With Bottom Rail	800mm		8000mm	

## Double Width Trolley Bays

SKU	Description	Bottom Rail	Height	Width	Length	Dia.
TBAYD-BG	Double Width In-Ground	N/A	800mm above ground + 150mm below ground	1800mm	4000mm	40mm
TBAYD-SM	Double Width Surface Mount	N/A	800mm		4000mm	
TBAYD2R-BG	Double Width In-Ground	With Bottom Rail	800mm above ground + 150mm below ground		4000mm	
TBAYD2R-SM	Double Width Surface Mount	With Bottom Rail	800mm		4000mm	
TBAYDB2B-BG	Double Width Back to Back In-Ground	N/A	800mm above ground + 150mm below ground		8000mm	
TBAYDB2B-SM	Double Width Back to Back Surface Mount	N/A	800mm		8000mm	
TBAYDB2B2-BG	Double Width Back to Back In-Ground	With Bottom Rail	800mm above ground + 150mm below ground		8000mm	
TBAYDB2B2-SM	Double Width Back to Back Surface Mount	With Bottom Rail	800mm		8000mm	

## Triple Width Trolley Bays

SKU	Description	Bottom Rail	Height	Width	Length	Dia.
TBAYT-BG	Triple Width In-Ground	N/A	800mm above ground + 150mm below ground	2700mm	4000mm	40mm
TBAYT-SM	Triple Width Surface Mount	N/A	800mm			
TBAYT2R-BG	Triple Width In-Ground	With Bottom Rail	800mm above ground + 150mm below ground			
TBAYT2R-SM	Triple Width Surface Mount	With Bottom Rail	800mm			

## Single Width Trolley Bays



In Ground without Bottom Rail  
SKU: TBAYS-BG



Surface Mount without Bottom Rail  
SKU: TBAYS-SM



In Ground with Bottom Rails  
SKU: TBAYS2R-BG



Surface Mount with Bottom Rail  
SKU: TBAYS2R-SM

## Single Width Trolley Bays - Back To Back



In Ground Back to Back without Bottom Rail  
SKU: TBAYSB2B-BG



Surface Mount Back to Back without Bottom Rail  
SKU: TBAYSB2B-SM



In Ground Back to Back with Bottom Rail  
SKU: TBAYS2B2B-BG



Surface Mount Back to Back with Bottom Rail  
SKU: TBAYSB2B-SM



In Ground without Bottom Rail  
SKU: TBAYD-BG



Surface Mount without Bottom Rail  
SKU: TBAYD-SM



In Ground with Bottom Rail  
SKU: TBAYD2R-BG



Surface Mount with Bottom Rail  
SKU: TBAYD2R-SM

## Double Width Trolley Bays - Back To Back



In Ground Back to Back without Bottom Rail  
SKU: TBAYDB2B-BG



Surface Mount Back to Back without Bottom Rail  
SKU: TBAYDB2B-SM



In Ground Back to Back with Bottom Rail  
SKU: TBAYDB2B-BG



Surface Mount Back to Back with Bottom Rail  
SKU: TBAYDB2B-SM

## Triple Width Trolley Bays



In Ground without Bottom Rail  
SKU: TBAYT-BG



Surface Mount without Bottom Rail  
SKU: TBAYT-SM



In Ground with Bottom Rail  
SKU: TBAYT2R-BG



Surface Mount with Bottom Rail  
SKU: TBAYT2R-SM

## Custom Design Trolley Bays

Custom design available, we offer:

- Custom height
- Custom Trolley Bay signage
- Custom colour

Contact us today on 1300 049 246 to discuss your requirements.



## Trolley Bay Signs


- Trolley bay signs available in two sizes
- Double sided, standard message, blue background.
- Aluminum sign on galvanised steel rails, all weather proof

SKU	Sign Width	Sign Height	Frame Width	Frame Height
TBAYSIGN8	850mm	450mm	850mm	1000mm
TBAYSIGN17	1700mm	450mm	1700mm	1000mm



## Safety Rail Ball Fence


- Consisting of a top (hand) rail and a bottom (knee) the ball fence will suit most applications
- Rail mount options available
- Posts are available for either below ground or surface mount installation.
- Ball fence can be installed to extend existing safety rail or to replace sections of damaged rail
- Galvanised steel, simple assembly, easy to install



SKU	Description	Diameter	Measurement	Type
BFENDP	Ball Fence End Post	Post - 48.3mm O.D (40mm N.B.) Handrail - 42.4mm O.D (32mm N.B.) Knee rail - 33.7mm O.D (25mm N.B.)	1017mm Ground To Centre of Handrail 560mm Ground To Centre of Knee rail	Posts - Surface Mount
BFENCP	Ball Fence Corner Post			
BFTHROUP	Ball Fence Through Post			
BFENDRML	Ball Fence End Post Left Wall/Rail Mount			
BFENDRM	Ball Fence Through Post Right Wall/Rail Mount		Total: 1617mm 1017mm Ground to Centre of Handrail 560mm Ground to Centre of Kneerail Below Ground: 600mm	Posts - Wall / Rail Mount
BFTHROURM	Ball Fence Through Post Wall/Rail Mount			
BFTHROUIGP	Ball Fence Through Post In Ground			Posts - In Ground
BFENDIGP	Ball Fence End Post In Ground			
BFHANDR1M	Ball Fence Handrail	42.2mm O.D (32mm N.B.)	1 Metre	Hand Rail
BFKNEER1M	Ball Fence Knee rail	33.7mm O.D (25mm N.B.)	1 Metre	Knee Rail
BFHANDR2M	Ball Fence Handrail	42.2mm O.D (32mm N.B.)	2 Metres	Hand Rail
BFKNEER2M	Ball Fence Knee rail	33.7mm O.D (25mm N.B.)	2 Metres	Knee Rail
BFCLOSBN	Ball Fence Closure Bend	46mm O.D x 3.5 mm	457mm (centre to centre of hand rail top to bottom)	Closure Bend



## Multi Message Board, Set and Components



SKU	Type	Dimension	Suitable For
MMSFRAMEBONUS	Combination Set Includes: 1 x Frame 1 Pair of Legs 1 Pair of Flags	1200mm W	Road side display, this frame is for use with various interchangeable road signs (signs sold separately)
MMF1200	Frame split Horizontally	1200mm x 900mm	For Area A 2pcs of 600mmx600mm signs OR 1pc of 1200mm x600mm sign OR 4pcs of 300x600mm signs For Area B 1pc of 1200mmx300mm sign
MMSP1200	Frame, split vertically	1200mm x 900mm	Fit 2 pcs of 600x900mm signs
MMSMULTILEG	Collapsible Bi-Pod Legs Pair	1800mm W	Split Panel Sign Frames
MMSL	Fixed Legs Pair	1300mm W	Split Panel Sign Frames
MMFLAGS	PVC Flags	400 x 400mm flags with 610mm dowel	Split Panel Sign Frames

## Multi Message Signs

- Extensive range, we offer almost any sign a traffic controller would need, and they all fit into our Multi Message Frames
- To view a complete list of our corflute traffic management signs, please visit our website [www.safetyxpress.com.au](http://www.safetyxpress.com.au) OR call us today on 1300 049 246


Product	Available Dimension	Material
Signs for Multi Message Frames	600mm x 600mm	Corflute
	600mm x 900mm	
	1200mm x 600mm	
	1200mm x 300mm	
	1200mm x 600mm	



600mm x 600mm

1200mm x 300mm

- \* Standard and Custom Signs available
- \* Custom signs lead time apply



## Swing Stand Frame with Worker Ahead Sign (900mm x 600mm)



- Swing Stand Frame WITH Worker Ahead Sign (900x600mm)
- Complies with Australian Standards
- All weather proof
- Sold as a set

SKU	Type	Dimension	Material
SWINGSET900	Swing Stand Frame with Worker Ahead Sign (set)	900mm x 600mm	Steel Frame with Metal Sign

## Signs

### Road Traffic Signs

- Extensive range, we offer almost any sign a traffic sign you can find on side of road, in apartment complex or body corporate settings
- Speed restrictions signs, parking signs, traffic directional signs, freeway signs all comply with Australian Standards
- To view a complete list of our corflute traffic management signs, please visit our website [www.safetyxpress.com.au](http://www.safetyxpress.com.au) OR call us today on 1300 049 246

Product	Available Dimension	Material
Traffic Signs	225mm x 450mm	Metal non-reflective OR Class 1 Reflective Aluminium OR Class 2 Reflective Aluminium
	300mm x 450mm	
	350mm x 450mm	
	450mm x 450mm	
	450mm x 600mm	
	450mm x 750mm	
	600mm Round, Diamond, Octagonal	
	750mm, 900mm Triangular	
	Large Freeway Signs	

\* Standard and Custom Signs available, note lead time may apply







### Car Park Sign

#### Keep Clear At All Times - Metal & Class 1 Reflective

- Often used in car parks or on private properties
- Available in metal non-reflective or class 1 reflective aluminium
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
KEEPCLRMSIGN	Metal (T823AM)	450mm W x 600mm H	Black / White
KEEPCLRCSIGN	Class 1 Reflective Aluminium (T832AMREF)		



### Car Park Sign

#### Tenants Parking Only - Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
TENPARK300	Metal (T877BM)	300mm W x 450mm H	Black / White



### Car Park Sign

#### Employee Parking Sign - Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
EMPPARK450M	Metal (T877BM)	300mm W x 450mm H	Black / White



### Residents Parking Only Sign

#### Class 1 Reflective Aluminium

- Often used in car parks or on private properties
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
NOEXITCL1ALSIGN	Class 1 Reflective Aluminium	300mm W x 450mm H	Red / White





### Entry Sign, No Entry Sign Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
ENTRYSIGN600	Metal (T814AM)	450mm W x 600mm H	Black / White
NOENTRYSIGN600	Metal		



### Exit Sign - Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately


SKU	Type	Dimension	Colour
EXITSIGN600	Metal (T815AM)	450mm W x 600mm H	Black / White



### No Exit Sign Class 1 Reflective Aluminium

- Often used in car parks or on private properties
- Complies to Australian Standards AS1742.3 2019
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
NOEXITCL1ALSIGN	(T827ARA) Class 1 Reflective Aluminium	450mm W x 600mm H	Black / White




### 2P Parking Sign with Time Specified - Metal

- Often used in car parks or on public roads
- Available in metal non-reflective or corflute
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
WPARK2P800	Metal (R5-62B)	300mm W x 450 mm H	Green Black / White
WPARK2P1065		600mm W x 1065mm H	

## Signs




### 10 Minute Parking Signs - Metal Left Arrow, Right Arrow

- Often used in car parks or on road side
- Available in metal non-reflective, 2 arrow options available.
- Sign fittings - posts and bracket sold separately

SKU	Arrow	Type	Dimension	Colour
P10MINL450	Left Pointing	Metal Non-Reflective	225mm W x 450 mm H	Green/White
P10MINR450	Right Pointing			

## Signs




### 1P Parking Signs - Metal

#### Left Arrow, Right Arrow, No Arrow, Double Arrow

- Often used in car parks or on road side
- Available in metal non-reflective, 4 arrow options available.
- Sign fittings - posts and bracket sold separately

SKU	Arrow	Type	Dimension	Colour
1PPARKMDA	Double Headed	Metal Non-Reflective	225mm W x 450 mm H	Red/ White
1PPARKMLA	Left Pointing			
1PPARKMRA	Right Pointing			
1PPARKM	No Arrow			

## Signs




### 2P Parking Signs - Metal

#### Left Arrow, Right Arrow, No Arrow, Double Arrow

- Often used in car parks or on road side
- Available in metal non-reflective, 4 arrow options available.
- Sign fittings - posts and bracket sold separately

SKU	Arrow	Type	Dimension	Colour
2PPARKMDA	Double Headed	Metal Non-Reflective	225mm W x 450 mm H	Red/ White
2PPARKMLA	Left Pointing			
2PPARKMRA	Right Pointing			
2PPARKM	No Arrow			

## Signs



### 3P Parking Signs - Metal

#### Left Arrow, Right Arrow, No Arrow, Double Arrow

- Often used in car parks or on road side
- Available in metal non-reflective, 4 arrow options available.
- Sign fittings - posts and bracket sold separately

SKU	Arrow	Type	Dimension	Colour
3PPARKMDA	Double Headed	Metal Non-Reflective	225mm W x 450 mm H	Red/ White
3PPARKMLA	Left Pointing			
3PPARKMRA	Right Pointing			
3PPARKM	No Arrow			



### Car Park Sign No Parkings - Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately
- Complies to Australian Standards AS1742.3 2019

SKU	Type	Dimension	Colour
NOPARK450	Metal (T830BM)	300mm W x 450mm H	Red / White



### Car Park Sign No Parkings Tow Away Sign - Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately
- Complies to Australian Standards AS1742.3 2019

SKU	Type	Dimension	Colour
NOPTAZ450M	Metal (T830BM)	300mm W x 450mm H	Red / White



### Car Park Sign No Parking Turning Bay Only - Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
NOPTBO450	Metal (T830BM)	300mm W x 450mm H	Red / White



### No Storage Sign Class 1 Reflective

- Often used in unit complex common areas or on private properties
- Available in CL1 reflective
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
NOSTOR450	Class 1 Reflective Aluminium	300mm W x 450mm H	Red / White



## No Pedestrian Access Sign Poly & Metal Non Reflective

- Often used in car parks or on private properties

SKU	Type	Dimension	Colour
NOPEDACM300	Metal	225mm W x 300 mm H	Red / White
NOPEDACM		450mm W x 600mm H	
NOPEDACP300	Poly	225mm W x 300 mm H	
NOPEDACP		450mm W x 600mm H	



## Car Park Sign No Standing Any Time - Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
NSTAN2WAY	Metal (T842BM)	300mm W x 450mm H	Red / White



## Car Park Any Time Sign Metal & Metal Class 1 Reflective

- Often used in car parks or on private properties

SKU	Type	Dimension	Colour
REVPARK450M	Metal (T834M)	300mm W x 450 mm H	Red / White
REVPARK600M		450mm W x 600mm H	
REVPARK450	Class 1 Reflective Aluminium	300mm W x 450 mm H	
REVPARK600		450mm W x 600mm H	



## Wrong Way Go Back Sign - Metal Class 1 Reflective

- Often used in car parks or on private properties
- Available in Class 1 Reflective, with post holes on sign
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
WRONGWAY600	Class 1 Reflective Aluminium	450mm W x 600mm H	Red / White





### Car Park Sign Visitor Parking - Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
VISITPARK	Metal (T830BM)	300mm W x 450mm H	Green / White



### Car Park Sign Reverse Parking Only - Metal & Corflute

- Often used in car parks or on private properties
- Available in metal non-reflective or corflute
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
REVPARK450M	Metal (T856BM)	300mm W x 450 mm H	Green / White
REVPARK600CF	Corflute	450mm W x 600mm H	



### Car Park Sign Authorised Vehicles Only - Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately


SKU	Type	Dimension	Colour
AUTHVEHSIGN	Metal (T802BM)	300mm W x 450mm H	Green / White



### Car Park Sign Authorised Vehicles Only - Metal

- Often used in car parks or on private properties
- Available in metal non-reflective only
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
NPARKSYM	Metal (T831BM)	300mm W x 450mm H	Red & Black on White Background




## Loading Zone Sign - Aluminium

### Left Arrow, Right Arrow, Double Arrows

- Often used in car parks or on streets
- Available in metal non-reflective 3 arrow options available
- Sign fittings - posts and bracket sold separately

SKU	Arrow	Type	Dimension	Colour
LOADZ450D	Double Headed	Metal non-reflective	225mm W x 450 mm H	Red / White
LOADZ450L	Left Pointing			
LOADZ450R	Right Pointing			



## No Standing Parking Signs - Metal

### Left Arrow, Right Arrow, No Arrow, Double Arrow

- Often used in car parks or on road side
- Available in metal non-reflective, 4 arrow options available.
- Sign fittings - posts and bracket sold separately

SKU	Arrow	Type	Dimension	Colour
NOSTAND225B	Double Headed	Metal Non-Reflective	225mm W x 450 mm H	Red/ White
NOSTAND225L	Left Pointing			
NOSTAND225R	Right Pointing			
NOSTAND225	No Arrow			



## Disabled Parking Sign - Metal

### Left Arrow, Right Arrow, Double Arrows

- Often used in car parks or on streets
- Available in metal non-reflective 3 arrow options available
- Sign fittings - posts and bracket sold separately

SKU	Arrow	Type	Dimension	Colour
DISAB-BOTHA	Double Headed	Metal Non-Reflective	225mm W x 450 mm H	Green on White with Blue picto
DISAB-LA	Left Pointing			
DISAB-RA	Right Pointing			
DISAB-NOA	No Arrow			



## Disabled Only Parking Sign

### Class 1 Reflective & Metal

- Often used in public car parks and on road side
- Available in metal or aluminium CL1 reflective, with arrow options


SKU	Arrow	Type	Dimension	Colour
DISABDA	Double Headed	Class 1 Reflective	225mm W x 450 mm H	Green on White with Blue picto
DISABLA	Left Pointing			
DISABRA	Right Pointing			
DISAB	No Arrow	Metal		
DISABM	No Arrow			



### Keep Left Sign Class 1 Reflective Aluminium

- Often used on public roads, comply to Australian Standards
- Available in aluminium CL1 reflective
- Sign fittings - posts and bracket sold separately

SKU	Material	Dimension	Colour
KEEPLF	(R2-3AL-1) Class 1 Reflective Aluminium	450mm x 600mm	Black / White



### Central Obstruction Arrow Sign - Class 1 Reflective Aluminium

- Often used on public roads
- Available in aluminium CL1 reflective, comply to Australian Standards
- Sign fittings - posts and bracket sold separately

SKU	Material	Dimension	Colour
CENTRLAR450	(R2-3AL-1) Class 1 Reflective Aluminium	450mm x 350mm	Black / White



### End Parking Area 2P Class 1 Reflective & Metal

- Often used in public car parks
- Available in metal or aluminium CL1 reflective, 2 size options available.
- Sign fittings - posts and bracket sold separately

SKU	Material	Dimension	Colour
ENDPAREA600	Class 1 Reflective	600mm x 600mm	Green / White
ENDPAREA900		900mm x 900mm	
ENDPAREA600M	Metal Non-Reflective	600mm x 600mm	
ENDPAREA900M		900mm x 900mm	



### End Parking Area 3P Class 1 Reflective & Metal

- Often used in public car parks
- Available in aluminium CL1 reflective, 2 size options available.
- Sign fittings - posts and bracket sold separately


SKU	Material	Dimension	Colour
END3PAREA600	Class 1 Reflective	600mm x 600mm	Green / White
END3PAREA900		900mm x 900mm	
END3PAREA600M	Metal Non-Reflective	600mm x 600mm	
END3PAREA900M		900mm x 900mm	



## One Way Sign - Up Arrow, Left Arrow, Right Arrow Class 1 Reflective Aluminium & Metal

- Often used in car parks, private properties or on road side
- Available in metal or CL1 reflective, 3 arrow options available.

SKU	Arrow	Type	Dimension	Colour
ONEWAYL	Left Pointing	Class 1 Reflective	450mm W x 660 mm H	Black / White
ONEWAYR	Right Pointing			
ONEWAYUP	Upwards		300mm x 450mm	
ONEWAYLM	Left Pointing	Metal	450mm W x 660 mm H	
ONEWAYRM	Right Pointing			



## Two Way Sign

### Up & Down Arrow, Left & Right Arrow Class 1 Reflective Aluminium

- Often used in car parks, private properties or on road side
- CL1 reflective meets Australian Standards, 2 options available.

SKU	Arrow	Type	Dimension	Colour
TWOWAYR2	Up & Down	Class 1 Reflective	450mm W x 660 mm H	Black / White
TWOWAYR	Left & Right			




## No Entry Sign

### Metal & Class 1 Reflective Aluminium

- Metal version is often used in car parks, private properties
- CL1 type is suitable for road side use, complies to Australian Standards AS 1742, AS 1743 and AS 1906.
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
SIGNNOENTRY	Metal	450mm W x 600mm H	Red / White
NOENTRY450	(R45RA1) Class 1 Reflective Aluminium	450mm x 450mm	



## Stop Sign - Metal & Class 1 Reflective Aluminium

- Metal version is often used in car parks, private properties or on road side
- Octagonal type is suitable for road side use, complies to Australian Standards AS1742.3 2019
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
STOPEYM	Metal	450mm W x 600mm H	Red / White
STOP600R	(R1-1A) Octagonal - Class 1 Reflective Aluminium	600mm x 600mm	





## Roundabout Sign Class 1 Reflective Aluminium

- Often used to warn traffic of roundabout ahead
- CL1 type is suitable for road side use, complies to Australian Standards AS 1742, AS 1743 and AS 1906.
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
ROUABARR600	(W2-7A) Class 1 Reflective Aluminium	600mm x 600mm	Black / Yellow



## Speed Hump Sign Class 1 Reflective Aluminium

- Often used to warn traffic of Speed Hump ahead, arrow options available
- Complies to Australian Standards AS1742.3 2019

SKU	Arrow	Type	Dimension	Colour
SPHUMPSIGN	No Arrow	Class 1 Reflective	600mm x 600mm	Black / Yellow
SPHUMPSIGNUA	Up Arrow			
SPHUMPSIGNLA	Left Arrow			
SPHUMPSIGNRA	Right Arrow			
SPHUMPSPEED	Specify Km/H		600mm x 400mm	



## Speed Hump Ahead Metal

- Metal version is often used below speed signs to warn drivers speed hump ahead, so drivers can slow down in time
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
SPHUMPA450	(T860AM) Metal	450mm W x 600mm H	Black / Yellow



## Slow Down Sign - Metal

- Often used in car parks, private properties or on road side
- Available in metal in bright yellow with black text
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
SLOWDOWN600M	Metal	450mm x 800mm	Black / Yellow



### Trucks Turning Sign - Metal

- Often used in car parks, private properties or on road side
- Available in metal in bright yellow with black text
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
TRUCKTURN	Metal	450mm W 800mm H	Black / Yellow



### Trucks Crossing Sign - Metal

- Often used in car parks, private properties or on road side
- Available in metal in bright yellow with black text and pictorial
- Complies to AS1319

SKU	Type	Dimension	Colour
TRUCKTURN	Metal	450mm W x 800 mm H	Black / Yellow



### End Sign Class 1 Reflective Aluminium

- Traffic sign, often used on road sign to indicate end of a road or cul-de-sac
- Unidirectional Sign can be used pointing to either Left OR Right
- Complies to Australian Standards AS1742.3 2019
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
ENDSIGN300	(R7-4A) Class 1 Reflective	300mm W x 100mm H	Black / White



### Visitor Sign Metal

- Often used in car parks or on private property
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
VISITSIGN	(T892DM) Metal	450mm W x 225mm H	Black / White

## 5km Shared Zone Sign Metal & Class 1 Reflective Aluminium



- Metal version is often used in car parks, private properties or on road side
- CL1 reflective type is suitable for road side use, complies to Australian Standards AS1742.3 2019
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
SZONESIGN5	Metal	450mm W x 600mm H	Red / White
SZONESIGN5R	Class 1 Reflective Aluminium	450mm W x 750mm H	

## 10km Shared Zone Sign Metal & Class 1 Reflective Aluminium



- Metal version is often used in car parks, private properties or on road side
- CL1 reflective type is suitable for road side use, complies to Australian Standards AS1742.3 2019
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
SZONESIGN10	Metal	450mm W x 600mm H	Red / White
SZONESIGN10R	Class 1 Reflective Aluminium	450mm W x 750mm H	

## END SHARED ZONE SIGN 450mm x 750mm - Metal Class 1 Reflective



- CL1 reflective type is suitable for road side use, complies to Australian Standards AS1742.3 2019
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
ENDSZ	Class 1 Reflective Aluminium	450mm W x 750mm H	Black / White

## Shared Zone Sign Class 1 Reflective Aluminium



- Often used on footpath where pedestrian is sharing space with bike riders
- Sign fittings - posts and bracket sold separately


SKU	Type	Dimension	Colour
PEDBIKESIGN450	(RR8-2A) Class 1 Reflective	450mm W x 225mm H	Black / White



## Wrong Way Go Back Sign - Metal Class 1 Reflective

- Often used at pedestrian crossing to warn drivers of pedestrians
- Available in Class 1 Reflective, with post holes on sign
- Complies to Australian Standards AS1742.1-2014 and AS1743-2001.
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
PEDCROSIGNR	Class 1 Reflective Aluminium	600mm Diametre	Yellow / Black



## Pedestrian Crossing Sign No Arrow, Up Arrow, Left Arrow, Right Arrow Class 1 Reflective Aluminium

- Often used in car parks, private properties or on road side
- Available in CL1 reflective, arrow options available.


SKU	Arrow	Type	Dimension	Colour
PEDCRDSIGNTA	Up Pointing	Class 1 Reflective Aluminium	600 mm Each Side	Yellow / Black
PEDCRDSIGNLA	Left Pointing			
PEDCRDSIGNRA	Right Pointing			
PEDCRDSIGN	No Arrow			



## Pedestrian Crossing Sign (600mm) Diamond Metal - Class 1 Reflective

- Often used at pedestrian crossing to warn drivers of pedestrians
- Available in Class 1 Reflective, with post holes on sign
- Complies to Australian Standards AS1742.1-2014 and AS1743-2001.
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
PEDCROSSSIGND	Class 1 Reflective Aluminium	600mm Each Side	Yellow / Black



## Left / Right Turn Only Sign with Arrow Class 1 Reflective Aluminium

- Often used in car parks, private properties or on road side
- Available in metal or CL1 reflective, 3 arrow options available.

SKU	Arrow	Type	Dimension	Colour
LTURNARRSIGN	Left Pointing	Class 1 Reflective	600mm W x 800 mm H	Black / White
RTURNARRSIGN	Right Pointing			





## Emergency Sign

### First Aid Personnel / Nearest First Aid Kit

- Emergency Information Signs shall comprise a white symbol or words (or both) on a green rectangular sign.
- Comply to AS 1319

SKU	Type	Material	Dimension	Colour
FAIDKITLOC450	Nearest First Aid Location	Poly	450mm x 300mm	Green on White
FAIDPERS450	Your First Aid Personnel Are:			

## HAZCHEM

### Flammable Gas Sign

#### Diamond Shape - Metal



- Frequently displayed on the front and rear of vehicles transporting hazardous products, suitable for indoor/outdoor use
- Complies to Australian Standards 1216.2006

SKU	Type	Dimension	Colour
2.1HLM	Flammable Gas Sign 2	270mm Each Side Diamond, overall height 380mm	Black / Red

## HAZCHEM

### Flammable Liquid Sign

#### Diamond Shape - Metal




- Frequently displayed on the front and rear of vehicles transporting hazardous products, suitable for indoor/outdoor use
- Complies to Australian Standards 1216.2006

SKU	Type	Dimension	Colour
2.1HFL	Flammable Liquid Sign 3	270mm Each Side Diamond, overall height 380mm	Black / Red

## Unidirectional Hazard

### Sign (450X450MM) - Class 1 Reflective Aluminium



- Often used on road side, to indicate left turn
- Unidirectional Sign can be used pointing to either Left OR Right
- Complies to Australian Standards AS1742.3 2019
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
UNIDIR450	(T860AM) Metal	450mm W x 450mm H	Black / White



## Speed Restriction Signs 5km - 100km Class 1 Reflective Aluminium

- CL1 reflective type is suitable for road side use, complies to Australian Standards AS1742.3 2019
- Specify your state when ordering
- Sign fittings - posts and bracket sold separately

SKU	Speed (KM)	Type	Dimension	Colour
5KSRSIGNM	5	Metal	450mm W x 600 mm H	Black / Red on White Background
5KSRSIGN	5	(R4-1) Class 1 Reflective		
8KSRSIGN	8			
10KSRSIGN	10			
15KSRSIGN	15			
20KSRSIGN	20			
40KSRSIGN	40			
50KSRSIGN	50			
60KSRSIGN	60			
80KSRSIGN	80			
90KSRSIGN	90			
100KSRSIGN	100			



## Give Way Sign - Triangular Class 1 Reflective Aluminium

- Often used on road side, at end of road or T intersections
- CL1 reflective type is suitable for road side use, complies to Australian Standards AS1742.3 2019
- Sign fittings - posts and bracket sold separately

SKU	Type	Dimension	Colour
GWAYSIGN75	(R1-2) Class 1 Reflective Aluminium	800mm H x 700mm (each side of triangle)	Red / White
GWAYSIGN		860mm H x 950mm (each side of triangle)	



## No Left Turn / No Right Turn Sign Class 1 Reflective Aluminium

- Often used on road side, pictorial sign no left / right turn
- CL1 reflective type is suitable for road side use, complies to Australian Standards AS1742.3 2019
- Sign fittings - posts and bracket sold separately

SKU	Arrow	Type	Dimension	Colour
NLTSIGNSY	No Left Turn	(R2-6) Class 1 Reflective Aluminium	450mm W x 450mm H	Red / White
NLTSIGNSY	No Right Turn			



## Work Place Safety Signs

- Signs for every workplace and warehouse situations
- Available in a range of sizes and designs
- Custom design available please contact us for details and quotes
- To view a complete list of our work place safety signs, please visit our website [www.safetyxpress.com.au](http://www.safetyxpress.com.au) OR call us today on 1300 049 246



Product	Available Dimension	Material
Work Place Safety Signs	27mm Diamond Shape	Metal non-reflective OR Class 1 Reflective Aluminium OR Class 2 Reflective Aluminium
	225mm x 300mm	
	300mm x 450mm	
	900mm x 600mm	

\* Standard and Custom Signs available, note lead time may apply

## CUSTOM

We Supply  
**Custom Signs**  
Call 1300 049 246  
for a quote.  
(5 - 10 business days lead time)



## Custom Design & Custom Size Safety Signs

- Custom design available please contact us for details and quotes
- We offer customs signs in corflute, metal, reflective metal, plastic and can print any colour / size you may require
- Contact us today for a quote to meet your requirement



## Keep Left Sign Kit with Flexible Sign Post and Brackets




- Flexible Delineator Post 60mm H with Class 1 Reflective Aluminum Keep Left Sign 450mm x 600mm
- For delineating, zone exclusions OR as a sign post
- Suitable for temporary or permanent applications
- Bolt down flexible base with 60x1080mm PVC post
- Rebounds after impact
- Comes complete with Sign, Sign Fitting and Mounting Bolts



SKU	Height	Base	Sign	Material	Colour
KEEPLKIT	1080mm	200mm x 200mm	450mm x 600mm	Post and Base: PVC Sign: Class 2 Reflective Aluminium	Post: White with Black Base Sign: Class 2 Reflective aluminium black text on white background

## Signs



### Look Up and Live - Man Pointing Downwards Corflute Sign

- 1.8M Tall, real person size, easily spotted/clearly visible
- Acts as a reminder to the human aspect of construction / potential danger

SKU	Type	Material	Dimension	Colour
LOOKMBPD1800	Blank - Two Arm 1 Finger Pointing Downwards	Corflute	1800mm H x 1100mm W	Yellow
LOOKMB1800	Blank - Two Arm Downwards			

## Signs



### Look Up and Live - Man with Text "LOOK UP AND LIVE" - Pointing Upwards Corflute Sign

- 1.8M Tall, real person size, easily spotted/clearly visible
- Acts as a reminder to the human aspect of construction / potential danger

SKU	Type	Material	Dimension	Colour
LOOKMLUAL1800	With Text LOOK UP AND LIVE	Corflute	1800mm H x 1100mm W	Yellow with Black Text
LOOKMBPU1800	Blank - One Arm Pointing Upwards			Yellow

## Signs



### No Smoking, No Smoking Or Vaping Sign - Metal

- Suitable for indoor/outdoor use, often displayed in public areas such as school, warehouse, factories, retail premises
- Comply with the new '4 metre law', enforces new No Smoking Legislation
- Fixings not included

SKU	Type	Material	Dimension	Colour
NOSMOKM	NO SMOKING with Pictorial	(P539AM) Metal	450mm W x 600mm H	Red Black on White
SMOVAP300M	NO SMOKING OR VAPING, Penalties May Apply with Picto	(P547CM) Metal	225mm x 300mm	
SMOVAP450M		(P545BM) Metal	300mm x 450mm	

## Signs



### No Smoking OR Vaping Within 4 Metres of Pedestrian Access Points To School Entrance Penalties May Apply Metal Sign

SKU	Type	Material	Dimension	Colour
SMOVAP4E300M	NO SMOKING OR VAPING within 4 Metres of pedestrian access point, Penalties May Apply with Picto	(P547ACM) Metal	225mm x 300mm	Red Black on White
SMOVAP4E450M		(P547ABM) Metal	300mm x 450mm	





## Emergency Sign Stickers (Pack of 5)

- Indicate the location of, or directions to, emergency related facilities such as exits, safety equipment or first aid facilities.
- Pack of 5, comply to AS 1319

SKU	Type	Dimension	Colour
EMUSEOSV140	Vinyl Self Adhesive Stickers (Pack of 5)	140mm W x 100mm H	Red / White



## No Entry Authorised Persons Only Sign Corflute & Metal

- Often used in warehouses, factories, office areas
- Metal is suitable for indoor/outdoor use.
- Corflute recommended for indoor use
- Fixings not included, can be stuck onto walls.

SKU	Type	Dimension	Colour
NEAUTHF	Corflute (P526AF)	450mm W x 600mm H	Red Black / White
NEAUTHM	Metal (P526AM)	450mm W x 600mm H	Red Black / White



## Danger Sign CHEMICAL STORAGE - Metal

- Often used in warehouses, factories, where dangerous chemicals are stored
- Metal is suitable for indoor/outdoor use.
- Fixings not included

SKU	Type	Dimension	Colour
DCHEMSM300	Metal	300mm W x 225mm H	Red Black / White
DCHEMSM		600mm W x 450mm H	



## Danger Sign CONFINED SPACE ENTRY BY PERMIT ONLY - Metal

- Often used in warehouses, factories, storage facilities etc.
- Metal is suitable for indoor/outdoor use.
- Fixings not included

SKU	Type	Dimension	Colour
CONSPA300M	Metal	300mm W x 225mm H	Red Black / White
CONSPA450M		600mm W x 450mm H	



### Danger Sign Construction Site Do Not Enter - Corflute

- Often used on temp fence to warn people do not enter construction site
- Fixings not included, easily adhere to wall, can be glued


SKU	Type	Dimension	Colour
DANCONSITTECF	(D74AM) Metal	450mm W x 600mm H	Red Black / White



### Danger Sign Keep Out / Authorised Personnel Only

- AS 1319 specifies that a Danger Sign must incorporate the word "Danger" in white letters on a red oval inside a black background.
- All Danger Signs Comply with AS 1319
- Fixings not included, easily adhere to wall, can be glued

SKU	Type	Dimension	Colour
DKOFLUTE	(D114AF) Corflute	450mm W x 600mm H	Red Black / White
DKOMETAL	(D114AM) Metal		
KEEPOUA	(D133GAM) Metal		



### Danger Sign High Voltage - CL1 Reflective Aluminium

- AS 1319 specifies that a Danger Sign must incorporate the word "Danger" in white letters on a red oval inside a black background.
- Danger Signs should be used in LIFE THREATENING CONDITIONS
- All Danger Signs Comply with AS 1319
- Fixings not included, easily adhere to wall, can be glued

SKU	Type	Dimension	Colour
HIGHVO	(D86AMC1) Metal	450mm W x 600mm H	Red Black / White



### Danger Sign Overhead Power Lines - Metal

- AS 1319 specifies that a Danger Sign must incorporate the word "Danger" in white letters on a red oval inside a black background.
- Danger Signs should be used in LIFE THREATENING CONDITIONS
- For NON life threatening conditions a warning sign should be used
- All Danger Signs Comply with AS 1319
- Fixings not included, easily adhere to wall, can be glued


SKU	Type	Dimension	Colour
OVERHPO	(D133GAM) Metal	450mm W x 600mm H	Red Black / White



## Danger Sign Forklift Operating Area - Metal

- Often used in warehouse or factory settings to warn pedestrians and on coming traffic of forklift operating in this area
- Fixings not included, easily adhere to wall, can be glued

SKU	Type	Dimension	Colour
DFORKOA	(D74AM) Metal	450mm W x 600mm H	Red Black / White



## Safety Floor Sign "Watch Out For Forklifts" Vinyl Self Adhesive Sticker

- Often used as a visual reminder for both pedestrians and forklift drivers
- Floor sign will stick to most sealed concrete floors and are protected with a non slip, clear textured over laminate.
- Recommended for indoor use only

SKU	Type	Dimension	Colour
FDWOFORKSA	Vinyl Sticker	435mm x 435mm	Black / Yellow



## Warning Sign "Watch Out Forklift" - Metal

- Often used in warehouse factories
- Metal is suitable for indoor/outdoor use.
- Fixings not included, can be stuck onto walls.
- Complies to Australian Standards AS1319

SKU	Type	Dimension	Colour
W998BM	Metal (W998BM)	300mm W x 450mm H	Black / Yellow
WOF600M	Metal (W998AM)	450mm W x 600mm H	



## Warning Sign "FORKLIFTS IN USE" - Metal Or Poly

- Often used in warehouse factories
- Available in Metal or Poly
- Metal is suitable for indoor/outdoor use.
- Fixings not included, can be stuck onto walls.

SKU	Type	Dimension	Colour
W948BP	Poly (W948PM)	300mm W x 450mm H	Black / Yellow
W948AM	Metal (W948AM)	450mm W x 600mm H	



## Braille Sign - Male / Female Accessible Toilet LH/RH

- These braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRAMACCLSIGN	Male Accessible Toilet LH	240mm W x 195mm H	Plastic Laminate
BRAMACCRSIGN	Male Accessible Toilet RH		
BRAFACCLSIGN	Female Accessible Toilet LH		
BRAFACCRSIGN	Female Accessible Toilet RH		



## Braille Sign - Male / Female Accessible Toilet

- These braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRAMACCSIGN	Male Accessible Toilet	180mm W x 180mm H	Plastic Laminate
BRAFACCSIGN	Female Accessible Toilet		



## Braille Sign - Unisex Toilet (with/without line)

- These braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRAUNITOISIGN	Unisex Toilet with Line	180mm W x 180mm H	Plastic Laminate
BRAUNITOI2SIGN	Unisex Toilet without Line		





## Braille Sign - Male / Female Ambulant Toilet

- These braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRAMALAMBSIGN	Male Ambulant Toilet	240mm W x 195mm H	Plastic Laminate
BRAFEMAMBSIGN	Female Ambulant Toilet		



## Braille Sign - Accessible Toilet - LH/RH

- These braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRAACCTOILH	Accessible Toilet Left Hand	180mm W x 180mm H	Plastic Laminate
BRAACCTOIRH	Accessible Toilet Right Hand		



## Braille Sign - Accessible Toilet

- This braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRAACCTOI	Accessible Toilet Sign	180mm W x 180mm H	Plastic Laminate



## Braille Sign - Accessible Toilet Entry / Exit Sign

- This braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRADIENSIGN	Disabled Entry Sign	180mm W x 180mm H	Plastic Laminate
BRADIEXSIGN	Disabled Exit Sign		



## Braille Sign - Access

- This braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRAACCSIGN	Disabled Accessible Sign	180mm W x 180mm H	Plastic Laminate



## Braille Sign - Baby Change

- This braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRABCSIGN	Baby Change Toilet Sign	180mm W x 180mm H	Plastic Laminate



## Braille Sign - Mens Toilet / Male Toilet

- This braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRATOIMSIGN	(Mens) Toilet Sign	180mm W x 180mm H	Plastic Laminate
BRAMALTSIGN	Male Toilet Sign		



## Braille Sign - Womens Toilet / Female Toilet

- This braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRATOISIGN	(Womens) Toilet Sign	180mm W x 180mm H	Plastic Laminate
BRAFEMTSIGN	Female Toilet Sign		



## Braille Sign - Urinal

- This braille toilet signs may only be used for buildings approved before 1 May 2011 or to replace existing signs for buildings approved after this date, left hand or right hand transfer must be displayed.
- Tactile read, suitable for indoor/outdoor applications
- Comes with double sided tape for quick installation
- Fully compliant with BCA 2011 Volume One, Section D3.6, of the Building Code of Australia and Australian Standard AS 1428.1

SKU	Type	Dimension	Material
BRAURSIGN	Urinal Toilet Sign	180mm W x 180mm H	Plastic Laminate



## School Crossing Flag 600mm x 600mm

- PVC Double sided flag with dowel
- Used in conjunction with school crossing post
- Flag and posts sold separately

SKU	Text	Flag Dimension	Material
SCFLAG	Children Crossing	600mm x 600mm	PVC



## School Crossing Posts - Flexible Poly

- Flexible Polyurethane, bends and flexs if hit by vehicle
- Available in Surface Mount or In-Ground with spike
- Flag and posts sold separately

SKU	Type	Dimension	Material
SCPOST12FLEX	Surface Mount	80mm Dia. x 1200mm H	Poly Post with Metal Base / Metal Spike
SCPOST12FLEXI	In-Ground	80mm Dia. x 1200mm H	
SCPOST18FLEX	In-Ground	120mm Dia x 1800mm H	



## School Crossing Posts - Wooden

- Wooden in-ground school post with OR without flag holes
- Flag and posts sold separately

SKU	Type	Dimension	Material
SCPOST18	In-Ground without flag holes	115mm x 115mm Pyramid Top 1200mm H	Wood. Painted Red/White
SCPOST24	In-Ground with 2 x flag holes	115mm x 115mm Pyramid Top 2400mm H	



## Replacement Telescopic Extendible Handle For STOP/SLOW Sign

- A must have for traffic controllers to manage and direct traffic flow around construction sites.
- Aluminium Extendable Handle
- Complies to the Australian Standards

SKU	Colour	Flag Dimension	Material
STOPSLOWRH	Silver	Handle Extends from 1.67m to 2.30m	Aluminium





## STOP / SLOW Lollipop Controller Baton with Telescopic Extendable Handle

- Double sided print, Class 1 Reflective Aluminium sign
- 3mm durable and Aluminium Extendable Handle
- Complies to the Australian Standards

SKU	Dia.	Height	Weight
STOPSLOWA	450mm	Handle Extends from 1.4m to 2.2m Fully retracted: 1480mm (post: 1030mm) Fully extended: 2280mm (post: 1930mm)	2 kg



## STOP / SLOW Lollipop Controller Baton with Wooden Handle

- Double sided print, Class 1 Reflective Aluminium sign
- Wooden handle
- Complies to the Australian Standards

SKU	Dia.	Height	Weight
STOPSLOWW	450mm	2100mm (total) 1800mm (post)	2 kg



## In Ground Wizards For Sign Posts

- Used to secure sign posts into grounds, 3 blades to stop the post from twisting
- Wizard socket wedge included, suits standard 50nb sign post
- Easy installation, simply drive into ground

SKU	Length	Material	Application
IGWIZ450	450mm	Galvanised Steel	Suits standard 50nb sign post Dia, 60mm O.D posts
IGWIZ600	600mm		



## Sign Posts & Cap

- Sign posts available in various length sign post cap sold separately
- Suitable for traffic signs, convex mirrors, can be surface mount or in-ground.
- Sign cap fit 60mm posts, brackets sold separately

SKU	Length	O.D	Description	Material
SIGNPGAL16	1.6 Metres	Suits standard 50nb sign post Dia, 60mm O.D posts	Sign Post only	Galvanised Steel
SIGNPGAL28	2.8 Metres			
SIGNPGAL32	3.2 Metres			
SIGNPGAL36	3.6 Metres			
SIGNPCAP	N/A	Fit 60mm posts	Sign Post Cap	

## Sign Fittings



## Sign Brackets Single & Double Brackets

- Usually 2 brackets will be required for each sign on the post (top and bottom).
- Simply tighten screws and your sign will fit firm and straight on the post
- Available in single or double brackets; gives you the option to fit a single sign on one side or to fit two signs one on each side of the post
- Suits standard 50nb sign post

SKU	Type	Material	Application
TD1	Single	Galvanised Steel	Suits standard 50nb sign post
TD2	Double		Dia,60mm O.D posts

## Sign Fittings



## Surface Mount Sleeve For Sign Posts

- The Galvanised Surface Sleeve enables you to fix a galvanised post eg. sign post to concrete instead of core drilling.
- Suits standard 50nb sign post
- Wizard socket wedge included
- FREE fixings 4pcs x M10 Coach Screws 100mm, washers and nylon plugs supplied

SKU	Height	Base	Material	Application
SIGNSLSM	200mm	150mm x 150mm	Galvanised Steel	Suits standard 50nb sign post Dia,60mm O.D posts

## Fixing Kits



## M10 Coach Screws 100mm with Washer & Nylon Plug

- Nylon plug size 14mm x 100mm
- Fixings for surface mount bollards, speed humps, surface mount bike hoops
- Suitable for concrete surfaces

SKU	Qty	Size	Drill Bit	Socket	Length	Material
FIXK100	1pc	M10	14mm	17mm	100mm (screw length) Plug size 14mm x 100mm	Zinc Plated Steel with Plastic Plug
FIXKIT2	2pcs					
FIXKIT3	3pcs					
FIXKIT4	4pcs					
FIXKIT6	6pcs					

## Fixing Kits



## M10 Coach Screws 150mm with Washer & Nylon Plug

- Nylon plug size 14mm x 150mm
- Concrete surface fixings for Wheel Stops

SKU	Qty	Size	Drill Bit	Socket	Length	Material
WSFIX	1pc	M10	14mm	17mm	100mm (screw length) Plug size 14mm x 100mm	Zinc Plated Steel with Plastic Plug
WSTOPFIX2	2pcs					
WSTOPFIX3	3pcs					
WSTOPFIX4	4pcs					

## Wheel Stop Fixings Asphalt Anchor Screws

- Driven in to the asphalt using a rattle gun to secure the wheel stop in place
- A much easier installation and less time consuming process than using road spikes for installing wheel stops

SKU	Pack Qty	Type	Socket	Length	Material
AAS300	1pc	M12	19mm	300mm	Zinc Plated Steel
AAS300KIT2	2pcs				
AAS300KIT3	3pcs				
AAS300KIT4	4pcs				



## Wheel Stop Fixings Asphalt / Gravel Spikes

- Drill holes into ground first, install using sledge hammer
- Used for installation of wheel stops into gravel / asphalt / dirt surfaces.

SKU	Pack Qty	Dia.	Drill Bit	Length	Material
ROADSPIKE	1pc	12mm	12mm	300mm	Steel
WSKIT2SPIKE	2pcs				
WSKIT3SPIKE	3pcs				
WSKIT4SPIKE	4pcs				



## M12 x 180MM Concrete Screw Anchor

- M10 requires 12mm drill bit
- Concrete fixings for wheel stops

SKU	Pack Qty	Type	Drill Bit	Socket	Length	Material
CSAM12180	1pc	M12	12mm	19mm	180mm	Galvanised Steel
CSAM12180FK4	4pcs					



## M10 x 60MM Concrete Screw Anchor

- M10 requires 10mm drill bit
- Concrete fixings for surface mount bollards, speed humps, convex mirrors

SKU	Pack Qty	Type	Drill Bit	Socket	Length	Material
CSAM1060	1pc	M10	10mm	15mm	60mm	Galvanised Steel
CSAM1060FK2	2pcs					
CSAM1060FK3	3pcs					
CSAM1060FK4	4pcs					
CSAM1060FK6	6pcs					





## M10 x 100MM Concrete Screw Anchor

- M10 requires 10mm drill bit
- Concrete fixings for surface mount bollards, speed humps, convex mirrors

SKU	Pack Qty	Type	Drill Bit	Socket	Length	Material
CSAM10100	1pc	M10	10mm	17mm	100mm	Galvanised Steel
CSAM10100FK2	2pcs					
CSAM10100FK3	3pcs					
CSAM10100FK4	4pcs					
CSAM10100FK6	6pcs					



## M10 x 150MM Concrete Screw Anchor

- M10 requires 10mm drill bit
- Concrete fixings for surface mount bollards, speed humps, convex mirrors

SKU	Pack Qty	Type	Drill Bit	Socket	Length	Material
CSAM10150	1pc	M10	10mm	17mm	150mm	Galvanised Steel
CSAM10150FK2	2pcs					
CSAM10150FK3	3pcs					
CSAM12180	1pc					
CSAM12180FK4	4pc					



## M8 x 75mm, M10 x 100mm Concrete Screw Anchor - Stainless Steel

- Available in M8 or M10, 75mm or 100mm Length
- Requires 10mm drill bit
- Socket 17mm
- Concrete fixings for surface mount bike hoops

SKU	Pack Qty	Type	Drill Bit	Socket	Length	Material
CSASSM875	1pc	M8	10mm	17mm	75mm	Stainless Steel
CSASSM875FK6	6pcs	M8			75mm	
CSASSM10100	1pc	M10			100mm	



## Bosch SDS Masonry Drill Bit

- Exceptional drilling performance in concrete

SKU	Diameter	Length	Material
BSDS6	6mm	160mm (100mm In-Ground)	Zinc Plated Steel
BSDS8	8mm	160mm (100mm In-Ground)	
BSDS10	10mm	210mm (150mm In-Ground)	
BSDS12	12mm	210mm (150mm In-Ground)	
BSDS14	14mm	210mm (150mm In-Ground)	
BSDS16	16mm	210mm (150mm In-Ground)	





## Mungo Injection Polyester Chemical Epoxy MIT-SP

- Used in conjunction with Nylon Plug and Coach Screw Fixing Kits for a more secure hold particularly in asphalt surfaces to provide extra anchoring strength
- Fast curing, minimal down time

SKU	Volume	Usage	Pack
MITSP300	300ml	15 Holes (Approx) when used in conjunction with Nylon Plug and Coach Screw Fixing Kits.	Bottle
MITSP400	400ml	20 Holes (Approx) when used in conjunction with Nylon Plug and Coach Screw Fixing Kits.	



## Selleys Liquid Nails Instant Hold Adhesive

- Recommended adhesive for installing the Ultimate Tactile and both Aluminum and Reinforced Fibreglass Stair Nosings
- Simply sticks almost anything without screws or clamps, instantly holds
- Adjustable for up to 15 minutes
- UV & water resistant, cartridge holds up to 360kg/m<sup>2</sup>

### Recommended Usage

Ultimate Tactile = 1 x 290ml Cartridge for every 3-4 Ultimate tactiles.  
Download Ultimate Tactile Technical Data Sheet and Installation Instructions  
Stair nosings = 1 x 290ml Cartridge for every 15 metres of stair nosing.

SKU	Volume
INSHOLD290	290ml Cartridge



## Caulking Gun

- Ideal for use with silicone cartridges and sealant tubes.
- Heavy duty construction, comfortable pistol grip, easy to use
- Suitable for use with Selleys Liquid Nails Instant Hold Adhesive 290ml cartridge

SKU	Type
CGUNCART	Caulking Gun



## Surface Primer With FREE Applicator

- Polyurethane adhesive used in conjunction with the Peel and Stick tactile
- 1 x 700g tube required per 8 tactiles 300mm x 300mm.
- Free applicator with surface primer purchase

SKU	Material	Usage
SPRIME700	Polyurethane	Surface Primer for Peel and Stick Tactiles.
SCRAPERL	Plastic	Use scraper to spread out primer



## Graco Line Marking Machine FieldLazer S90 Sprayer - Grass Only

- Battery-powered, paint saving, high-pressure airless field marker.
- Airless principle atomises paint, results in uniform and bright lines in one pass.
- Lightweight - this greatly reduces operator fatigue and enhances maneuverability for corners and circles.
- Tilt-N-Pour Removable 6 Gallon Hopper, quickly pour and save unused paint, remove for additional cleaning ease
- On-Board 120V Charger, convenient plug-n-play battery charging
- Adjustable Spray Shields, protection in windy conditions
- Easy one button operation, adjustable handle bar, compact, fits into car trunks.

SKU	Size	Max. Working Pressure	Max. Tip Size	Tipper Capacity
24R371	L: 884mm x H: 610mm x W: 610mm	1200 psi	0.43mm	22.7 Litres



## Graco Line Marking Machine FieldLazer S100 Sprayer - Grass Only

- Adjustable Spray Guides, Disposable Paint Bucket Siphon System
- Easy Reach Handlebar Controls
- Honda® Engine, reliable Power
- FieldLazer RAC 5 (Reverse-A-Clean) Tip, turn tip 180° to easily clear clogs
- Adjustable Spray Guides, designed to deliver long, straight lines
- No-tool line width adjustment from 2 to 12 inch lines
- Exclusive tall wheel design, easily rolls over ruts and cleat marks
- Fold-Down Handle, fits into minivans, SUVs, even utes with toppers
- Easy, No-Tools Gun Removal

SKU	Size	Engine	Max. Tip Size	Tipper Capacity
248942	L: 884mm x H: 610mm x W: 610mm	Honda GX35	0.533mm	19 Litres



## Graco Line Marking Machine LineLazer 3400 Sprayer - Grass & Pavement

- Professional choice for dependable, 1-gun striping for small parking lots, mini malls, seal coating contractors, schools and park and recreation departments.
- Front swivel wheel, easier Maneuverability, ability to stripe right up to the curb
- Easy pump maintenance & less clogging
- Honda GX Engine, reliable, easy-to-start power, oil Alert shuts down engine to prevent damage if oil level drops too low
- Endurance chrome pump, electronic pressure control
- Updated frame, improved tracking & line quality, added stability with newly designed, 3-inch longer frame
- Accepts 15-gallon hopper and EZ bead system

SKU	Size	Engine	Max. Tip Size	Tipper Capacity
GRA3400	L: 167cm x H: 125cm x W: 97cm	Honda GX120	0.533mm	57 Litres

## 2 Manual Gun Control Graco Line Marking Machine LineLazer V3900 - Grass & Pavement



- LiveLook display with SmartControl, striping Information at a glance
- Track, measure and control every aspect of your job
- Accessible proof-of-job data from the J-Log System with USB Download
- Consistent spraying pressure for perfect lines
- Honda® GX Engine, reliable, easy-to-start power
- Contractor-preferred – excellent power and proven reliability
- Oil alert shuts down engine to prevent damage if oil level drops too low
- EasyMark gun adjustment system
- Perfect gun alignment every time with easy-to-use guide mark system
- 2-gun manual control, capability with QuickSelect gun selector

SKU	Max. Flow Rate	Engine	Max Tip Size	Tipper Capacity
GRA3900	4.7 l/min	Honda GX120	0.6350 mm	57 Litres

## 2 Manual Gun Control Graco Line Marking Machine LineLazer V5900 - Grass & Pavement



- LiveLook Display with SmartControl. Track, measure and control every aspect of your job. Real-time information for the perfect lines
- Honda® GX160 Engine, reliable and easy-to-start
- Oil Alert shuts down engine to prevent damage if oil level drops too low
- Simple gun control of two guns with one chrome gun lever
- Endurance Chromex Pump. Long life pumps provide precise flow for a wide range of striping materials. Easy pump maintenance and less clogging
- Inside-out filter design means less mess with fewer tip clogs
- DualComfort handlebar system. QuikSelect gun selector

SKU	Max. Flow Rate	Engine	Max Tip Size	Tipper Capacity
GRA5900	4.7 l/min	Honda GX160	0.7366 mm	57Litres

## Graco Thermoplastic Line Marking Machine - ThermoLazer 200TC - Pavement



- Direct Heat System, resulting in maximum material flow
- FlexDie System, delivers excellent line quality with exclusive deep-die, all steel construction and a no-tools change out design
- 90 kg Material Kettle, 18 kg Split Bead Hopper System
- No-tool system allows fast and easy line width changes
- Tri-Wheel System, dual solid front and single solid rear wheels provide smooth, quiet operation
- Bead Dispense System
- No-tool system allows fast and easy line width changes
- 30cm dispenser with 2.5 increments allows you to "dial-in" the drop rate

SKU	Max. Working Pressure	Suitable Materials	Includes
GRA200TC	17.24 (bar) 174.2 (kPa)	Thermoplastics, Glass Beads, Alkyds	FlexiDie

## Raised Pavement Markers 1 Way RRPMS

- 1 Way Reflective Raised Pavement Marker (RRPM) used to clearly define traffic lanes at night and by day
- Housing is moulded of High Impact ABS compound for durability
- True cube-corner type reflex reflector, moulded of optic grade Methyl Methacrylate plastic
- Suitable for 1 way traffic lanes
- Sold singularly

SKU	Colour	Size	Reflective Area	Material
RRPMS1YL	Yellow	100mm x 75mm	2.86 Square Inch.	ABS
RRPMS1WH	White			
RRPMS1GR	Green			
RRPMS1RD	Red			



## Raised Pavement Markers 2 Way RRPMS

- 2 Way Reflective Raised Pavement Marker (RRPM) used to clearly define traffic lanes at night and by day
- Housing is moulded of High Impact ABS compound for durability.
- True cube-corner type reflex reflector, moulded of optic grade Methyl Methacrylate plastic
- Sold singularly OR bulk discount available (sold per box of 50s)

SKU	Colour	SKU (Box of 50s)	Size	Reflective Area	Material
RRPMS2YL	Yellow	RRPM2WY50	100mm x 75mm	2.86 Square Inch.	ABS
RRPMS2WH	White	RRPM2WW50			
RRPMS2GR	Green	RRPM2WG50			
RRPMS2RD	Red	RRPM2WR50			
RRPMS2BL	Blue	RRPM2WB50			



## Raised Pavement Markers 2 Way RRPMS Solar Powered

- Solar Powered 2 Way Raised Pavement Marker (RRPM) used to clearly define traffic lanes at night and by day
- Round shoulder design that reduces tire impact and increases its lifetime
- Solar Powered, no need for batteries, no need for wiring, no button
- Auto recharge under direction sunlight
- Water and impact resistant, durable aluminium frame
- Light colour options: Yellow or White
- Light mode: Constant OR Flashing

SKU	Colour	Mode	Size	Working Time	Working Temp.
RRPMS2YSOLCO	Yellow	Constant	100mm x 100mm x 20mm	108 hours continuously	-25 ~ +75 Degrees Celsius
RRPMS2YSOLFL	Yellow	Flashing			
RRPMS2WSOLCO	White	Constant			
RRPMS2WSOLFL	White	Flashing			







## RPM Adhesive Pads

- Quick and secure way to apply RRPMS to road surfaces.
- Bitumen Pad for installing Raised Pavement Markers RRPMS.
- Ideal for installation of pavement markers, saves mixing messy epoxy
- Takes approx 90 seconds to apply and cures within two minutes
- Requires gas torch to apply
- Sold individually OR Bulk quantity discount available


SKU	Quantity	Size	Colour	Material
RPMAPAD	1pc	90mm x 90mm	Black	Bitumen Butyl
RPMAPAD50	50pcs Box			



## Car Park Marking Dots

- Used for highlighting car park spaces on gravel, asphalt or grass surfaces.
- Perfect as line marking for car park spaces
- Can be used on grass, bitumen seal, road base, compacted gravel, hot mix and concrete surfaces
- Outlast paint markings
- No special expertise or machinery is required to use and place.
- Available in Yellow or White, 120mm Long Fixing Peg included

SKU	Colour	Dia.	Fixings	Material
MDOTY	Yellow	100mm	125mm Long Fixing Peg Included	Plastic with Metal Fixing Peg
MDOTW	White			



## Skate Board Deterrents

- To be installed in public spaces, these skate board deterrents will blend in with most architectural designs whilst doing their job to prevent damage caused by skateboard, in line skaters and BMX grinding
- 316 Marine Grade stainless steel
- Suggested spacing: 500mm - 700mm (maximum) with 150mm from ends & approx 30mm in from edge

SKU	Length	Dia.	Height	Shaft
SBD120	120mm	N/A	9mm	30mm x 5mm
SBD34	N/A	34mm	5mm	20mm x 5mm



## Mixing Paddle

- A must have for all tradies
- Two sizes available
- Suitable to mix a variety of materials

SKU	Post	Spiral
MIXPADS	Post Length: 495mm Post Diameter 10mm	Spiral Diameter 103mm Spiral Length 105mm



## Line Marking Stencils - A - Z Alphabetic Sets

- Most commonly used stencil for line marking
- Can be re-used, stencil it self is clear polypropylene
- Comes in a range of sizes
- If you require stencils in other thickness, please contact us for a quote

SKU	Letter Height	Thickness	Material
STENALPHSET100	100mm	1.5mm Thick	Polypropylene Plastic
STENALPHSET150	150mm		
STENALPHSET200	200mm		
STENALPHSET300	300mm		
STENALPHSET450	450mm		
STENALPHSET600	600mm		



## Line Marking Stencils - Numbers 0 - 9 Sets

- Most commonly used stencil for line marking
- Can be re-used, stencil it self is clear polypropylene
- Comes in a range of sizes
- If you require stencils in other thickness, please contact us for a quote

SKU	Letter Height	Thickness	Material
STENUMSET100	100mm	1.5mm Thick	Polypropylene Plastic
STENUMSET150	150mm		
STENUMSET200	200mm		
STENUMSET300	300mm		
STENUMSET450	450mm		
STENUMSET600	600mm		




## Line Marking Stencils - Disabled Parking

- Most commonly used stencil for line marking
- 2mm thickness, suitable for medium to heavy duty use
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote

SKU	Pictograph Height	Thickness	Material
STENDIS	800mm	2mm Thick	Polypropylene Plastic


## Line Marking Stencil - Danger Forklift In Use



- Suitable for use on floor or on wall
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote

SKU	Pictograph Height	Overall Size	Thickness	Material
STENFORKUSE	435mm	580mm x 580mm	1.5mm Thick	Polypropylene Plastic
STENFORKUSEA			1.6mm Thick	Aluminium


## Line Marking Stencil - Forklift Traffic Area



- Suitable for use on floor or on wall
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote

SKU	Pictograph Height	Overall Size	Thickness	Material
STENFORKAREA	440mm	580mm x 580mm	1.5mm Thick	Polypropylene Plastic


## Line Marking Stencil - Safety Vest Area



- Suitable for use on floor or on wall
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote

SKU	Pictograph Height	Overall Size	Thickness	Material
STENSAFVEST	430mm	580mm x 580mm	1.5mm Thick	Polypropylene Plastic

## Line Marking Stencil Keep Clear At All Times



- Suitable for use on floor or on wall
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote

SKU	Pictograph Height	Overall Size	Thickness	Material
STENKEEPCLR	415mm	580mm x 580mm	1.5mm Thick	Polypropylene Plastic



## Line Marking Stencil - No Pedestrian Access

- Suitable for use on floor or on wall
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote


SKU	Pictograph Height	Overall Size	Thickness	Material
STENCROSPED	440mm	580mm x 580mm	1.5mm Thick	Polypropylene Plastic



## Line Marking Stencil - No Entry Authorised Persons Only

- Suitable for use on floor or on wall
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote

SKU	Pictograph Height	Overall Size	Thickness	Material
STENNOENTRY	440mm	580mm x 580mm	1.5mm Thick	Polypropylene Plastic



## Line Marking Stencil - Pedestrian Traffic Area

- Available in polypropylene or aluminium
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote

SKU	Pictograph Height	Overall Size	Thickness	Material
STENPEDTRAF	410mm	580mm x 580mm	1.5mm Thick	Polypropylene Plastic
STENPEDTRAFA			1.6mm Thick	Aluminium



## Line Marking Stencil - Eye Protection Area

- Suitable for use on floor or on wall
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote

SKU	Pictograph Height	Overall Size	Thickness	Material
STENEYPRO	430mm	580mm x 580mm	1.5mm Thick	Polypropylene Plastic





### Line Marking Stencil Ear Protection Area

- Suitable for use on floor or on wall
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote

SKU	Pictograph Height	Overall Size	Thickness	Material
STENEARPRO	390mm	580mm x 580mm	1.5mm Thick	Polypropylene Plastic



### Line Marking Stencil Foot Protection Area

- Suitable for use on floor or on wall
- Can be re-used, stencil it self is clear polypropylene
- If you require stencils in other thickness, please contact us for a quote

SKU	Pictograph Height	Overall Size	Thickness	Material
STENFOOTPRO	390mm	580mm x 580mm	1.5mm Thick	Polypropylene Plastic



### Line Marking Stencil - Custom

- Custom stencils available, any special design picto, size required, please contact us on 1300 049 246 with your requirement and we will provide you a quote
- Different thickness available, range from non-commercial use, to mid or heavy duty use (can be re-used)



	Thickness	Application
POLYPROPYLENE	1.5 mm	non-commercial, light duty use
	2.0 mm	commercial-industrial, medium to heavy duty use
	3.0 mm	commercial-industrial, heavy duty use
ALUM.	1.6 mm	commercial - industrial, super heavy duty use

Pls Note: These descriptions are a guide only



## Line Marking Paint - 10 Litres

### Grass Line Marking

- Extremely bright very long lasting line and rain resistant
- 6 parts water to 1 part paint for initial mark
- 15 parts water to 1 part paint for over marking.

SKU	Colour	Suitable Applications
FORCE10LB	Black	Road and concrete marking
FORCE10LR	Red	
FORCE10LY	Yellow	
FORCE10LW	White	
FORCE10LG	Grey	



Colour Options



## Line Marking Paint - 15 Litres

- Professional's choice - spray, roll or brush on use this paint.
- Suitable for concrete or asphalt surfaces.
- Click and collect only

SKU	Colour	Suitable Applications
LMPRC15LB	Black	Road and concrete marking
LMPRC15LR	Red	
LMPRC15LY	Yellow	
LMPRC15LW	White	
LMPRC15LG	Grey	
LMPRCWB215LY	Yellow	Road and concrete marking (water borne)
LMPRCWB215LW	White	



## Line Marking Tapes

- Magpie Line Marking Masking Tape designed for general purpose use
- Yellow line marking tape is an alternative to using permanent line marking paint or marking out spray paint
- Easy to apply and remove
- Bulk quantity discount available, carton qty available



SKU	Width	Length	Colour	Description
LMTAPE4833	33mm	48 Metre Roll	Yellow	Line Marking Tape
MASKTPMG	48mm	50 Metre Roll	White	Magpie Line Marking Tape
MASKTPMG36	48mm	36 rolls x 50 Metre Rolls (Carton)	White	Magpie Line Marking Tape Carton of 36rolls

At Durasafe, we specialise in providing a range of professional line marking services and solutions across Melbourne regional Vic. We provide marking services for roads and road works, car parks, work sites, schools and sports grounds, factories and warehouses and more.

Our team has over 30 years' experience providing expert safety and line marking solutions in Melbourne. We provide durable, high quality markings that conform to Vic Roads guidelines, Australian Standards and the Australian Road Rules.

Contact us today on 1300 049 246 or email [sales@durasafe.com.au](mailto:sales@durasafe.com.au) for a free consultation and quote.

- |   |                         |
|---|-------------------------|
| ✓ Professional Line Marking             | ✓ Car Parks             |
| ✓ Epoxy Flooring                        | ✓ Shopping Centres      |
| ✓ Line Marking Removal                  | ✓ Warehouses            |
| ✓ Car Park Safety Products Installation | ✓ Factories             |
| ✓ Regular Car Park Maintenance          | ✓ Schools & Playgrounds |





## Project Show Case





Surface Mount Bollards Installed for Wilson Security





In Ground Bollards Installed for McKinnon Hotel



In Ground Bollards Installed for Hungry Jack's



Wheel Stops Installed for Woolworths Distribution Centres Line Marking and Signage Installation at Sandown Racecourse




Line Marking and Car Park Product Installation for Vicinity Shopping Centres

Need professional car park product installation or line markings services?  
Contact us today on 1300 049 246 or email [sales@durasafe.com.au](mailto:sales@durasafe.com.au) for a free consultation and quote.






Bollards and Wheel Stops for Amity Dingley Village



Bollards and Wheel Stops for Amity Dingley Village




Line Marking and Wheel Stops Installed for SkyBus Parking at Melbourne Airport



Boom Gate and Line Marking for Bayside Shopping Centre Frankston



DHL Depot Line Marking



Hand Rails and Wheel Stops



Line Marking for Royal Flying Doctors



Macclesfield Primary School



School Playground Line Marking



[illegible]

## MELBOURNE

### Head Office

3 Jellico Drive, Scoresby VIC 3179

[vicsales@safetyxpress.com.au](mailto:vicsales@safetyxpress.com.au)



**[SALES@SAFETYXPRESS.COM.AU](mailto:SALES@SAFETYXPRESS.COM.AU)**

**1300 049 246**

## GOLD COAST

### Sales & Distribution Centre

1/6 Resources Court, Molendinar QLD 4216

[qldsales@safetyxpress.com.au](mailto:qldsales@safetyxpress.com.au)



## SYDNEY

### Sales & Distribution Centre

4/12 Bernera Road, Prestons NSW 2170

[nswsales@safetyxpress.com.au](mailto:nswsales@safetyxpress.com.au)



# THE SAFETY SOLUTION SPECIALISTS

**CALL NOW 1300 049 246**

**FREE  
SIGNUP**  
**INSTANT  
REWARD  
POINTS**



**SafetyXpress  
Gifts**



OR

**Prezzee**  
Smart eGift Card

OR

**SAFETY  
Xpress**  
.com.au  
Store Credit

Earn instant rewards by purchasing with us, or following & sharing us on social media.

Redeem your Xpress Points for awesome rewards (eGift card your choose from 100+ retailers) OR Store Credit towards future purchases with us.

Safety Xpress Catalogue Version 3.1.0  
July 2023